

Iain D Campbell

List of Publications by Citations

Source: <https://exaly.com/author-pdf/12063530/iain-d-campbell-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

175
papers

14,089
citations

65
h-index

115
g-index

176
ext. papers

14,998
ext. citations

9.5
avg, IF

6.16
L-index

#	Paper	IF	Citations
175	Integrin structure, activation, and interactions. <i>Cold Spring Harbor Perspectives in Biology</i> , 2011 , 3,	10.2	636
174	The GTPase dynamin binds to and is activated by a subset of SH3 domains. <i>Cell</i> , 1993 , 75, 25-36	56.2	530
173	Structural basis of integrin activation by talin. <i>Cell</i> , 2007 , 128, 171-82	56.2	519
172	Structural determinants of integrin recognition by talin. <i>Molecular Cell</i> , 2003 , 11, 49-58	17.6	443
171	The three-dimensional structure of the tenth type III module of fibronectin: an insight into RGD-mediated interactions. <i>Cell</i> , 1992 , 71, 671-8	56.2	437
170	Talins and kindlins: partners in integrin-mediated adhesion. <i>Nature Reviews Molecular Cell Biology</i> , 2013 , 14, 503-17	48.7	380
169	The solution structure of human epidermal growth factor. <i>Nature</i> , 1987 , 327, 339-41	50.4	329
168	Epidermal growth factor-like modules. <i>Current Opinion in Structural Biology</i> , 1993 , 3, 385-392	8.1	322
167	The molecular basis of filamin binding to integrins and competition with talin. <i>Molecular Cell</i> , 2006 , 21, 337-47	17.6	315
166	Pathogenic bacteria attach to human fibronectin through a tandem beta-zipper. <i>Nature</i> , 2003 , 423, 177-81	50.4	301
165	Structure and distribution of modules in extracellular proteins. <i>Quarterly Reviews of Biophysics</i> , 1996 , 29, 119-67	7	266
164	Structures of the Cd44-hyaluronan complex provide insight into a fundamental carbohydrate-protein interaction. <i>Nature Structural and Molecular Biology</i> , 2007 , 14, 234-9	17.6	264
163	Solution structure of the link module: a hyaluronan-binding domain involved in extracellular matrix stability and cell migration. <i>Cell</i> , 1996 , 86, 767-75	56.2	264
162	The structure of an integrin/talin complex reveals the basis of inside-out signal transduction. <i>EMBO Journal</i> , 2009 , 28, 3623-32	13	251
161	Human erythrocyte metabolism studies by 1H spin echo NMR. <i>FEBS Letters</i> , 1977 , 82, 12-6	3.8	242
160	The structure of melittin. A 1H-NMR study in methanol. <i>FEBS Journal</i> , 1988 , 173, 139-46		209
159	Structure of the regulatory hyaluronan binding domain in the inflammatory leukocyte homing receptor CD44. <i>Molecular Cell</i> , 2004 , 13, 483-96	17.6	204

158	Protein modules. <i>Trends in Biochemical Sciences</i> , 1991 , 16, 13-7	10.3	194
157	Solution structure and ligand-binding site of the SH3 domain of the p85 alpha subunit of phosphatidylinositol 3-kinase. <i>Cell</i> , 1993 , 73, 813-22	56.2	190
156	Fibronectin structure and assembly. <i>Current Opinion in Cell Biology</i> , 1994 , 6, 648-55	9	184
155	Influence of cross-correlation between dipolar and anisotropic chemical shift relaxation mechanisms upon longitudinal relaxation rates of ¹⁵ N in macromolecules. <i>Chemical Physics Letters</i> , 1990 , 175, 477-482	2.5	180
154	Structure of an SH2 domain of the p85 alpha subunit of phosphatidylinositol-3-OH kinase. <i>Nature</i> , 1992 , 358, 684-7	50.4	174
153	Structure and functional significance of mechanically unfolded fibronectin type III1 intermediates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 14784-9	11.5	173
152	Structure and function of fibronectin modules. <i>Matrix Biology</i> , 1996 , 15, 313-20; discussion 321	11.4	165
151	Structure of domain 1 of rat T lymphocyte CD2 antigen. <i>Nature</i> , 1991 , 353, 762-5	50.4	153
150	The folding kinetics and thermodynamics of the Fyn-SH3 domain. <i>Biochemistry</i> , 1998 , 37, 2529-37	3.2	142
149	Three-Dimensional Solution Structure of the Extracellular Region of the Complement Regulatory Protein CD59, a New Cell-Surface Protein Domain Related to Snake Venom Neurotoxins. <i>Biochemistry</i> , 1994 , 33, 4471-4482	3.2	135
148	The tail of integrin activation. <i>Trends in Biochemical Sciences</i> , 2011 , 36, 191-8	10.3	132
147	High-resolution ¹ H NMR study of the solution structure of alamethicin. <i>Biochemistry</i> , 1987 , 26, 1043-50	3.2	132
146	Human epidermal growth factor. High resolution solution structure and comparison with human transforming growth factor alpha. <i>Journal of Molecular Biology</i> , 1992 , 227, 271-82	6.5	123
145	Temperature dependent molecular motion of a tyrosine residue of ferrocycytochrome C. <i>FEBS Letters</i> , 1976 , 70, 96-100	3.8	121
144	Folding kinetics of the SH3 domain of PI3 kinase by real-time NMR combined with optical spectroscopy. <i>Journal of Molecular Biology</i> , 1998 , 276, 657-67	6.5	120
143	NMR studies of a viral protein that mimics the regulators of complement activation. <i>Journal of Molecular Biology</i> , 1997 , 272, 253-65	6.5	119
142	Structural requirements for biological activity of the ninth and tenth FIII domains of human fibronectin. <i>Journal of Biological Chemistry</i> , 1997 , 272, 6159-66	5.4	115
141	A comparison of the folding kinetics and thermodynamics of two homologous fibronectin type III modules. <i>Journal of Molecular Biology</i> , 1997 , 270, 763-70	6.5	113

140	Structure of three tandem filamin domains reveals auto-inhibition of ligand binding. <i>EMBO Journal</i> , 2007 , 26, 3993-4004	13	113
139	Building proteins with fibronectin type III modules. <i>Structure</i> , 1994 , 2, 333-7	5.2	107
138	NMR analysis of structure and dynamics of the cytosolic tails of integrin alpha IIb beta 3 in aqueous solution. <i>Biochemistry</i> , 2001 , 40, 7498-508	3.2	104
137	Structure of the fibronectin type 1 module. <i>Nature</i> , 1990 , 345, 642-6	50.4	104
136	Transmembrane and cytoplasmic domains in integrin activation and protein-protein interactions (review). <i>Molecular Membrane Biology</i> , 2008 , 25, 376-87	3.4	103
135	The structure of an interdomain complex that regulates talin activity. <i>Journal of Biological Chemistry</i> , 2009 , 284, 15097-106	5.4	99
134	Beta integrin tyrosine phosphorylation is a conserved mechanism for regulating talin-induced integrin activation. <i>Journal of Biological Chemistry</i> , 2009 , 284, 36700-36710	5.4	97
133	The talin-tail interaction places integrin activation on FERM ground. <i>Trends in Biochemical Sciences</i> , 2004 , 29, 429-35	10.3	97
132	Module-module interactions in the cell binding region of fibronectin: stability, flexibility and specificity. <i>Journal of Molecular Biology</i> , 1997 , 265, 565-79	6.5	95
131	Localization and characterization of the hyaluronan-binding site on the link module from human TSG-6. <i>Structure</i> , 2000 , 8, 763-74	5.2	91
130	¹ H NMR assignment and secondary structure of the cell adhesion type III module of fibronectin. <i>Biochemistry</i> , 1992 , 31, 2068-73	3.2	91
129	Solution structure of a type 2 module from fibronectin: implications for the structure and function of the gelatin-binding domain. <i>Structure</i> , 1997 , 5, 359-70	5.2	90
128	The effects of guanidine hydrochloride on the Tandom coilTconformations and NMR chemical shifts of the peptide series GGXGG. <i>Journal of Biomolecular NMR</i> , 1997 , 10, 221-30	3	89
127	Structural basis of the migfilin-filamin interaction and competition with integrin beta tails. <i>Journal of Biological Chemistry</i> , 2008 , 283, 35154-63	5.4	89
126	Solution structure of a pair of fibronectin type 1 modules with fibrin binding activity. <i>Journal of Molecular Biology</i> , 1994 , 235, 1302-11	6.5	89
125	Contribution of proline-14 to the structure and actions of melittin. <i>FEBS Letters</i> , 1991 , 281, 240-4	3.8	87
124	An integrin phosphorylation switch: the effect of beta3 integrin tail phosphorylation on Dok1 and talin binding. <i>Journal of Biological Chemistry</i> , 2008 , 283, 5420-6	5.4	86
123	Solution structure and peptide binding of the SH3 domain from human Fyn. <i>Structure</i> , 1996 , 4, 705-14	5.2	86

122	Molecular recognition of paxillin LD motifs by the focal adhesion targeting domain. <i>Structure</i> , 2003 , 11, 1207-17	5.2	80
121	Activity, disulphide mapping and structural modelling of the fifth domain of human beta 2-glycoprotein I. <i>FEBS Letters</i> , 1992 , 313, 193-7	3.8	76
120	Identification and structural analysis of type I collagen sites in complex with fibronectin fragments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 4195-200	11.5	75
119	Four-helix bundle growth factors and their receptors: protein-protein interactions. <i>Current Opinion in Structural Biology</i> , 1995 , 5, 114-21	8.1	74
118	Domain-specific interactions of talin with the membrane-proximal region of the integrin beta3 subunit. <i>Biochemistry</i> , 2003 , 42, 8307-12	3.2	72
117	The link module from ovulation- and inflammation-associated protein TSG-6 changes conformation on hyaluronan binding. <i>Journal of Biological Chemistry</i> , 2003 , 278, 49261-70	5.4	71
116	High-resolution 1H NMR study of the solution structure of delta-hemolysin. <i>Biochemistry</i> , 1988 , 27, 1643-7	3.2	71
115	Interdomain association in fibronectin: insight into cryptic sites and fibrillogenesis. <i>EMBO Journal</i> , 2007 , 26, 2575-83	13	70
114	The role of the Src homology 3-Src homology 2 interface in the regulation of Src kinases. <i>Journal of Biological Chemistry</i> , 2001 , 276, 17199-205	5.4	70
113	The structure of the N-terminus of kindlin-1: a domain important for alpha5beta3 integrin activation. <i>Journal of Molecular Biology</i> , 2009 , 394, 944-56	6.5	69
112	Solution structure and dynamics of a calcium binding epidermal growth factor-like domain pair from the neonatal region of human fibrillin-1. <i>Journal of Biological Chemistry</i> , 2003 , 278, 12199-206	5.4	69
111	Structural diversity in integrin/talin interactions. <i>Structure</i> , 2010 , 18, 1654-66	5.2	67
110	Backbone dynamics of a cbEGF domain pair in the presence of calcium. <i>Journal of Molecular Biology</i> , 2000 , 296, 1065-78	6.5	65
109	Structural basis for phosphatidylinositol phosphate kinase type Igamma binding to talin at focal adhesions. <i>Journal of Biological Chemistry</i> , 2005 , 280, 8381-6	5.4	64
108	The eighth FIII domain of human fibronectin promotes integrin alpha5beta1 binding via stabilization of the ninth FIII domain. <i>Journal of Biological Chemistry</i> , 2001 , 276, 38885-92	5.4	60
107	The specific incorporation of labelled aromatic amino acids into proteins through growth of bacteria in the presence of glyphosate. Application to fluorotryptophan labelling to the H(+)-ATPase of Escherichia coli and NMR studies. <i>FEBS Letters</i> , 1990 , 272, 34-6	3.8	60
106	Towards a structure for a TSG-6.hyaluronan complex by modeling and NMR spectroscopy: insights into other members of the link module superfamily. <i>Journal of Biological Chemistry</i> , 2005 , 280, 18189-201	5.4	59
105	Dynamic studies of a fibronectin type I module pair at three frequencies: Anisotropic modelling and direct determination of conformational exchange. <i>Journal of Biomolecular NMR</i> , 1996 , 8, 369-78	3	59

104	Solution structure and sugar-binding mechanism of mouse latrophilin-1 RBL: a 7TM receptor-attached lectin-like domain. <i>Structure</i> , 2008 , 16, 944-53	5.2	58
103	The solution structures of epidermal growth factor and transforming growth factor alpha. <i>Progress in Growth Factor Research</i> , 1989 , 1, 13-22		58
102	Multiscale simulations suggest a mechanism for integrin inside-out activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 11890-5	11.5	56
101	Extracellular matrix: from atomic resolution to ultrastructure. <i>Current Opinion in Cell Biology</i> , 2007 , 19, 578-83	9	56
100	High affinity streptococcal binding to human fibronectin requires specific recognition of sequential F1 modules. <i>Journal of Biological Chemistry</i> , 2004 , 279, 39017-25	5.4	56
99	The structure of the talin/integrin complex at a lipid bilayer: an NMR and MD simulation study. <i>Structure</i> , 2010 , 18, 1280-8	5.2	53
98	The solution structure of human transforming growth factor alpha. <i>FEBS Journal</i> , 1991 , 198, 555-62		53
97	Structural analysis of collagen type I interactions with human fibronectin reveals a cooperative binding mode. <i>Journal of Biological Chemistry</i> , 2013 , 288, 17441-50	5.4	51
96	Solution structure of the glycosylated second type 2 module of fibronectin. <i>Journal of Molecular Biology</i> , 1998 , 276, 177-87	6.5	50
95	NMR studies of modular protein structures and their interactions. <i>Chemical Reviews</i> , 2004 , 104, 3557-66	68.1	49
94	Structure-function relationships in human epidermal growth factor studied by site-directed mutagenesis and 1H NMR. <i>Biochemistry</i> , 1991 , 30, 8891-8	3.2	49
93	Solution structure of the fibrin binding finger domain of tissue-type plasminogen activator determined by 1H nuclear magnetic resonance. <i>Journal of Molecular Biology</i> , 1992 , 225, 821-33	6.5	47
92	Interdomain tilt angle determines integrin-dependent function of the ninth and tenth FIII domains of human fibronectin. <i>Journal of Biological Chemistry</i> , 2004 , 279, 55995-6003	5.4	46
91	NMR analysis of interacting soluble forms of the cell-cell recognition molecules CD2 and CD48. <i>Biochemistry</i> , 1996 , 35, 5982-91	3.2	46
90	Phosphopeptide binding to the N-terminal SH2 domain of the p85 alpha subunit of PI 3Tkinase: a heteronuclear NMR study. <i>Protein Science</i> , 1994 , 3, 1020-30	6.3	46
89	Structure-function relationships in epidermal growth factor (EGF) and transforming growth factor-alpha (TGF-alpha). <i>Biochemical Pharmacology</i> , 1990 , 40, 35-40	6	45
88	Mapping the heparin-binding site on the 13-14F3 fragment of fibronectin. <i>Journal of Biological Chemistry</i> , 2002 , 277, 50629-35	5.4	44
87	Building protein structure and function from modular units. <i>Trends in Biotechnology</i> , 1994 , 12, 168-72	15.1	44

86	Ligand requirements for Ca ²⁺ binding to EGF-like domains. <i>Protein Engineering, Design and Selection</i> , 1992 , 5, 489-94	1.9	44
85	Structural homology of cytochromes c. <i>FEBS Journal</i> , 1978 , 83, 261-75		44
84	Motogenic sites in human fibronectin are masked by long range interactions. <i>Journal of Biological Chemistry</i> , 2009 , 284, 15668-75	5.4	43
83	NMR studies of kinetics in cells and tissues. <i>Quarterly Reviews of Biophysics</i> , 1987 , 19, 159-82	7	43
82	Solution structure of the LDL receptor EGF-AB pair: a paradigm for the assembly of tandem calcium binding EGF domains. <i>Structure</i> , 2001 , 9, 451-6	5.2	42
81	Spin echo double resonance: a novel method for detecting decoupling in Fourier transform nuclear magnetic resonance. <i>Journal of the Chemical Society Chemical Communications</i> , 1975 , 750		42
80	Alternative modes of tyrosyl phosphopeptide binding to a Src family SH2 domain: implications for regulation of tyrosine kinase activity. <i>Biochemistry</i> , 1996 , 35, 11062-9	3.2	41
79	Structural basis for the interaction between the cytoplasmic domain of the hyaluronate receptor layilin and the talin F3 subdomain. <i>Journal of Molecular Biology</i> , 2008 , 382, 112-26	6.5	40
78	Timeline: the march of structural biology. <i>Nature Reviews Molecular Cell Biology</i> , 2002 , 3, 377-81	48.7	39
77	High resolution 1H NMR study of the solution structure of the S4 segment of the sodium channel protein. <i>FEBS Letters</i> , 1989 , 257, 113-7	3.8	37
76	The SH2 domain from the tyrosine kinase Fyn in complex with a phosphotyrosyl peptide reveals insights into domain stability and binding specificity. <i>Structure</i> , 1997 , 5, 1313-23	5.2	36
75	NMR and structural genomics. <i>Accounts of Chemical Research</i> , 2003 , 36, 207-14	24.3	36
74	A helix heterodimer in a lipid bilayer: prediction of the structure of an integrin transmembrane domain via multiscale simulations. <i>Structure</i> , 2011 , 19, 1477-84	5.2	35
73	Cooling overall spin temperature: protein NMR experiments optimized for longitudinal relaxation effects. <i>Journal of Magnetic Resonance</i> , 2006 , 178, 206-11	3	35
72	Solution structure of the N-terminal F1 module pair from human fibronectin. <i>Biochemistry</i> , 1999 , 38, 8304-12	3.2	35
71	Observation of carbon labelling in cell metabolites using proton spin echo NMR. <i>Biochemical and Biophysical Research Communications</i> , 1982 , 109, 864-71	3.4	34
70	SH3-SH2 domain orientation in Src kinases: NMR studies of Fyn. <i>Structure</i> , 2002 , 10, 901-11	5.2	33
69	The solution structure and backbone dynamics of the fibronectin type I and epidermal growth factor-like pair of modules of tissue-type plasminogen activator. <i>Structure</i> , 1995 , 3, 823-33	5.2	33

68	The role of the fibronectin IGD motif in stimulating fibroblast migration. <i>Journal of Biological Chemistry</i> , 2007 , 282, 35530-5	5.4	30
67	Structural analysis of the interactions between paxillin LD motifs and alpha-parvin. <i>Structure</i> , 2008 , 16, 1521-31	5.2	28
66	Studies of focal adhesion assembly. <i>Biochemical Society Transactions</i> , 2008 , 36, 263-6	5.1	28
65	A membrane-distal segment of the integrin alpha IIb cytoplasmic domain regulates integrin activation. <i>Journal of Biological Chemistry</i> , 2001 , 276, 22514-21	5.4	28
64	Intramolecular nuclear Overhauser effects in proton magnetic resonance spectra of proteins. <i>Journal of the Chemical Society Chemical Communications</i> , 1974 , 888		28
63	NMR of modular proteins. <i>Nature Structural Biology</i> , 1998 , 5 Suppl, 496-9		27
62	Effects of proline cis-trans isomerization on TB domain secondary structure. <i>Protein Science</i> , 1998 , 7, 2127-35	6.3	27
61	Effects of the N2144S mutation on backbone dynamics of a TB-cbEGF domain pair from human fibrillin-1. <i>Journal of Molecular Biology</i> , 2002 , 316, 113-25	6.5	27
60	A high-resolution 1H-NMR study of human transforming growth factor alpha. Structure and pH-dependent conformational interconversion. <i>FEBS Journal</i> , 1989 , 179, 629-37		27
59	Implications for collagen binding from the crystallographic structure of fibronectin 6FnI1-2FnII7FnI. <i>Journal of Biological Chemistry</i> , 2010 , 285, 33764-70	5.4	26
58	Biophysical analysis of Kindlin-3 reveals an elongated conformation and maps integrin binding to the membrane-distal subunit NPXY motif. <i>Journal of Biological Chemistry</i> , 2012 , 287, 37715-31	5.4	26
57	Determining the molecular basis for the pH-dependent interaction between the link module of human TSG-6 and hyaluronan. <i>Journal of Biological Chemistry</i> , 2007 , 282, 12976-88	5.4	25
56	Characterization of 14-3-3 interactions with integrin tails. <i>Journal of Molecular Biology</i> , 2013 , 425, 3060-72		23
55	Conformational changes in talin on binding to anionic phospholipid membranes facilitate signaling by integrin transmembrane helices. <i>PLoS Computational Biology</i> , 2013 , 9, e1003316	5	23
54	Binding, domain orientation, and dynamics of the Lck SH3-SH2 domain pair and comparison with other Src-family kinases. <i>Biochemistry</i> , 2005 , 44, 13043-50	3.2	22
53	Secondary structure of a pair of fibronectin type 1 modules by two-dimensional nuclear magnetic resonance. <i>Biochemistry</i> , 1993 , 32, 7388-95	3.2	22
52	Secondary structure of fibronectin type 1 and epidermal growth factor modules from tissue-type plasminogen activator by nuclear magnetic resonance. <i>Biochemistry</i> , 1994 , 33, 2422-9	3.2	22
51	A 1H-NMR study of the activity expressed by lactate dehydrogenase in the human erythrocyte. <i>FEBS Journal</i> , 1986 , 158, 299-305		22

50	A multinuclear NMR study of 2,3-bisphosphoglycerate metabolism in the human erythrocyte. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1984 , 805, 19-24	4.9	22
49	Identification of residues involved in the interaction of Staphylococcus aureus fibronectin-binding protein with the (4)F1(5)F1 module pair of human fibronectin using heteronuclear NMR spectroscopy. <i>Biochemistry</i> , 2000 , 39, 2887-93	3.2	21
48	The C-terminal rod 2 fragment of filamin A forms a compact structure that can be extended. <i>Biochemical Journal</i> , 2012 , 446, 261-9	3.8	20
47	Bacillus subtilis mutations that alter the pathway of phosphorylation of the anti-anti-sigmaF factor SpoIIAA lead to a Spo- phenotype. <i>Molecular Microbiology</i> , 2001 , 40, 9-19	4.1	20
46	Integrin activation--the importance of a positive feedback. <i>Bulletin of Mathematical Biology</i> , 2006 , 68, 945-56	2.1	19
45	Gelatin binding to the 8F19F1 module pair of human fibronectin requires site-specific N-glycosylation. <i>FEBS Letters</i> , 2005 , 579, 4529-34	3.8	19
44	Interface characterization of the type II module pair from fibronectin. <i>Biochemistry</i> , 2000 , 39, 8374-81	3.2	19
43	Solution structure of a pair of modules from the gelatin-binding domain of fibronectin. <i>Structure</i> , 1999 , 7, 1451-60	5.2	19
42	High-resolution structural studies of the factor XIIIa crosslinking site and the first type 1 module of fibronectin. <i>Nature Structural and Molecular Biology</i> , 1995 , 2, 946-50	17.6	19
41	Solution studies of the SH2 domain from the fyn tyrosine kinase: secondary structure, backbone dynamics and protein association. <i>European Biophysics Journal</i> , 1996 , 24, 371-80	1.9	19
40	The effects of dissolved oxygen upon amide proton relaxation and chemical shift in a perdeuterated protein. <i>Journal of Magnetic Resonance</i> , 2002 , 157, 181-9	3	18
39	The Integrin Receptor in Biologically Relevant Bilayers: Insights from Molecular Dynamics Simulations. <i>Journal of Membrane Biology</i> , 2017 , 250, 337-351	2.3	17
38	Probing protein-peptide binding surfaces using charged stable free radicals and transverse paramagnetic relaxation enhancement (PRE). <i>Journal of Biomolecular NMR</i> , 2005 , 31, 155-60	3	17
37	Model of a six immunoglobulin-like domain fragment of filamin A (16-21) built using residual dipolar couplings. <i>Journal of the American Chemical Society</i> , 2012 , 134, 6660-72	16.4	16
36	Amide proton relaxation measurements employing a highly deuterated protein. <i>Journal of Magnetic Resonance</i> , 2004 , 166, 190-201	3	16
35	Protein structure determination by nuclear magnetic resonance. <i>BioEssays</i> , 1988 , 8, 52-6	4.1	15
34	The streptococcal binding site in the gelatin-binding domain of fibronectin is consistent with a non-linear arrangement of modules. <i>Journal of Biological Chemistry</i> , 2010 , 285, 36977-83	5.4	14
33	Solution structure of a PAN module from the apicomplexan parasite Eimeria tenella. <i>Journal of Structural and Functional Genomics</i> , 2003 , 4, 227-34		14

32	Assembly of a filamin four-domain fragment and the influence of splicing variant-1 on the structure. <i>Journal of Biological Chemistry</i> , 2011 , 286, 26921-30	5.4	13
31	The relative orientation of the fibronectin 6F1(1)F2 module pair: a 15N NMR relaxation study. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 203-14	3	13
30	Nuclear-magnetic-resonance studies of human epidermal growth factor. <i>FEBS Journal</i> , 1990 , 193, 807-15		13
29	Strategy for studying modular proteins: application to complement modules. <i>Methods in Enzymology</i> , 1994 , 239, 464-85	1.7	10
28	Preparation of recombinant fibronectin fragments for functional and structural studies. <i>Methods in Molecular Biology</i> , 2009 , 522, 73-99	1.4	10
27	Integrin binding immunoglobulin type filamin domains have variable stability. <i>Biochemistry</i> , 2008 , 47, 11055-61	3.2	9
26	Structural insight into binding of Staphylococcus aureus to human fibronectin. <i>FEBS Letters</i> , 2006 , 580, 273-7	3.8	9
25	Solution structure of the coiled-coil trimerization domain from lung surfactant protein D. <i>Journal of Biomolecular NMR</i> , 2002 , 24, 89-102	3	9
24	Exploiting the carboxylate chemical shift to resolve degenerate resonances in spectra of 13C-labelled glycosaminoglycans. <i>Magnetic Resonance in Chemistry</i> , 2005 , 43, 805-15	2.1	9
23	Binding of a peptide from a Streptococcus dysgalactiae MSCRAMM to the N-terminal F1 module pair of human fibronectin involves both modules. <i>FEBS Letters</i> , 2001 , 497, 137-40	3.8	9
22	The Croonian lecture 2006. Structure of the living cell. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2008 , 363, 2379-91	5.8	8
21	Gelatin binding to the 6F1(1)F2(2)F2 fragment of fibronectin is independent of module-module interactions. <i>Biochemistry</i> , 2005 , 44, 14682-7	3.2	8
20	Protein structure determination by NMR. <i>Trends in Biotechnology</i> , 1987 , 5, 302-306	15.1	7
19	Preparation of isotopically labeled recombinant fragments of fibronectin for functional and structural study by heteronuclear nuclear magnetic resonance spectroscopy. <i>Methods in Molecular Biology</i> , 2000 , 139, 59-69	1.4	6
18	The evolution of protein NMR. <i>Biomedical Spectroscopy and Imaging</i> , 2013 , 2, 245-264	1.3	5
17	The talin FERM domain is not so FERM. <i>Structure</i> , 2010 , 18, 1222-3	5.2	5
16	Structure-function studies of CD2 by n.m.r. and mutagenesis. <i>Biochemical Society Transactions</i> , 1993 , 21, 947-52	5.1	5
15	Proton NMR measurements of hydrogen exchange at the C-3 position of 3-hydroxybutyrate in suspensions of rat liver mitochondria. <i>FEBS Letters</i> , 1983 , 163, 185-8	3.8	5

14	GETTING TO GRIPS WITH HA-PROTEIN INTERACTIONS 2002 , 161-172		4
13	Structure function relationships in EGF, TGF-alpha and IGFI. <i>Journal of Cell Science</i> , 1990 , 13, 5-10	5.3	3
12	A nuclear magnetic resonance study of alamethicin-, Ehaemolysin-, and melittin-induced sodium leakage from large unilamellar vesicles. <i>Biochemical Society Transactions</i> , 1988 , 16, 594-595	5.1	3
11	Association of aldolase with the membranes in concentrated human erythrocyte lysates. <i>Biochemical Society Transactions</i> , 1983 , 11, 281-282	5.1	3
10	The Structure and Dynamics of Membrane Spanning Helices by High Resolution NMR and Molecular Dynamics. <i>Jerusalem Symposia on Quantum Chemistry and Biochemistry</i> , 1988 , 91-101		3
9	Shape and dynamics of a calcium-binding protein investigated by nitrogen-15 NMR relaxation. <i>Methods in Molecular Biology</i> , 2002 , 173, 285-300	1.4	2
8	Measurement of peptide transport using proton nuclear magnetic resonance spectroscopy. <i>Biochemical Society Transactions</i> , 1988 , 16, 635-636	5.1	2
7	¹ H n.m.r. studies of the kinetic properties expressed by erythrocyte enzymes in situ and in vitro. <i>Biochemical Society Transactions</i> , 1983 , 11, 280-281	5.1	2
6	Towards the Structure of Mosaic Proteins: Use of Protein Expression and NMR Techniques 1990 , 49-60		2
5	Solution structures of modular proteins by nuclear magnetic resonance. <i>Methods in Enzymology</i> , 1994 , 245, 451-69	1.7	1
4	Effects of K ⁺ on mitochondrial respiration. <i>Biochemical Society Transactions</i> , 1986 , 14, 774-775	5.1	1
3	NMR studies of enzymes. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1986 , 324, 437-441		1
2	Toward the Structure of Mosaic Proteins: Expression, Purification and Structural Analysis of a Pair of Fibronectin Type1 Modules 1993 , 623-631		
1	NMR Studies of the Structure and Role of Modules Involved in Protein-Protein Interactions 1993 , 134-158		