Roberta Monterazzo Cysneiros

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12065682/publications.pdf

Version: 2024-02-01

1040056 1281871 12 220 9 11 citations h-index g-index papers 13 13 13 271 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Altered anxiety-related and abnormal social behaviors in rats exposed to early life seizures. Frontiers in Behavioral Neuroscience, 2013, 7, 36.	2.0	46
2	Sudden unexpected death in epilepsy: an important concern. Clinics, 2011, 66, 65-69.	1.5	23
3	Seizure occurrence in patients with chronic renal insufficiency in regular hemodialysis program. Arquivos De Neuro-Psiquiatria, 2005, 63, 757-760.	0.8	21
4	High serum levels of proinflammatory markers during epileptogenesis. Can omega-3 fatty acid administration reduce this process?. Epilepsy and Behavior, 2015, 51, 300-305.	1.7	21
5	Early life seizures in female rats lead to anxiety-related behavior and abnormal social behavior characterized by reduced motivation to novelty and deficit in social discrimination. Journal of Neural Transmission, 2015, 122, 349-355.	2.8	18
6	Social play impairment following status epilepticus during early development. Journal of Neural Transmission, 2010, 117, 1155-1160.	2.8	13
7	Social behavior impairment in offspring exposed to maternal seizures in utero. Journal of Neural Transmission, 2012, 119, 639-644.	2.8	12
8	Fish oil provides protection against the oxidative stress in pilocarpine model of epilepsy. Metabolic Brain Disease, 2015, 30, 903-909.	2.9	11
9	Fish Oil Supplementation Reduces Heart Levels of Interleukin-6 in Rats with Chronic Inflammation due to Epilepsy. Frontiers in Neurology, 2017, 8, 263.	2.4	7
10	The promise of omega-3 against sudden unexpected death in epilepsy: until further notice, it remains innocent, until proven guilty. Arquivos De Neuro-Psiquiatria, 2013, 71, 51-54.	0.8	3
11	Omega-3 intake in people with epilepsy under regular hemodialysis program: here to stay. Arquivos De Neuro-Psiquiatria, 2013, 71, 474-477.	0.8	0
12	Increased Endocannabinoid Signaling Reduces Social Motivation in Intact Rats and Does Not Affect Animals Submitted to Early-Life Seizures. Frontiers in Behavioral Neuroscience, 2020, 14, 560423.	2.0	0