
T Kooistra

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12073602/publications.pdf Version: 2024-02-01



TKOOISTRA

#	Article	IF	CITATIONS
1	Interleukin 1 and lipopolysaccharide induce an inhibitor of tissue-type plasminogen activator in vivo and in cultured endothelial cells Journal of Experimental Medicine, 1986, 163, 1260-1266.	8.5	418
2	Tumor necrosis factor increases the production of plasminogen activator inhibitor in human endothelial cells in vitro and in rats in vivo. Blood, 1988, 72, 1467-1473.	1.4	264
3	Pathogenesis of postoperative adhesion formation. British Journal of Surgery, 2011, 98, 1503-1516.	0.3	191
4	Use of fibrinolytic agents in the prevention of postoperative adhesion formation. Fertility and Sterility, 2000, 74, 203-212.	1.0	187
5	Human plasminogen activator inhibitor-1 gene. Promoter and structural gene nucleotide sequences Journal of Biological Chemistry, 1988, 263, 9129-9141.	3.4	152
6	Low-grade inflammation may play a role in the etiology of the metabolic syndrome in patients with coronary heart disease: the HIFMECH study. Metabolism: Clinical and Experimental, 2004, 53, 852-857.	3.4	137
7	Human plasminogen activator inhibitor-1 gene. Promoter and structural gene nucleotide sequences. Journal of Biological Chemistry, 1988, 263, 9129-41.	3.4	118
8	Different induction of two plasminogen activator inhibitor 1 mRNA species by phorbol ester in human hepatoma cells Journal of Biological Chemistry, 1991, 266, 17845-17849.	3.4	59
9	A role for the fibrinolytic system in postsurgical adhesion formation. Fertility and Sterility, 2005, 83, 122-129.	1.0	53
10	Regulation of Plasminogen Activator Production by Endothelial Cells: Role in Fibrinolysis and Local Proteolysis. International Journal of Radiation Biology, 1991, 60, 261-272.	1.8	51
11	HMG-CoA Reductase Inhibitors: Effects on Chronic Subacute Inflammation and Onset of Atherosclerosis Induced by Dietary Cholesterol. Current Drug Targets Cardiovascular & Haematological Disorders, 2005, 5, 441-453.	2.0	40
12	Studies on the mechanism of action of oral contraceptives with regard to fibrinolytic variables. American Journal of Obstetrics and Gynecology, 1990, 163, 404-413.	1.3	39
13	Role of C-Jun and Proximal Phorbol 12-Myristate-13-Acetate-(PMA)-Responsive Elements in the Regulation of Basal and PMA-Stimulated Plasminogen-Activator Inhibitor-1 Gene Expression in HepC2. FEBS Journal, 1996, 241, 393-402.	0.2	37
14	On the Role of c-Jun in the Induction of PAI-1 Gene Expression by Phorbol Ester, Serum, and IL-1α in HepG2 Cells. Arteriosclerosis, Thrombosis, and Vascular Biology, 1999, 19, 39-46.	2.4	37
15	Short-term Effect of Surgical Trauma on Rat Peritoneal Fibrinolytic Activity and Its Role in Adhesion Formation. Thrombosis and Haemostasis, 2000, 84, 876-881.	3.4	34
16	The use of cultured human endothelial cells and hepatocytes as an in vitro model system to study modulation of endogenous fibrinolysis. Fibrinolysis, 1990, 4, 33-39.	0.5	30
17	Fibrinolytic activity of human mesothelial cells is counteracted by rapid uptake of tissue-type plasminogen activator. Kidney International, 1999, 55, 120-129.	5.2	19
18	Time course of peritoneal tissue plasminogen activator after experimental colonic surgery: effect of hyaluronan-based antiadhesive agents and bacterial peritonitis. British Journal of Surgery, 2002, 89, 103-109.	0.3	15

T KOOISTRA

#	Article	IF	CITATIONS
19	Triazolobenzodiazepines: A new class of stimulators of tissue-type plasminogen activator synthesis in human endothelial cells. Biochemical Pharmacology, 1993, 46, 61-67.	4.4	10
20	Further characterization of the 5′-flanking DNA of the gene encoding human plasminogen activator inhibitor-1. Gene, 1991, 100, 261-266.	2.2	4
21	Adenovirus-mediated transfer of the 39 kD receptor-associated protein increases fibrinolytic capacity. Kidney International, 2001, 60, 117-125.	5.2	1