

# Herve Bercovier

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12074148/publications.pdf>

Version: 2024-02-01

25  
papers

2,789  
citations

304602

22  
h-index

580701

25  
g-index

26  
all docs

26  
docs citations

26  
times ranked

1467  
citing authors

#	ARTICLE	IF	CITATIONS
1	Genome Sequences of Three Koi Herpesvirus Isolates Representing the Expanding Distribution of an Emerging Disease Threatening Koi and Common Carp Worldwide. <i>Journal of Virology</i> , 2007, 81, 5058-5065.	1.5	222
2	Restriction fragment length polymorphisms of 16S rDNA and of whole rRNA genes (ribotyping) of <i>Streptococcus iniae</i> strains from the United States and Israel. <i>FEMS Microbiology Letters</i> , 2006, 151, 155-162.	0.7	25
3	Pseudo-rationale design of efficient TB vaccines: Lesson from the mycobacterial 27-kDa lipoprotein. <i>Tuberculosis</i> , 2006, 86, 225-235.	0.8	8
4	Gamma Interferon and Monophosphoryl Lipid A-Trehalose Dicorynomycolate Are Efficient Adjuvants for <i>Mycobacterium tuberculosis</i> Multivalent Acellular Vaccine. <i>Infection and Immunity</i> , 2005, 73, 250-257.	1.0	30
5	Cloning of the koi herpesvirus (KHV) gene encoding thymidine kinase and its use for a highly sensitive PCR based diagnosis. <i>BMC Microbiology</i> , 2005, 5, 13.	1.3	133
6	Concentrations of a Koi herpesvirus (KHV) in tissues of experimentally-infected <i>Cyprinus carpio koi</i> as assessed by real-time TaqMan PCR. <i>Diseases of Aquatic Organisms</i> , 2004, 60, 179-187.	0.5	284
7	Molecular comparison of isolates of an emerging fish pathogen, koi herpesvirus, and the effect of water temperature on mortality of experimentally infected koi. <i>Journal of General Virology</i> , 2003, 84, 2661-2667.	1.3	174
8	Immunogenicity of a 16.7kDa <i>Mycobacterium paratuberculosis</i> antigen. <i>Microbial Pathogenesis</i> , 2003, 34, 81-90.	1.3	22
9	The <i>Mycobacterium tuberculosis</i> Recombinant 27-Kilodalton Lipoprotein Induces a Strong Th1-Type Immune Response Deleterious to Protection. <i>Infection and Immunity</i> , 2003, 71, 3146-3154.	1.0	68
10	Initial characteristics of koi herpesvirus and development of a polymerase chain reaction assay to detect the virus in koi, <i>Cyprinus carpio koi</i> . <i>Diseases of Aquatic Organisms</i> , 2002, 48, 101-108.	0.5	164
11	The immunogenicity of <i>Mycobacterium paratuberculosis</i> 85B antigen. <i>Medical Microbiology and Immunology</i> , 2002, 190, 179-187.	2.6	34
12	Biodiversity of <i>Lactococcus garvieae</i> Strains Isolated from Fish in Europe, Asia, and Australia. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1005-1008.	1.4	85
13	Development of Specific Nested Oligonucleotide PCR Primers for the <i>Streptococcus iniae</i> 16S-23S Ribosomal DNA Intergenic Spacer. <i>Journal of Clinical Microbiology</i> , 1998, 36, 2778-2781.	1.8	61
14	Identification of <i>Lactococcus garvieae</i> by PCR. <i>Journal of Clinical Microbiology</i> , 1998, 36, 983-985.	1.8	168
15	Effect of ammonia on the survival and the immune response of rainbow trout ( <i>O. mykiss</i> , Walbaum) vaccinated against. <i>Fish and Shellfish Immunology</i> , 1997, 7, 45-53.	1.6	39
16	<i>Enterococcus seriolicida</i> Is a Junior Synonym of <i>Lactococcus garvieae</i> , a Causative Agent of Septicemia and Meningoencephalitis in Fish. <i>Current Microbiology</i> , 1996, 32, 85-88.	1.0	133
17	<i>Streptococcus shiloi</i> and <i>Streptococcus difficile</i> : Two new streptococcal species causing a meningoencephalitis in fish. <i>Current Microbiology</i> , 1994, 28, 139-143.	1.0	157
18	Development of sensitive methods for the detection of mycobacteria by DNA probes. <i>FEMS Microbiology Letters</i> , 1990, 72, 29-33.	0.7	2

#	ARTICLE	IF	CITATIONS
19	Mycobacteria possess a surprisingly small number of ribosomal RNA genes in relation to the size of their genome. <i>Biochemical and Biophysical Research Communications</i> , 1986, 136, 1136-1141.	1.0	230
20	Deoxyribonucleic acid relatedness in <i>Yersinia enterocolitica</i> and <i>Yersinia enterocolitica</i> -like organisms. <i>Current Microbiology</i> , 1980, 4, 195-200.	1.0	88
21	Characterization of <i>Yersinia enterocolitica sensu stricto</i> . <i>Current Microbiology</i> , 1980, 4, 201-206.	1.0	163
22	<i>Yersinia intermedia</i> : A new species of enterobacteriaceae composed of rhamnose-positive, melibiose-positive, raffinose-positive strains (formerly called <i>Yersinia enterocolitica</i> or <i>Yersinia</i> ) Tj ETQq0 0 0 rgBT /Ovlock 101650 617	1.0	116
23	<i>Yersinia frederiksenii</i> : A new species of enterobacteriaceae composed of rhamnose-positive strains (formerly called atypical <i>Yersinia enterocolitica</i> or <i>Yersinia enterocolitica</i> -Like). <i>Current Microbiology</i> , 1980, 4, 213-217.	1.0	126
24	<i>Yersinia kristensenii</i> : A new species of enterobacteriaceae composed of sucrose-negative strains (formerly called atypical <i>Yersinia enterocolitica</i> or <i>Yersinia enterocolitica</i> -Like). <i>Current Microbiology</i> , 1980, 4, 219-224.	1.0	102
25	Intra- and interspecies relatedness of <i>Yersinia pestis</i> by DNA hybridization and its relationship to <i>Yersinia pseudotuberculosis</i> . <i>Current Microbiology</i> , 1980, 4, 225-229.	1.0	150