

Joseph M Miano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1207629/joseph-m-miano-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

9,093
citations

49
h-index

94
g-index

134
ext. papers

10,126
ext. citations

8.9
avg, IF

6.07
L-index

#	Paper	IF	Citations
124	Of mice and human-specific long noncoding RNAs.. <i>Mammalian Genome</i> , 2022 , 1	3.2	0
123	Mediterranean G6PD variant rats are protected from Angiotensin II-induced hypertension and kidney damage, but not from inflammation and arterial stiffness. <i>Vascular Pharmacology</i> , 2022 , 107002	5.9	0
122	Prime editing in mice reveals the essentiality of a single base in driving tissue-specific gene expression. <i>Genome Biology</i> , 2021 , 22, 83	18.3	24
121	Response to correspondence on "Reproducibility of CRISPR-Cas9 methods for generation of conditional mouse alleles: a multi-center evaluation". <i>Genome Biology</i> , 2021 , 22, 99	18.3	2
120	Fate and State of Vascular Smooth Muscle Cells in Atherosclerosis. <i>Circulation</i> , 2021 , 143, 2110-2116	16.7	20
119	MKL1 cooperates with p38MAPK to promote vascular senescence, inflammation, and abdominal aortic aneurysm. <i>Redox Biology</i> , 2021 , 41, 101903	11.3	4
118	CRISPR-Mediated Single Nucleotide Polymorphism Modeling in Rats Reveals Insight Into Reduced Cardiovascular Risk Associated With Mediterranean Variant. <i>Hypertension</i> , 2020 , 76, 523-532	8.5	9
117	Coronary Disease-Associated Gene Inhibits Smooth Muscle Cell Differentiation by Blocking the Myocardin-Serum Response Factor Pathway. <i>Circulation Research</i> , 2020 , 126, 517-529	15.7	27
116	Generating a CRISPR knockout mouse through a strong premature termination codon: a cautionary tale. <i>Journal of Biomedical Research</i> , 2020 , 35, 174-178	1.5	
115	Reproducibility of CRISPR-Cas9 methods for generation of conditional mouse alleles: a multi-center evaluation. <i>Genome Biology</i> , 2019 , 20, 171	18.3	39
114	CRISPR links to long noncoding RNA function in mice: A practical approach. <i>Vascular Pharmacology</i> , 2019 , 114, 1-12	5.9	7
113	stabilizes vascular endothelial cell adherens junctions through interaction with CKAP4. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 546-555	11.5	53
112	CRISPR-Cas9-Mediated Epitope Tagging Provides Accurate and Versatile Assessment of Myocardin-Brief Report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2018 , 38, 2184-2190	9.4	16
111	Serum Response Factor Is Essential for Maintenance of Podocyte Structure and Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 416-422	12.7	12
110	Novel Thrombotic Function of a Human SNP in STXBP5 Revealed by CRISPR/Cas9 Gene Editing in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 264-270	9.4	19
109	Loss of LMOD1 impairs smooth muscle cytocontractility and causes megacystis microcolon intestinal hypoperistalsis syndrome in humans and mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E2739-E2747	11.5	62
108	Maternal deprivation alters expression of neural maturation gene tbr1 in the amygdala paralaminar nucleus in infant female macaques. <i>Developmental Psychobiology</i> , 2017 , 59, 235-249	3	9

107	Serum response factor regulates smooth muscle contractility via myotonic dystrophy protein kinases and L-type calcium channels. <i>PLoS ONE</i> , 2017 , 12, e0171262	3.7	8
106	Challenges and Opportunities in Linking Long Noncoding RNAs to Cardiovascular, Lung, and Blood Diseases. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 21-25	9.4	34
105	Testosterone Rescues the De-Differentiation of Smooth Muscle Cells Through Serum Response Factor/Myocardin. <i>Journal of Cellular Physiology</i> , 2017 , 232, 2806-2817	7	8
104	MYOSLID Is a Novel Serum Response Factor-Dependent Long Noncoding RNA That Amplifies the Vascular Smooth Muscle Differentiation Program. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 2088-99	9.4	70
103	A Role for the Long Noncoding RNA SENCN in Commitment and Function of Endothelial Cells. <i>Molecular Therapy</i> , 2016 , 24, 978-90	11.7	111
102	Vascular smooth muscle cell contractile protein expression is increased through protein kinase G-dependent and -independent pathways by glucose-6-phosphate dehydrogenase inhibition and deficiency. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 311, H904-H912	5.2	14
101	Smooth Muscle Enriched Long Noncoding RNA (SMILR) Regulates Cell Proliferation. <i>Circulation</i> , 2016 , 133, 2050-65	16.7	142
100	A CRISPR Path to Engineering New Genetic Mouse Models for Cardiovascular Research. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2016 , 36, 1058-75	9.4	33
99	Myocardin Family Members Drive Formation of Caveolae. <i>PLoS ONE</i> , 2015 , 10, e0133931	3.7	28
98	Serum Response Factor Is Essential for Prenatal Gastrointestinal Smooth Muscle Development and Maintenance of Differentiated Phenotype. <i>Journal of Neurogastroenterology and Motility</i> , 2015 , 21, 589-602	4.4	9
97	The short and long of noncoding sequences in the control of vascular cell phenotypes. <i>Cellular and Molecular Life Sciences</i> , 2015 , 72, 3457-88	10.3	25
96	CRISPR-Cas9 genome editing of a single regulatory element nearly abolishes target gene expression in mice—brief report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 312-5	9.4	39
95	Myocardin regulates vascular smooth muscle cell inflammatory activation and disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 817-28	9.4	71
94	Cholesterol loading reprograms the microRNA-143/145-myocardin axis to convert aortic smooth muscle cells to a dysfunctional macrophage-like phenotype. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015 , 35, 535-46	9.4	190
93	Smooth Muscle Cell Genome Browser: Enabling the Identification of Novel Serum Response Factor Target Genes. <i>PLoS ONE</i> , 2015 , 10, e0133751	3.7	35
92	Myocardin in biology and disease. <i>Journal of Biomedical Research</i> , 2015 , 29, 3-19	1.5	77
91	Identification and initial functional characterization of a human vascular cell-enriched long noncoding RNA. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014 , 34, 1249-59	9.4	202
90	Fibronectin matrix polymerization regulates smooth muscle cell phenotype through a Rac1 dependent mechanism. <i>PLoS ONE</i> , 2014 , 9, e94988	3.7	18

89	Smooth muscle cell plasticity: fact or fiction?. <i>Circulation Research</i> , 2013 , 112, 17-22	15.7	119
88	Myocardin and microRNA-1 modulate bladder activity through connexin 43 expression during post-natal development. <i>Journal of Cellular Physiology</i> , 2013 , 228, 1819-26	7	22
87	Expression and promoter analysis of a highly restricted integrin alpha gene in vascular smooth muscle. <i>Gene</i> , 2013 , 513, 82-9	3.8	19
86	Mitogen-activated protein kinase 14 is a novel negative regulatory switch for the vascular smooth muscle cell contractile gene program. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 378-86	9.4	19
85	Platelet factor 4 mediates vascular smooth muscle cell injury responses. <i>Blood</i> , 2013 , 121, 4417-27	2.2	40
84	Vascular Smooth Muscle Cell Phenotypic Adaptation 2012 , 1269-1278		0
83	Serum response factor regulates bone formation via IGF-1 and Runx2 signals. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 1659-68	6.3	30
82	Leiomodoin 1, a new serum response factor-dependent target gene expressed preferentially in differentiated smooth muscle cells. <i>Journal of Biological Chemistry</i> , 2012 , 287, 2459-67	5.4	64
81	Lost in transgenesis: a user's guide for genetically manipulating the mouse in cardiac research. <i>Circulation Research</i> , 2012 , 111, 761-77	15.7	78
80	Testosterone and 17 β -estradiol induce glandular prostatic growth, bladder outlet obstruction, and voiding dysfunction in male mice. <i>Endocrinology</i> , 2012 , 153, 5556-65	4.8	69
79	Serum response factor-dependent MicroRNAs regulate gastrointestinal smooth muscle cell phenotypes. <i>Gastroenterology</i> , 2011 , 141, 164-75	13.3	45
78	Transforming growth factor-beta1 (TGF-beta1) utilizes distinct pathways for the transcriptional activation of microRNA 143/145 in human coronary artery smooth muscle cells. <i>Journal of Biological Chemistry</i> , 2011 , 286, 30119-29	5.4	104
77	Identifying functional single nucleotide polymorphisms in the human CARome. <i>Physiological Genomics</i> , 2011 , 43, 1038-48	3.6	38
76	Serum response factor utilizes distinct promoter- and enhancer-based mechanisms to regulate cytoskeletal gene expression in macrophages. <i>Molecular and Cellular Biology</i> , 2011 , 31, 861-75	4.8	45
75	Smooth muscle calponin: an unconventional CARG-dependent gene that antagonizes neointimal formation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2172-80	9.4	24
74	Smad3-mediated myocardin silencing: a novel mechanism governing the initiation of smooth muscle differentiation. <i>Journal of Biological Chemistry</i> , 2011 , 286, 15050-7	5.4	39
73	Retinoid-induced expression and activity of an immediate early tumor suppressor gene in vascular smooth muscle cells. <i>PLoS ONE</i> , 2011 , 6, e18538	3.7	9
72	Smooth muscle miRNAs are critical for post-natal regulation of blood pressure and vascular function. <i>PLoS ONE</i> , 2011 , 6, e18869	3.7	97

71	Role of serum response factor in the pathogenesis of disease. <i>Laboratory Investigation</i> , 2010 , 90, 1274-84	9.9	87
70	MicroRNAs are necessary for vascular smooth muscle growth, differentiation, and function. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 1118-26	9.4	201
69	Expression and functional activity of four myocardin isoforms. <i>Gene</i> , 2010 , 464, 1-10	3.8	29
68	Dicing up microRNA gene expression profiles in normal and neoplastic smooth muscle cells. <i>American Journal of Pathology</i> , 2010 , 177, 541-3	5.8	1
67	Vascular smooth muscle cell differentiation-2010. <i>Journal of Biomedical Research</i> , 2010 , 24, 169-80	1.5	16
66	The smooth muscle cell-restricted KCNMB1 ion channel subunit is a direct transcriptional target of serum response factor and myocardin. <i>Journal of Biological Chemistry</i> , 2009 , 284, 33671-82	5.4	50
65	Myocardin-dependent activation of the CArG box-rich smooth muscle gamma-actin gene: preferential utilization of a single CArG element through functional association with the NKX3.1 homeodomain protein. <i>Journal of Biological Chemistry</i> , 2009 , 284, 32582-90	5.4	30
64	Functional characterization of a putative serine carboxypeptidase in vascular smooth muscle cells. <i>Circulation Research</i> , 2009 , 105, 271-8	15.7	13
63	miR-145 and miR-143 regulate smooth muscle cell fate and plasticity. <i>Nature</i> , 2009 , 460, 705-10	50.4	1198
62	SRF and myocardin regulate LRP-mediated amyloid-beta clearance in brain vascular cells. <i>Nature Cell Biology</i> , 2009 , 11, 143-53	23.4	202
61	Myocardin is sufficient for a smooth muscle-like contractile phenotype. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008 , 28, 1505-10	9.4	99
60	Deck of CArGs. <i>Circulation Research</i> , 2008 , 103, 13-5	15.7	6
59	SRF linking the actin cytoskeleton with no destrin. <i>Physiological Genomics</i> , 2008 , 34, 6-8	3.6	2
58	Expression and comparative genomics of two serum response factor genes in zebrafish. <i>International Journal of Developmental Biology</i> , 2008 , 52, 389-96	1.9	6
57	Myocardin is a bifunctional switch for smooth versus skeletal muscle differentiation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 16570-5	11.5	70
56	Remote control of gene expression. <i>Journal of Biological Chemistry</i> , 2007 , 282, 15941-5	5.4	27
55	Serum response factor and myocardin mediate arterial hypercontractility and cerebral blood flow dysregulation in Alzheimer's phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 823-8	11.5	156
54	Serum response factor: master regulator of the actin cytoskeleton and contractile apparatus. <i>American Journal of Physiology - Cell Physiology</i> , 2007 , 292, C70-81	5.4	345

53	Contribution of serum response factor and myocardin to transcriptional regulation of smoothelins. <i>Cardiovascular Research</i> , 2006 , 70, 136-45	9.9	29
52	Role of nuclear Ca ²⁺ /calmodulin-stimulated phosphodiesterase 1A in vascular smooth muscle cell growth and survival. <i>Circulation Research</i> , 2006 , 98, 777-84	15.7	103
51	Tissue expression of the novel serine carboxypeptidase Scep1. <i>Journal of Histochemistry and Cytochemistry</i> , 2006 , 54, 701-11	3.4	11
50	Ultrastructure of zebrafish dorsal aortic cells. <i>Zebrafish</i> , 2006 , 3, 455-63	2	15
49	Defining the mammalian CARome. <i>Genome Research</i> , 2006 , 16, 197-207	9.7	211
48	Neurovascular pathways and Alzheimer amyloid beta-peptide. <i>Brain Pathology</i> , 2005 , 15, 78-83	6	85
47	AKAP12alpha, an atypical serum response factor-dependent target gene. <i>Journal of Biological Chemistry</i> , 2005 , 280, 4125-34	5.4	21
46	Myocardin enhances Smad3-mediated transforming growth factor-beta1 signaling in a CARG box-independent manner: Smad-binding element is an important cis element for SM22alpha transcription in vivo. <i>Circulation Research</i> , 2005 , 97, 983-91	15.7	120
45	Cross-species sequence analysis reveals multiple charged residue-rich domains that regulate nuclear/cytoplasmic partitioning and membrane localization of a kinase anchoring protein 12 (SSeCKS/Gravin). <i>Journal of Biological Chemistry</i> , 2005 , 280, 28007-14	5.4	20
44	Angiotensin II: a devious activator of mineralocorticoid receptor-dependent gene expression. <i>Circulation Research</i> , 2005 , 96, 610-1	15.7	3
43	Multiple promoters direct expression of three AKAP12 isoforms with distinct subcellular and tissue distribution profiles. <i>Journal of Biological Chemistry</i> , 2004 , 279, 56014-23	5.4	39
42	Channeling to myocardin. <i>Circulation Research</i> , 2004 , 95, 340-2	15.7	15
41	Smooth muscle--specific expression of CYP4A1 induces endothelial sprouting in renal arterial microvessels. <i>Circulation Research</i> , 2004 , 94, 167-74	15.7	52
40	Restricted inactivation of serum response factor to the cardiovascular system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 17132-7	11.5	198
39	Dual role of PKA in phenotypic modulation of vascular smooth muscle cells by extracellular ATP. <i>American Journal of Physiology - Cell Physiology</i> , 2004 , 287, C449-56	5.4	35
38	Thioredoxin-2 inhibits mitochondria-located ASK1-mediated apoptosis in a JNK-independent manner. <i>Circulation Research</i> , 2004 , 94, 1483-91	15.7	211
37	Tumor suppressor MDA-7/IL-24 selectively inhibits vascular smooth muscle cell growth and migration. <i>Molecular Therapy</i> , 2003 , 8, 220-9	11.7	25
36	Retinoids: pleiotropic agents of therapy for vascular diseases?. <i>Current Drug Targets Cardiovascular & Haematological Disorders</i> , 2003 , 3, 31-57		22

35	Functional significance of protein kinase A activation by endothelin-1 and ATP: negative regulation of SRF-dependent gene expression by PKA. <i>Cellular Signalling</i> , 2003 , 15, 597-604	4.9	39
34	Serum response factor: toggling between disparate programs of gene expression. <i>Journal of Molecular and Cellular Cardiology</i> , 2003 , 35, 577-93	5.8	472
33	Role of phosphodiesterase 3 in NO/cGMP-mediated antiinflammatory effects in vascular smooth muscle cells. <i>Circulation Research</i> , 2003 , 93, 406-13	15.7	109
32	Expression of human smooth muscle calponin in transgenic mice revealed with a bacterial artificial chromosome. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002 , 282, H1793-803	5.2	11
31	Myocardin: a component of a molecular switch for smooth muscle differentiation. <i>Journal of Molecular and Cellular Cardiology</i> , 2002 , 34, 1345-56	5.8	315
30	Mammalian smooth muscle differentiation: origins, markers and transcriptional control. <i>Results and Problems in Cell Differentiation</i> , 2002 , 38, 39-59	1.4	25
29	G-protein-coupled-receptor activation of the smooth muscle calponin gene. <i>Biochemical Journal</i> , 2001 , 357, 587-92	3.8	8
28	G-protein-coupled-receptor activation of the smooth muscle calponin gene. <i>Biochemical Journal</i> , 2001 , 357, 587-592	3.8	13
27	Expression and chromosomal mapping of the mouse smooth muscle calponin gene. <i>Mammalian Genome</i> , 2001 , 12, 187-91	3.2	7
26	Localized Adenovirus-Mediated Gene Transfer Into Vascular Smooth Muscle in the Hamster Cheek Pouch. <i>Microcirculation</i> , 2001 , 8, 403-413	2.9	4
25	Retinoids: new insight into smooth muscle cell growth inhibition. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2001 , 21, 724-6	9.4	14
24	Cloning of a novel retinoid-inducible serine carboxypeptidase from vascular smooth muscle cells. <i>Journal of Biological Chemistry</i> , 2001 , 276, 34175-81	5.4	28
23	A novel retinoid-response gene set in vascular smooth muscle cells. <i>Biochemical and Biophysical Research Communications</i> , 2001 , 281, 475-82	3.4	21
22	Gene structure and chromosomal mapping of the rat smooth muscle calponin gene. <i>Mammalian Genome</i> , 2000 , 11, 115-9	3.2	4
21	Retinoids: versatile biological response modifiers of vascular smooth muscle phenotype. <i>Circulation Research</i> , 2000 , 87, 355-62	15.7	52
20	Physiological control of smooth muscle-specific gene expression through regulated nuclear translocation of serum response factor. <i>Journal of Biological Chemistry</i> , 2000 , 275, 30387-93	5.4	95
19	Serum response factor-dependent regulation of the smooth muscle calponin gene. <i>Journal of Biological Chemistry</i> , 2000 , 275, 9814-22	5.4	97
18	Retinoic acid-induced tissue transglutaminase and apoptosis in vascular smooth muscle cells. <i>Circulation Research</i> , 2000 , 87, 881-7	15.7	52

17	Direct activation of a GATA6 cardiac enhancer by Nkx2.5: evidence for a reinforcing regulatory network of Nkx2.5 and GATA transcription factors in the developing heart. <i>Developmental Biology</i> , 2000 , 217, 301-9	3.1	93
16	Radiation Hybrid (RH) Mapping of Human Smooth Muscle-Restricted Genes. <i>Methods in Molecular Medicine</i> , 1999 , 30, 25-35		1
15	EVEC, a novel epidermal growth factor-like repeat-containing protein upregulated in embryonic and diseased adult vasculature. <i>Circulation Research</i> , 1999 , 84, 1166-76	15.7	104
14	NAB2: a transcriptional brake for activated gene expression in the vessel wall?. <i>American Journal of Pathology</i> , 1999 , 155, 1009-12	5.8	14
13	Retinoids and Interferons as Antiangiogenic Cancer Drugs 1999 , 355-370		1
12	A comparative molecular analysis of four rat smooth muscle cell lines. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 1998 , 34, 217-26	2.6	67
11	Mapping of the rat SM22 gene to chromosome 8q24: a candidate for high blood pressure and cardiac hypertrophy. <i>Mammalian Genome</i> , 1998 , 9, 76-7	3.2	9
10	all-Trans-retinoic acid reduces neointimal formation and promotes favorable geometric remodeling of the rat carotid artery after balloon withdrawal injury. <i>Circulation</i> , 1998 , 98, 1219-27	16.7	84
9	Expression, genomic structure and high resolution mapping to 19p13.2 of the human smooth muscle cell calponin gene. <i>Gene</i> , 1997 , 197, 215-24	3.8	19
8	Expression of the smooth muscle cell calponin gene marks the early cardiac and smooth muscle cell lineages during mouse embryogenesis. <i>Journal of Biological Chemistry</i> , 1996 , 271, 7095-103	5.4	106
7	Expression of the SM22alpha promoter in transgenic mice provides evidence for distinct transcriptional regulatory programs in vascular and visceral smooth muscle cells. <i>Journal of Cell Biology</i> , 1996 , 132, 849-59	7.3	284
6	Retinoid receptor expression and all-trans retinoic acid-mediated growth inhibition in vascular smooth muscle cells. <i>Circulation</i> , 1996 , 93, 1886-95	16.7	79
5	SM22 alpha, a marker of adult smooth muscle, is expressed in multiple myogenic lineages during embryogenesis. <i>Circulation Research</i> , 1996 , 78, 188-95	15.7	300
4	Myocyte enhancer binding factor-2 expression and activity in vascular smooth muscle cells. Association with the activated phenotype. <i>Circulation Research</i> , 1996 , 78, 196-204	15.7	77
3	Smooth muscle myosin heavy chain exclusively marks the smooth muscle lineage during mouse embryogenesis. <i>Circulation Research</i> , 1994 , 75, 803-12	15.7	310
2	Smooth muscle cell immediate-early gene and growth factor activation follows vascular injury. A putative in vivo mechanism for autocrine growth. <i>Arteriosclerosis and Thrombosis: A Journal of Vascular Biology</i> , 1993 , 13, 211-9		111
1	Prime Editing in Mice Reveals the Essentiality of a Single Base in Driving Tissue-Specific Gene Expression		1