

# Martina Frodlund

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1207717/publications.pdf>

Version: 2024-02-01

26  
papers

452  
citations

759055

12  
h-index

940416

16  
g-index

26  
all docs

26  
docs citations

26  
times ranked

699  
citing authors

#	ARTICLE	IF	CITATIONS
1	Smoking and pre-existing organ damage reduce the efficacy of belimumab in systemic lupus erythematosus. <i>Autoimmunity Reviews</i> , 2017, 16, 343-351.	2.5	80
2	High genetic risk score is associated with early disease onset, damage accrual and decreased survival in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 363-369.	0.5	76
3	Associations between antinuclear antibody staining patterns and clinical features of systemic lupus erythematosus: analysis of a regional Swedish register. <i>BMJ Open</i> , 2013, 3, e003608.	0.8	44
4	Novel gene variants associated with cardiovascular disease in systemic lupus erythematosus and rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 1063-1069.	0.5	41
5	NCF1-339 polymorphism is associated with altered formation of neutrophil extracellular traps, high serum interferon activity and antiphospholipid syndrome in systemic lupus erythematosus. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 254-261.	0.5	30
6	Longitudinal anti-nuclear antibody (ANA) seroconversion in systemic lupus erythematosus: a prospective study of Swedish cases with recent-onset disease. <i>Clinical and Experimental Immunology</i> , 2020, 199, 245-254.	1.1	29
7	Autoantibody and Cytokine Profiles during Treatment with Belimumab in Patients with Systemic Lupus Erythematosus. <i>International Journal of Molecular Sciences</i> , 2020, 21, 3463.	1.8	26
8	The majority of Swedish systemic lupus erythematosus patients are still affected by irreversible organ impairment: factors related to damage accrual in two regional cohorts. <i>Lupus</i> , 2019, 28, 1261-1272.	0.8	22
9	Smoking reduces the efficacy of belimumab in mucocutaneous lupus. <i>Expert Opinion on Biological Therapy</i> , 2018, 18, 911-920.	1.4	21
10	Osteopontin is associated with disease severity and antiphospholipid syndrome in well characterised Swedish cases of SLE. <i>Lupus Science and Medicine</i> , 2017, 4, e000225.	1.1	18
11	Immunoglobulin A anti-phospholipid antibodies in Swedish cases of systemic lupus erythematosus: associations with disease phenotypes, vascular events and damage accrual. <i>Clinical and Experimental Immunology</i> , 2018, 194, 27-38.	1.1	16
12	Increased levels of anti-dsDNA antibodies in immune complexes before treatment with belimumab associate with clinical response in patients with systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2019, 21, 259.	1.6	16
13	SARS-CoV-2 Antibody Isotypes in Systemic Lupus Erythematosus Patients Prior to Vaccination: Associations With Disease Activity, Antinuclear Antibodies, and Immunomodulatory Drugs During the First Year of the Pandemic. <i>Frontiers in Immunology</i> , 2021, 12, 724047.	2.2	13
14	Relationship between remission, disease activity and patient-reported outcome measures in patients with recent-onset systemic lupus erythematosus. <i>Lupus</i> , 2020, 29, 625-630.	0.8	9
15	Longitudinal Analysis of Anti-cardiolipin and Anti-Î²2-glycoprotein-I Antibodies in Recent-Onset Systemic Lupus Erythematosus: A Prospective Study in Swedish Patients. <i>Frontiers in Medicine</i> , 2021, 8, 646846.	1.2	4
16	Usefulness of Clinical and Laboratory Criteria for Diagnosing Autoimmune Liver Disease among Patients with Systemic Lupus Erythematosus: An Observational Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 3820.	1.0	4
17	S4A:5â€...High genetic risk score is associated with organ damage in systemic lupus erythematosus. , 2018, ,		1
18	P86â€...The NCF1â€“339 polymorphism is associated with altered formation of neutrophil extracellular traps, high serum interferon activity and antiphospholipid syndrome in systemic lupus erythematosus. , 2020, , .		1

#	ARTICLE	IF	CITATIONS
19	OP0362â€¦Novel gene variants associated with cardiovascular disease in systemic lupus erythematosus and rheumatoid arthritis. , 2018, , .		1
20	THU0345â€¦Presence of Immunoglobulin (IG) A Antibodies against Cardiolipin and Î²2-Glycoprotein-I in The Absence of IGC and IGM in Systemic Lupus Erythematosus. Annals of the Rheumatic Diseases, 2016, 75, 312.1-312.	0.5	0
21	103â€¦Smoking and pre-existing organ damage reduce the efficacy of belimumab in systemic lupus erythematosus. , 2017, , .		0
22	SAT0233â€¦High anti-dsDNA content in SLE immune complexes is associated with clinical remission following belimumab treatment. , 2017, , .		0
23	PS4:71â€¦IgA anti-phospholipid antibodies in Swedish cases with systemic lupus erythematosus: associations with disease phenotypes, vascular events and damage accrual. , 2018, , .		0
24	P23â€¦Longitudinal antinuclear antibody (ANA) seroconversion in systemic lupus erythematosus: a prospective study of Swedish cases with recent-onset disease. , 2020, , .		0
25	P89â€¦Epigenome-wide association study reveals differential DNA methylation in systemic lupus erythematosus patients with a history of ischemic heart disease. , 2020, , .		0
26	P33â€¦Cytokine and autoantibody profiles during treatment with belimumab in patients with systemic lupus erythematosus. , 2020, , .		0