

Sren O Petersen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1208735/soren-o-petersen-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

121
papers

4,830
citations

40
h-index

65
g-index

124
ext. papers

5,490
ext. citations

5
avg, IF

5.76
L-index

#	Paper	IF	Citations
121	Agricultural Biogas Production Climate and Environmental Impacts. <i>Sustainability</i> , 2022 , 14, 1849	3.6	3
120	Interactive effects of straw management, tillage, and a cover crop on nitrous oxide emissions and nitrate leaching from a sandy loam soil.. <i>Science of the Total Environment</i> , 2022 , 154316	10.2	1
119	A review and meta-analysis of mitigation measures for nitrous oxide emissions from crop residues.. <i>Science of the Total Environment</i> , 2022 , 828, 154388	10.2	4
118	Understanding the Impact of Liquid Organic Fertilisation and Associated Application Techniques on N ₂ , N ₂ O and CO ₂ Fluxes from Agricultural Soils. <i>Agriculture (Switzerland)</i> , 2022 , 12, 692	3	0
117	Soil compaction raises nitrous oxide emissions in managed agroecosystems. A review. <i>Agronomy for Sustainable Development</i> , 2022 , 42,	6.8	1
116	Nitrous oxide and nitrate as indicators of subsoil removal of N in pig slurry applied to Luvisols in Western Denmark. <i>Geoderma Regional</i> , 2021 , 28, e00441	2.7	0
115	Nitrous oxide emissions from red clover and winter wheat residues depend on interacting effects of distribution, soil N availability and moisture level. <i>Plant and Soil</i> , 2021 , 466, 121-138	4.2	5
114	Soil and temperature effects on nitrification and denitrification modified N ₂ O mitigation by 3,4-dimethylpyrazole phosphate. <i>Soil Biology and Biochemistry</i> , 2021 , 157, 108224	7.5	6
113	A mechanistic model of methane emission from animal slurry with a focus on microbial groups. <i>PLoS ONE</i> , 2021 , 16, e0252881	3.7	2
112	Understanding methane emission from stored animal manure: A review to guide model development. <i>Journal of Environmental Quality</i> , 2021 , 50, 817-835	3.4	7
111	Mitigation of nitrous oxide emissions in the context of nitrogen loss reduction from agroecosystems: managing hot spots and hot moments. <i>Current Opinion in Environmental Sustainability</i> , 2020 , 47, 46-53	7.2	9
110	Assessment of the spatial variability of apparent electrical conductivity in a tile drained catchment in Fensholt subcatchment, Jutland, Denmark for improved small-scale prediction of highly reducing areas. <i>Geoderma Regional</i> , 2020 , 23, e00336	2.7	0
109	Nitrous oxide emissions after renovation of festulolium, and mitigation potential of 3,4-dimethyl pyrazole phosphate (DMPP). <i>Geoderma</i> , 2020 , 376, 114551	6.7	1
108	Global Research Alliance N O chamber methodology guidelines: Flux calculations. <i>Journal of Environmental Quality</i> , 2020 , 49, 1141-1155	3.4	20
107	Nitrate leaching and nitrous oxide emissions from maize after grass-clover on a coarse sandy soil: Mitigation potentials of 3,4-dimethylpyrazole phosphate (DMPP). <i>Journal of Environmental Management</i> , 2020 , 260, 110165	7.9	10
106	Seasonally distinct sources of N ₂ O in acid organic soil drained for agriculture as revealed by N ₂ O isotopomer analysis. <i>Biogeochemistry</i> , 2020 , 147, 15-33	3.8	9
105	Global Research Alliance N O chamber methodology guidelines: Introduction, with health and safety considerations. <i>Journal of Environmental Quality</i> , 2020 , 49, 1073-1080	3.4	5

104	Effects of storage temperature on CH emissions from cattle manure and subsequent biogas production potential. <i>Waste Management</i> , 2020 , 101, 35-43	8.6	28
103	Nitrous Oxide Dynamics in Agricultural Peat Soil in Response to Availability of Nitrate, Nitrite, and Iron Sulfides. <i>Geomicrobiology Journal</i> , 2020 , 37, 76-85	2.5	5
102	DMPP reduced nitrification, but not annual N ₂ O emissions from mineral fertilizer applied to oilseed rape on a sandy loam soil. <i>GCB Bioenergy</i> , 2019 , 11, 1396-1407	5.6	9
101	Nitrous oxide emissions from cropping systems producing biomass for future bio-refineries. <i>Agriculture, Ecosystems and Environment</i> , 2019 , 283, 106576	5.7	7
100	Regulation of N ₂ O emissions from acid organic soil drained for agriculture. <i>Biogeosciences</i> , 2019 , 16, 4555-4575	4.6	4
99	Greenhouse gas emissions from liquid dairy manure: Prediction and mitigation. <i>Journal of Dairy Science</i> , 2018 , 101, 6642-6654	4	36
98	Evaluation of the nitrification inhibitor 3,4-dimethylpyrazole phosphate (DMPP) for mitigating soil N ₂ O emissions after grassland cultivation. <i>Agriculture, Ecosystems and Environment</i> , 2018 , 259, 174-183	5.7	11
97	Greenhouse gas emissions during storage of manure and digestates: Key role of methane for prediction and mitigation. <i>Agricultural Systems</i> , 2018 , 166, 26-35	6.1	28
96	Effects of dairy shed effluent dry matter content on ammonia and nitrous oxide emissions from a pasture soil. <i>Journal of Agricultural Science</i> , 2018 , 156, 1070-1078	1	4
95	Catch Crop Residues Stimulate NO Emissions During Spring, Without Affecting the Genetic Potential for Nitrite and NO Reduction. <i>Frontiers in Microbiology</i> , 2018 , 9, 2629	5.7	14
94	Mitigating N ₂ O emissions from clover residues by 3,4-dimethylpyrazole phosphate (DMPP) without adverse effects on the earthworm <i>Lumbricus terrestris</i> . <i>Soil Biology and Biochemistry</i> , 2017 , 104, 95-107	7.5	23
93	Crop residues as driver for N ₂ O emissions from a sandy loam soil. <i>Agricultural and Forest Meteorology</i> , 2017 , 233, 45-54	5.8	34
92	Nitrous oxide emissions and nitrogen use efficiency of manure and digestates applied to spring barley. <i>Agriculture, Ecosystems and Environment</i> , 2017 , 239, 188-198	5.7	43
91	Reduction in greenhouse gas emissions from vinasse through anaerobic digestion. <i>Applied Energy</i> , 2017 , 189, 21-30	10.7	41
90	Activity of Type I Methanotrophs Dominates under High Methane Concentration: Methanotrophic Activity in Slurry Surface Crusts as Influenced by Methane, Oxygen, and Inorganic Nitrogen. <i>Journal of Environmental Quality</i> , 2017 , 46, 767-775	3.4	8
89	Effects of cattle slurry and nitrification inhibitor application on spatial soil O ₂ dynamics and N ₂ O production pathways. <i>Soil Biology and Biochemistry</i> , 2017 , 114, 200-209	7.5	26
88	Microbial N Transformations and N ₂ O Emission after Simulated Grassland Cultivation: Effects of the Nitrification Inhibitor 3,4-Dimethylpyrazole Phosphate (DMPP). <i>Applied and Environmental Microbiology</i> , 2017 , 83,	4.8	42
87	Temperature response of methane production in liquid manures and co-digestates. <i>Science of the Total Environment</i> , 2016 , 539, 78-84	10.2	34

86	GHG mitigation of agricultural peatlands requires coherent policies. <i>Climate Policy</i> , 2016 , 16, 522-541	5.3	24
85	Evidence for denitrification as main source of N ₂ O emission from residue-amended soil. <i>Soil Biology and Biochemistry</i> , 2016 , 92, 153-160	7.5	107
84	Ammonia abatement by slurry acidification: A pilot-scale study of three finishing pig production periods. <i>Agriculture, Ecosystems and Environment</i> , 2016 , 216, 258-268	5.7	7
83	Estimation of Methane Emissions from Slurry Pits below Pig and Cattle Confinements. <i>PLoS ONE</i> , 2016 , 11, e0160968	3.7	27
82	Manure distribution as a predictor of N ₂ O emissions from soil. <i>Animal Production Science</i> , 2016 , 56, 549	1.4	3
81	Predicting nitrous oxide emissions from manure properties and soil moisture: An incubation experiment. <i>Soil Biology and Biochemistry</i> , 2016 , 97, 112-120	7.5	27
80	3,4-Dimethylpyrazole phosphate (DMPP) reduces activity of ammonia oxidizers without adverse effects on non-target soil microorganisms and functions. <i>Applied Soil Ecology</i> , 2016 , 105, 67-75	5	39
79	Quantifying biological nitrogen fixation of different catch crops, and residual effects of roots and tops on nitrogen uptake in barley using in-situ ¹⁵ N labelling. <i>Plant and Soil</i> , 2015 , 395, 273-287	4.2	37
78	Effects of contrasting catch crops on nitrogen availability and nitrous oxide emissions in an organic cropping system. <i>Agriculture, Ecosystems and Environment</i> , 2015 , 199, 382-393	5.7	63
77	Does <i>Juncus effusus</i> enhance methane emissions from grazed pastures on peat?. <i>Biogeosciences</i> , 2015 , 12, 5667-5676	4.6	6
76	Redistribution and persistence of microorganisms and steroid hormones after soil-injection of swine slurry. <i>Science of the Total Environment</i> , 2014 , 466-467, 1003-10	10.2	9
75	Effects of Acidifying Pig Diets on Emissions of Ammonia, Methane, and Sulfur from Slurry during Storage. <i>Journal of Environmental Quality</i> , 2014 , 43, 2086-95	3.4	6
74	Methanogenic community changes, and emissions of methane and other gases, during storage of acidified and untreated pig slurry. <i>Journal of Applied Microbiology</i> , 2014 , 117, 160-72	4.7	36
73	Methanotrophs, methanogens and microbial community structure in livestock slurry surface crusts. <i>Journal of Applied Microbiology</i> , 2014 , 117, 1066-78	4.7	13
72	Effects of green manure storage and incorporation methods on nitrogen release and N ₂ O emissions after soil application. <i>Biology and Fertility of Soils</i> , 2014 , 50, 1233-1246	6.1	24
71	Controls of nitrous oxide emission after simulated cattle urine deposition. <i>Agriculture, Ecosystems and Environment</i> , 2014 , 188, 103-110	5.7	21
70	Effects of grass-clover management and cover crops on nitrogen cycling and nitrous oxide emissions in a stockless organic crop rotation. <i>Agriculture, Ecosystems and Environment</i> , 2013 , 181, 115-126	5.7	49
69	Effect of soil properties and hydrology on archaeal community composition in three temperate grasslands on peat. <i>FEMS Microbiology Ecology</i> , 2013 , 85, 227-40	4.3	12

68	Persistence and leaching potential of microorganisms and mineral N in animal manure applied to intact soil columns. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 535-42	4.8	30
67	Emissions of CH ₄ , N ₂ O, NH ₃ and odorants from pig slurry during winter and summer storage. <i>Nutrient Cycling in Agroecosystems</i> , 2013 , 95, 103-113	3.3	42
66	Long-term effects of cropping system on N ₂ O emission potential. <i>Soil Biology and Biochemistry</i> , 2013 , 57, 706-712	7.5	36
65	Sources of Nitrogen for Winter Wheat in Organic Cropping Systems. <i>Soil Science Society of America Journal</i> , 2013 , 77, 155-165	2.5	24
64	Greenhouse Gas Emissions from Animal Manures and Technologies for Their Reduction 2013 , 177-194		6
63	Inhibition of methane oxidation in a slurry surface crust by inorganic nitrogen: an incubation study. <i>Journal of Environmental Quality</i> , 2013 , 42, 507-15	3.4	9
62	Specific antibiotics and nematode trophic groups agree in assessing fungal:bacterial activity in agricultural soil. <i>Soil Biology and Biochemistry</i> , 2012 , 55, 17-19	7.5	5
61	Net ecosystem exchange of CO ₂ and carbon balance for eight temperate organic soils under agricultural management. <i>Agriculture, Ecosystems and Environment</i> , 2012 , 162, 52-67	5.7	77
60	Sulfur turnover and emissions during storage of cattle slurry: effects of acidification and sulfur addition. <i>Journal of Environmental Quality</i> , 2012 , 41, 1633-41	3.4	20
59	Annual emissions of CH ₄ and N ₂ O, and ecosystem respiration, from eight organic soils in Western Denmark managed by agriculture. <i>Biogeosciences</i> , 2012 , 9, 403-422	4.6	88
58	Sorption of 17 β -estradiol to pig slurry separates and soil in the soil-slurry environment. <i>Journal of Environmental Quality</i> , 2012 , 41, 179-87	3.4	8
57	Seasonal methane dynamics in three temperate grasslands on peat. <i>Plant and Soil</i> , 2012 , 357, 339-353	4.2	32
56	Effects of cattle slurry acidification on ammonia and methane evolution during storage. <i>Journal of Environmental Quality</i> , 2012 , 41, 88-94	3.4	107
55	Ammonia and nitrous oxide interactions: Roles of manure organic matter management. <i>Animal Feed Science and Technology</i> , 2011 , 166-167, 503-513	3	69
54	Relating soil microbial activity to water content and tillage-induced differences in soil structure. <i>Geoderma</i> , 2011 , 163, 256-264	6.7	42
53	Tillage effects on N ₂ O emissions as influenced by a winter cover crop. <i>Soil Biology and Biochemistry</i> , 2011 , 43, 1509-1517	7.5	85
52	A comprehensive approach to soil-atmosphere trace-gas flux estimation with static chambers. <i>European Journal of Soil Science</i> , 2010 , 61, 888-902	3.4	200
51	Emissions of sulfur-containing odorants, ammonia, and methane from pig slurry: effects of dietary methionine and benzoic acid. <i>Journal of Environmental Quality</i> , 2010 , 39, 1097-107	3.4	43

50	Emissions of nitrous oxide from arable organic and conventional cropping systems on two soil types. <i>Agriculture, Ecosystems and Environment</i> , 2010 , 136, 199-208	5.7	88
49	Effects of slurry pre-treatment and application technique on short-term N ₂ O emissions as determined by a new non-linear approach. <i>Agriculture, Ecosystems and Environment</i> , 2010 , 136, 227-235	5.7	60
48	Nitrous oxide emissions and controls as influenced by tillage and crop residue management strategy. <i>Soil Biology and Biochemistry</i> , 2010 , 42, 1701-1711	7.5	100
47	Pilot scale facility to determine gaseous emissions from livestock slurry during storage. <i>Journal of Environmental Quality</i> , 2009 , 38, 1560-8	3.4	13
46	Effects of C and N availability and soil-water potential interactions on N ₂ O evolution and PLFA composition. <i>Soil Biology and Biochemistry</i> , 2009 , 41, 1726-1733	7.5	30
45	Seasonal changes in lipid composition and glycogen storage associated with freeze-tolerance of the earthworm, <i>Dendrobaena octaedra</i> . <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2009 , 179, 569-77	2.2	16
44	Region-specific assessment of greenhouse gas mitigation with different manure management strategies in four agroecological zones. <i>Global Change Biology</i> , 2009 , 15, 2825-2837	11.4	56
43	Nitrous oxide evolution from structurally intact soil as influenced by tillage and soil water content. <i>Soil Biology and Biochemistry</i> , 2008 , 40, 967-977	7.5	75
42	Characteristics of Soil Carbon Buried for 3300 Years in a Bronze Age Burial Mound. <i>Soil Science Society of America Journal</i> , 2008 , 72, 1292-1298	2.5	17
41	High fluxes but different patterns of nitrous oxide and carbon dioxide emissions from soil in a cattle overwintering area. <i>Agriculture, Ecosystems and Environment</i> , 2007 , 120, 269-279	5.7	42
40	Short-term carbon and nitrogen cycling in urine patches assessed by combined carbon-13 and nitrogen-15 labelling. <i>Agriculture, Ecosystems and Environment</i> , 2007 , 121, 84-92	5.7	28
39	Methane and carbon dioxide emissions and nitrogen turnover during liquid manure storage. <i>Nutrient Cycling in Agroecosystems</i> , 2007 , 78, 27-36	3.3	101
38	Differences in cold and drought tolerance of high arctic and sub-arctic populations of <i>Megaphorura arctica</i> Tullberg 1876 (Onychiuridae: Collembola). <i>Cryobiology</i> , 2007 , 55, 315-23	2.7	38
37	Greenhouse gas mitigation by covers on livestock slurry tanks and lagoons?. <i>Journal of the Science of Food and Agriculture</i> , 2006 , 86, 1407-1411	4.3	25
36	Reorganization of membrane lipids during fast and slow cold hardening in <i>Drosophila melanogaster</i> . <i>Physiological Entomology</i> , 2006 , 31, 328-335	1.9	64
35	Effects of excretal returns and soil compaction on nitrous oxide emissions from a cattle overwintering area. <i>Agriculture, Ecosystems and Environment</i> , 2006 , 112, 186-191	5.7	47
34	Nitrous oxide emissions from organic and conventional crop rotations in five European countries. <i>Agriculture, Ecosystems and Environment</i> , 2006 , 112, 200-206	5.7	81
33	Methane Oxidation in Pig and Cattle Slurry Storages, and Effects of Surface Crust Moisture and Methane Availability. <i>Nutrient Cycling in Agroecosystems</i> , 2006 , 74, 1-11	3.3	31

32	Changes in membrane lipid composition following rapid cold hardening in <i>Drosophila melanogaster</i> . <i>Journal of Insect Physiology</i> , 2005 , 51, 1173-82	2.4	190
31	Effects of <i>Lumbricus terrestris</i> , <i>Allolobophora chlorotica</i> and <i>Eisenia fetida</i> on microbial community dynamics in oil-contaminated soil. <i>Soil Biology and Biochemistry</i> , 2005 , 37, 2065-2076	7.5	55
30	Oxidation of ¹³ C-labeled methane in surface crusts of pig- and cattle slurry. <i>Isotopes in Environmental and Health Studies</i> , 2005 , 41, 125-33	1.5	20
29	Methane oxidation in slurry storage surface crusts. <i>Journal of Environmental Quality</i> , 2005 , 34, 455-61	3.4	50
28	Dynamics of a pasture soil microbial community after deposition of cattle urine amended with [¹³ C]urea. <i>Applied and Environmental Microbiology</i> , 2004 , 70, 6363-9	4.8	39
27	Short-term N ₂ O, CO ₂ , NH ₃ fluxes, and N/C transfers in a Danish grass-clover pasture after simulated urine deposition in autumn. <i>Journal of Plant Nutrition and Soil Science</i> , 2004 , 167, 568-576	2.3	45
26	Algorithms for calculating methane and nitrous oxide emissions from manure management. <i>Nutrient Cycling in Agroecosystems</i> , 2004 , 69, 143-154	3.3	146
25	Short-term nitrous oxide emissions from pasture soil as influenced by urea level and soil nitrate. <i>Plant and Soil</i> , 2004 , 267, 117-127	4.2	37
24	Redistribution of slurry components as influenced by injection method, soil, and slurry properties. <i>Journal of Environmental Quality</i> , 2003 , 32, 2399-409	3.4	33
23	Dynamics and plant uptake of nitrogen and phosphorus in soil amended with sewage sludge. <i>Applied Soil Ecology</i> , 2003 , 24, 187-195	5	38
22	Power analysis as a reflexive scientific tool for interpretation and implementation of the precautionary principle in the European Union. <i>Environmental Science and Pollution Research</i> , 2002 , 9, 221-6	5.1	18
21	Comparing sensitivity of ecotoxicological effect endpoints between laboratory and field. <i>Ecotoxicology and Environmental Safety</i> , 2002 , 52, 97-112	7	34
20	Evaluating effects of sewage sludge and household compost on soil physical, chemical and microbiological properties. <i>Applied Soil Ecology</i> , 2002 , 19, 237-248	5	183
19	Dynamics of a Soil Microbial Community under Spring Wheat. <i>Soil Science Society of America Journal</i> , 2002 , 66, 826-833	2.5	53
18	Dynamics of a Soil Microbial Community under Spring Wheat 2002 , 66, 826		29
17	Effects and risk assessment of linear alkylbenzene sulfonates in agricultural soil. 1. Short-term effects on soil microbiology. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 1656-1663	3.8	83
16	Effects and risk assessment of linear alkylbenzene sulfonates in agricultural soil. 2. Effects on soil microbiology as influenced by sewage sludge and incubation time. <i>Environmental Toxicology and Chemistry</i> , 2001 , 20, 1664-1672	3.8	30
15	Drought acclimation confers cold tolerance in the soil collembolan <i>Folsomia candida</i> . <i>Journal of Insect Physiology</i> , 2001 , 47, 1197-1204	2.4	111

14	Stochastic Diffusion Model for Estimating Trace Gas Emissions with Static Chambers. <i>Soil Science Society of America Journal</i> , 2001 , 65, 49-58	2.5	30
13	Denitrification losses from outdoor piglet production: spatial and temporal variability. <i>Journal of Environmental Quality</i> , 2001 , 30, 1051-8	3.4	13
12	Direct Toxic Effects of TBT on Natural Enclosed Phytoplankton at Ambient TBT Concentrations of Coastal Waters. <i>Ecotoxicology</i> , 2000 , 9, 273-285	2.9	16
11	Greenhouse Gas Emission from Stored Livestock Slurry. <i>Journal of Environmental Quality</i> , 2000 , 29, 744-751	3.4	158
10	Ester-linked polar lipid fatty acid profiles of soil microbial communities: a comparison of extraction methods and evaluation of interference from humic acids. <i>Soil Biology and Biochemistry</i> , 2000 , 32, 1241-1249	7.5	61
9	Temperature effects on lipid composition of the earthworms <i>Lumbricus rubellus</i> and <i>Eisenia nordenskiöldi</i> . <i>Soil Biology and Biochemistry</i> , 2000 , 32, 1787-1791	7.5	30
8	Ammonia losses from urine and dung of grazing cattle: effect of N intake. <i>Atmospheric Environment</i> , 1998 , 32, 295-300	5.3	100
7	Toxic effects of tri-butyl-tin (TBT) on autotrophic pico-, nano-, and microplankton assessed by a size fractionated pollution-induced community tolerance (SF-PICT) concept. <i>Aquatic Toxicology</i> , 1998 , 40, 253-264	5.1	20
6	Phospholipid fatty acid profiles and C availability in wet-stable macro-aggregates from conventionally and organically farmed soils. <i>Geoderma</i> , 1997 , 78, 181-196	6.7	47
5	O ₂ uptake, C metabolism and denitrification associated with manure hot-spots. <i>Soil Biology and Biochemistry</i> , 1996 , 28, 341-349	7.5	77
4	Influence of soil water potential and slurry type on denitrification activity. <i>Soil Biology and Biochemistry</i> , 1996 , 28, 977-980	7.5	18
3	Effects of sieving, storage, and incubation temperature on the phospholipid Fatty Acid profile of a soil microbial community. <i>Applied and Environmental Microbiology</i> , 1994 , 60, 2421-30	4.8	214
2	A comparison of phospholipid and chloroform fumigation analyses for biomass in soil: potentials and limitations. <i>FEMS Microbiology Ecology</i> , 1991 , 8, 257-267	4.3	7
1	Regulation of N ₂ O emissions from acid organic soil drained for agriculture: Effects of land use and season		2