### Doreen A Cantrell

## List of Publications by Citations

Source: https://exaly.com/author-pdf/1209061/doreen-a-cantrell-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62 108 11,921 129 h-index g-index citations papers 12.6 13,496 6.45 138 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
129	Stimulation of p21ras upon T-cell activation. <i>Nature</i> , <b>1990</b> , 346, 719-23	50.4	854
128	T cell receptor signaling controls Foxp3 expression via PI3K, Akt, and mTOR. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 7797-802	11.5	660
127	Control of amino-acid transport by antigen receptors coordinates the metabolic reprogramming essential for T cell differentiation. <i>Nature Immunology</i> , <b>2013</b> , 14, 500-8	19.1	526
126	PDK1 regulation of mTOR and hypoxia-inducible factor 1 integrate metabolism and migration of CD8+ T cells. <i>Journal of Experimental Medicine</i> , <b>2012</b> , 209, 2441-53	16.6	389
125	Phosphatidylinositol 3-kinase couples the interleukin-2 receptor to the cell cycle regulator E2F. <i>Immunity</i> , <b>1997</b> , 7, 679-89	32.3	360
124	Phosphatidylinositol-3-OH kinase and nutrient-sensing mTOR pathways control T lymphocyte trafficking. <i>Nature Immunology</i> , <b>2008</b> , 9, 513-21	19.1	318
123	Regulation of the energy sensor AMP-activated protein kinase by antigen receptor and Ca2+ in T lymphocytes. <i>Journal of Experimental Medicine</i> , <b>2006</b> , 203, 1665-70	16.6	266
122	Signaling and Function of Interleukin-2 in T Lymphocytes. <i>Annual Review of Immunology</i> , <b>2018</b> , 36, 411-	<b>433</b> .7	249
121	Rap1A positively regulates T cells via integrin activation rather than inhibiting lymphocyte signaling. <i>Nature Immunology</i> , <b>2002</b> , 3, 251-8	19.1	247
120	Phosphatidylinositol 3-kinase signals activate a selective subset of Rac/Rho-dependent effector pathways. <i>Current Biology</i> , <b>1996</b> , 6, 1445-55	6.3	241
119	Protein kinase C and beyond. <i>Nature Immunology</i> , <b>2004</b> , 5, 785-90	19.1	238
118	T cell activation and the cytoskeleton. Annual Review of Immunology, 2000, 18, 165-84	34.7	216
117	Protein kinase B controls transcriptional programs that direct cytotoxic T cell fate but is dispensable for T cell metabolism. <i>Immunity</i> , <b>2011</b> , 34, 224-36	32.3	202
116	Glucose and glutamine fuel protein O-GlcNAcylation to control T cell self-renewal and malignancy. <i>Nature Immunology</i> , <b>2016</b> , 17, 712-20	19.1	194
115	Characterization of serine 916 as an in vivo autophosphorylation site for protein kinase D/Protein kinase Cmu. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 26543-9	5.4	183
114	Sustained and dynamic inositol lipid metabolism inside and outside the immunological synapse. <i>Nature Immunology</i> , <b>2002</b> , 3, 1082-9	19.1	179
113	Metabolism, migration and memory in cytotoxic T cells. <i>Nature Reviews Immunology</i> , <b>2011</b> , 11, 109-17	36.5	175

112	AMPKI: a glucose sensor that controls CD8 T-cell memory. <i>European Journal of Immunology</i> , <b>2013</b> , 43, 889-96	6.1	168	
111	Metabolic regulation of hepatitis B immunopathology by myeloid-derived suppressor cells. <i>Nature Medicine</i> , <b>2015</b> , 21, 591-600	50.5	166	
110	Analysis of the role of protein kinase C-alpha, -epsilon, and -zeta in T cell activation. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 9833-9	5.4	161	
109	ICOS coreceptor signaling inactivates the transcription factor FOXO1 to promote Tfh cell differentiation. <i>Immunity</i> , <b>2015</b> , 42, 239-251	32.3	151	
108	Phosphatidylinositol 3-kinase links the interleukin-2 receptor to protein kinase B and p70 S6 kinase. Journal of Biological Chemistry, <b>1997</b> , 272, 14426-33	5.4	145	
107	Ras regulation and function in lymphocytes. <i>Current Opinion in Immunology</i> , <b>2000</b> , 12, 289-94	7.8	142	
106	Sustained IL-12 signaling is required for Th1 development. <i>Journal of Immunology</i> , <b>2004</b> , 172, 61-9	5.3	141	
105	The BAFF receptor transduces survival signals by co-opting the B cell receptor signaling pathway. <i>Immunity</i> , <b>2013</b> , 38, 475-88	32.3	140	
104	GTPases and T cell activation. <i>Immunological Reviews</i> , <b>2003</b> , 192, 122-30	11.3	139	
103	Activation loop Ser744 and Ser748 in protein kinase D are transphosphorylated in vivo. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 32606-15	5.4	139	
102	The cytotoxic T cell proteome and its shaping by the kinase mTOR. <i>Nature Immunology</i> , <b>2016</b> , 17, 104-1	<b>2</b> 19.1	135	
101	Regulation of an activated S6 kinase 1 variant reveals a novel mammalian target of rapamycin phosphorylation site. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 20104-12	5.4	134	
100	p70(s6k) integrates phosphatidylinositol 3-kinase and rapamycin-regulated signals for E2F regulation in T lymphocytes. <i>Molecular and Cellular Biology</i> , <b>1999</b> , 19, 4729-38	4.8	124	
99	Amino acid-dependent cMyc expression is essential for NK cell metabolic and functional responses in mice. <i>Nature Communications</i> , <b>2018</b> , 9, 2341	17.4	123	
98	Essential role for protein kinase D family kinases in the regulation of class II histone deacetylases in B lymphocytes. <i>Molecular and Cellular Biology</i> , <b>2006</b> , 26, 1569-77	4.8	122	
97	The dynamics of protein kinase B regulation during B cell antigen receptor engagement. <i>Journal of Cell Biology</i> , <b>1999</b> , 145, 1511-20	7.3	119	
96	Differential regulation of T-cell growth by IL-2 and IL-15. <i>Blood</i> , <b>2006</b> , 108, 600-8	2.2	118	
95	STAT3 is a serine kinase target in T lymphocytes. Interleukin 2 and T cell antigen receptor signals converge upon serine 727. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 24542-9	5.4	116	

94	The GTPase Rho has a critical regulatory role in thymus development. <i>EMBO Journal</i> , <b>1997</b> , 16, 2397-40	713	116
93	Potent and selective chemical probe of hypoxic signalling downstream of HIF-Ihydroxylation via VHL inhibition. <i>Nature Communications</i> , <b>2016</b> , 7, 13312	17.4	110
92	Notch-induced T cell development requires phosphoinositide-dependent kinase 1. <i>EMBO Journal</i> , <b>2007</b> , 26, 3441-50	13	105
91	Evidence that SHIP-1 contributes to phosphatidylinositol 3,4,5-trisphosphate metabolism in T lymphocytes and can regulate novel phosphoinositide 3-kinase effectors. <i>Journal of Immunology</i> , <b>2002</b> , 169, 5441-50	5.3	103
90	The serine kinase phosphoinositide-dependent kinase 1 (PDK1) regulates T cell development. <i>Nature Immunology</i> , <b>2004</b> , 5, 539-45	19.1	100
89	Protein kinase B (Akt) regulation and function in T lymphocytes. <i>Seminars in Immunology</i> , <b>2002</b> , 14, 19-2	<b>6</b> 10.7	98
88	Protein kinase D. A selective target for antigen receptors and a downstream target for protein kinase C in lymphocytes. <i>Journal of Experimental Medicine</i> , <b>2000</b> , 191, 2075-82	16.6	98
87	Protection of CD95-mediated apoptosis by activation of phosphatidylinositide 3-kinase and protein kinase B. <i>European Journal of Immunology</i> , <b>1998</b> , 28, 57-69	6.1	96
86	Diacylglycerol and protein kinase D localization during T lymphocyte activation. <i>Immunity</i> , <b>2006</b> , 24, 535	- <b>46</b> 3	96
85	Mathematical Models for Immunology: Current State of the Art and Future Research Directions. <i>Bulletin of Mathematical Biology</i> , <b>2016</b> , 78, 2091-2134	2.1	93
84	Single cell tuning of Myc expression by antigen receptor signal strength and interleukin-2 in T lymphocytes. <i>EMBO Journal</i> , <b>2015</b> , 34, 2008-24	13	92
83	Regulation of D-3 phosphoinositides during T cell activation via the T cell antigen receptor/CD3 complex and CD2 antigens. <i>European Journal of Immunology</i> , <b>1992</b> , 22, 45-9	6.1	92
82	Rapid protein kinase D translocation in response to G protein-coupled receptor activation. Dependence on protein kinase C. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 32616-26	5.4	90
81	Phosphoproteomic analysis reveals an intrinsic pathway for the regulation of histone deacetylase 7 that controls the function of cytotoxic T lymphocytes. <i>Nature Immunology</i> , <b>2011</b> , 12, 352-61	19.1	83
80	Different functions of the GTPase Rho in prothymocytes and late pre-T cells. <i>Immunity</i> , <b>1997</b> , 7, 163-74	32.3	83
79	Phosphoinositide 3-kinases in T lymphocyte activation. <i>Current Opinion in Immunology</i> , <b>2001</b> , 13, 332-8	7.8	83
78	Intracellular location and cell context-dependent function of protein kinase D. <i>Immunity</i> , <b>2003</b> , 19, 491-	<b>592</b> 1.3	80
77	Control of pre-T cell proliferation and differentiation by the GTPase Rac-I. <i>Nature Immunology</i> , <b>2000</b> , 1, 348-52	19.1	78

# (2000-2010)

76	LKB1 is essential for the proliferation of T-cell progenitors and mature peripheral T cells. <i>European Journal of Immunology</i> , <b>2010</b> , 40, 242-53	6.1	73
75	Networking Rho family GTPases in lymphocytes. <i>Immunity</i> , <b>1998</b> , 8, 395-401	32.3	72
74	Quantitative analysis of T cell proteomes and environmental sensors during T cell differentiation. <i>Nature Immunology</i> , <b>2019</b> , 20, 1542-1554	19.1	72
73	GTPases in antigen receptor signalling. <i>Current Opinion in Immunology</i> , <b>1998</b> , 10, 322-9	7.8	71
72	Antigen receptor control of methionine metabolism in T cells. <i>ELife</i> , <b>2019</b> , 8,	8.9	70
71	T-cell antigen receptor signal transduction. <i>Immunology</i> , <b>2002</b> , 105, 369-74	7.8	69
7º	Phosphoinositide (3,4,5)-triphosphate binding to phosphoinositide-dependent kinase 1 regulates a protein kinase B/Akt signaling threshold that dictates T-cell migration, not proliferation. <i>Molecular and Cellular Biology</i> , <b>2009</b> , 29, 5952-62	4.8	65
69	Analysis of thymocyte development reveals that the GTPase RhoA is a positive regulator of T cell receptor responses in vivo. <i>Journal of Experimental Medicine</i> , <b>2001</b> , 194, 903-14	16.6	65
68	Dynamic re-distribution of protein kinase D (PKD) as revealed by a GFP-PKD fusion protein: dissociation from PKD activation. <i>FEBS Letters</i> , <b>1999</b> , 457, 515-21	3.8	63
67	Protein kinase D is a downstream target of protein kinase Ctheta. <i>Biochemical and Biophysical Research Communications</i> , <b>2002</b> , 291, 444-52	3.4	61
66	Phosphoinositide 3-kinase and the mammalian target of rapamycin pathways control T cell migration. <i>Annals of the New York Academy of Sciences</i> , <b>2010</b> , 1183, 149-57	6.5	60
65	Unique functions for protein kinase D1 and protein kinase D2 in mammalian cells. <i>Biochemical Journal</i> , <b>2010</b> , 432, 153-63	3.8	60
64	Integrin regulation by RhoA in thymocytes. <i>Journal of Immunology</i> , <b>2005</b> , 175, 350-7	5.3	60
63	Single cell analysis of kynurenine and System L amino acid transport in T cells. <i>Nature Communications</i> , <b>2018</b> , 9, 1981	17.4	57
62	Serine-threonine kinases in TCR signaling. <i>Nature Immunology</i> , <b>2014</b> , 15, 808-14	19.1	55
61	Phosphoinositide-dependent kinase 1 controls migration and malignant transformation but not cell growth and proliferation in PTEN-null lymphocytes. <i>Journal of Experimental Medicine</i> , <b>2009</b> , 206, 2441-5	16.6	55
60	A negative role for phosphoinositide 3-kinase in T-cell antigen receptor function. <i>Current Biology</i> , <b>1997</b> , 7, 285-93	6.3	54
59	The GTPase rho controls a p53-dependent survival checkpoint during thymopoiesis. <i>Journal of Experimental Medicine</i> , <b>2000</b> , 192, 77-85	16.6	54

58	Signaling in lymphocyte activation. Cold Spring Harbor Perspectives in Biology, 2015, 7,	10.2	51
57	Quantitative analysis of how Myc controls T cell proteomes and metabolic pathways during T cell activation. <i>ELife</i> , <b>2020</b> , 9,	8.9	49
56	Involvement of phosphoinositide 3-kinase and Rac in membrane ruffling induced by IL-2 in T cells. European Journal of Immunology, <b>1998</b> , 28, 1877-85	6.1	48
55	The GTPase Rac-1 controls cell fate in the thymus by diverting thymocytes from positive to negative selection. <i>Immunity</i> , <b>2001</b> , 15, 703-13	32.3	46
54	Rac-1 regulates nuclear factor of activated T cells (NFAT) C1 nuclear translocation in response to Fcepsilon receptor type 1 stimulation of mast cells. <i>Journal of Experimental Medicine</i> , <b>1998</b> , 188, 527-37	16.6	46
53	Phosphoproteomic Analyses of Interleukin 2 Signaling Reveal Integrated JAK Kinase-Dependent and -Independent Networks in CD8(+) T Cells. <i>Immunity</i> , <b>2016</b> , 45, 685-700	32.3	44
52	Transgenic analysis of thymocyte signal transduction. <i>Nature Reviews Immunology</i> , <b>2002</b> , 2, 20-7	36.5	44
51	Protein kinase C mediates platelet secretion and thrombus formation through protein kinase D2. <i>Blood</i> , <b>2011</b> , 118, 416-24	2.2	42
50	Environmental and metabolic sensors that control T cell biology. <i>Frontiers in Immunology</i> , <b>2015</b> , 6, 99	8.4	41
49	Interleukin-2 shapes the cytotoxic T cell proteome and immune environment-sensing programs. <i>Science Signaling</i> , <b>2018</b> , 11,	8.8	37
48	Inhibition of Rho at different stages of thymocyte development gives different perspectives on Rho function. <i>Current Biology</i> , <b>1999</b> , 9, 657-60	6.3	37
47	A new role for the p85-phosphatidylinositol 3-kinase regulatory subunit linking FRAP to p70 S6 kinase activation. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 1500-8	5.4	36
46	p56lck signals for regulating thymocyte development can be distinguished by their dependency on Rho function. <i>Journal of Experimental Medicine</i> , <b>1998</b> , 188, 931-9	16.6	32
45	Phenformin, But Not Metformin, Delays Development of T Cell Acute Lymphoblastic Leukemia/Lymphoma via Cell-Autonomous AMPK Activation. <i>Cell Reports</i> , <b>2019</b> , 27, 690-698.e4	10.6	31
44	The T cell antigen receptor activates phosphatidylinositol 3-kinase-regulated serine kinases protein kinase B and ribosomal S6 kinase 1. <i>FEBS Letters</i> , <b>2000</b> , 486, 38-42	3.8	31
43	Approaches to define antigen receptor-induced serine kinase signal transduction pathways. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 9267-75	5.4	29
42	Protein kinase C is not a downstream effector of p21ras in activated T cells. <i>European Journal of Immunology</i> , <b>1995</b> , 25, 42-7	6.1	27
41	New insights into the regulation and function of serine/threonine kinases in T lymphocytes. <i>Immunological Reviews</i> , <b>2009</b> , 228, 241-52	11.3	26

## (2012-2014)

Protein kinase D2 is a digital amplifier of T cell receptor-stimulated diacylglycerol signaling in nalle CD8+ T cells. <i>Science Signaling</i> , <b>2014</b> , 7, ra99	8.8	25	
Dual phospholipase C/diacylglycerol requirement for protein kinase D1 activation in lymphocytes. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 6245-51	5.4	24	
Adenosine-mono-phosphate-activated protein kinase-independent effects of metformin in T cells. <i>PLoS ONE</i> , <b>2014</b> , 9, e106710	3.7	23	
IL-12 selectively regulates STAT4 via phosphatidylinositol 3-kinase and Ras-independent signal transduction pathways. <i>European Journal of Immunology</i> , <b>2000</b> , 30, 1425-34	6.1	23	
Temporal differences in the dependency on phosphoinositide-dependent kinase 1 distinguish the development of invariant Valpha14 NKT cells and conventional T cells. <i>Journal of Immunology</i> , <b>2010</b> , 185, 5973-82	5.3	22	
Protein kinase D enzymes are dispensable for proliferation, survival and antigen receptor-regulated NFkappaB activity in vertebrate B-cells. <i>FEBS Letters</i> , <b>2007</b> , 581, 1377-82	3.8	21	
The impact of KLF2 modulation on the transcriptional program and function of CD8 T cells. <i>PLoS ONE</i> , <b>2013</b> , 8, e77537	3.7	20	
Single Cell Glucose Uptake Assays: A Cautionary Tale. <i>Immunometabolism</i> , <b>2020</b> , 2, e200029	4.1	19	
Identification of pro-interleukin 16 as a novel target of MAP kinases in activated T lymphocytes. <i>European Journal of Immunology</i> , <b>2004</b> , 34, 587-97	6.1	18	
Regulation and function of serine kinase networks in lymphocytes. <i>Current Opinion in Immunology</i> , <b>2003</b> , 15, 294-8	7.8	18	
Protein kinase D2 has a restricted but critical role in T-cell antigen receptor signalling in mature T-cells. <i>Biochemical Journal</i> , <b>2012</b> , 442, 649-59	3.8	17	
Differential requirement for RhoA GTPase depending on the cellular localization of protein kinase D. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 25089-96	5.4	16	
Quantitative phosphoproteomics of cytotoxic T cells to reveal protein kinase d 2 regulated networks. <i>Molecular and Cellular Proteomics</i> , <b>2014</b> , 13, 3544-57	7.6	15	
The role of serine/threonine kinases in T-cell activation. <i>Current Opinion in Immunology</i> , <b>2006</b> , 18, 314-2	2 <b>0</b> 7.8	15	
The coordination of T-cell function by serine/threonine kinases. <i>Cold Spring Harbor Perspectives in Biology</i> , <b>2011</b> , 3, a002261	10.2	13	
LKB1 mediates the development of conventional and innate T cells via AMP-dependent kinase autonomous pathways. <i>PLoS ONE</i> , <b>2013</b> , 8, e60217	3.7	12	
IIIIIIIA type I IFN, prothrombotic hyperinflammatory neutrophil signature is distinct for COVID-19 ARDSIII Wellcome Open Research, <b>2021</b> , 6, 38	4.8	12	
Protein kinase D isoforms are dispensable for integrin-mediated lymphocyte adhesion and homing to lymphoid tissues. <i>European Journal of Immunology</i> , <b>2012</b> , 42, 1316-26	6.1	10	
	Dual phospholipase C/diacylglycerol requirement for protein kinase D1 activation in lymphocytes. Journal of Biological Chemistry, 2005, 280, 6245-51  Adenosine-mono-phosphate-activated protein kinase-independent effects of metformin in T cells. PLoS ONE, 2014, 9, e106710  IL-12 selectively regulates STAT4 via phosphatidylinositol 3-kinase and Ras-independent signal transduction pathways. European Journal of Immunology, 2000, 30, 1425-34  Temporal differences in the dependency on phosphoinositide-dependent kinase 1 distinguish the development of invariant Valpha14 NKT cells and conventional T cells. Journal of Immunology, 2010, 185, 5973-82  Protein kinase D enzymes are dispensable for proliferation, survival and antigen receptor-regulated NFKappaB activity in vertebrate B-cells. FEBS Letters, 2007, 581, 1377-82  The impact of KLF2 modulation on the transcriptional program and function of CD8 T cells. PLoS ONE, 2013, 8, e77537  Single Cell Glucose Uptake Assays: A Cautionary Tale. Immunometabolism, 2020, 2, e200029  Identification of pro-interleukin 16 as a novel target of MAP kinases in activated T lymphocytes. European Journal of Immunology, 2004, 34, 587-97  Regulation and function of serine kinase networks in lymphocytes. Current Opinion in Immunology, 2003, 15, 294-8  Protein kinase D2 has a restricted but critical role in T-cell antigen receptor signalling in mature T-cells. Biochemical Journal, 2012, 442, 649-59  Differential requirement for RhoA GTPase depending on the cellular localization of protein kinase D. Journal of Biological Chemistry, 2006, 281, 25089-96  Quantitative phosphoproteomics of cytotoxic T cells to reveal protein kinase d 2 regulated networks. Molecular and Cellular Proteomics, 2014, 13, 3544-57  The role of serine/threonine kinases in T-cell activation. Current Opinion in Immunology, 2006, 18, 314-27  The role of serine/threonine kinases in T-cell activation. Current Opinion in Immunology, 2006, 18, 314-27  The role of serine/threonine kinases in T-cell activation. Current Opinion in	Dual phospholipase C/diacylglycerol requirement for protein kinase D1 activation in lymphocytes.  Journal of Biological Chemistry, 2005, 280, 6245-51  Adenosine-mono-phosphate-activated protein kinase-independent effects of metformin in T cells.  PLoS ONE, 2014, 9, e106710  IL-12 selectively regulates STAT4 via phosphatidylinositol 3-kinase and Ras-independent signal transduction pathways. European Journal of Immunology, 2000, 30, 1425-34  Temporal differences in the dependency on phosphoinositide-dependent kinase 1 distinguish the development of invariant Valpha14 NKT cells and conventional T cells. Journal of Immunology, 2010, 185, 5973-82  Protein kinase D enzymes are dispensable for proliferation, survival and antigen receptor-regulated NFkappaB activity in vertebrate B-cells. FEBS Letters, 2007, 581, 1377-82  The impact of KLF2 modulation on the transcriptional program and function of CDB T cells. PLoS ONE, 2013, 8, e77537  Single Cell Glucose Uptake Assays: A Cautionary Tale. Immunometabolism, 2020, 2, e200029  Identification of pro-interleukin 16 as a novel target of MAP kinases in activated T lymphocytes.  European Journal of Immunology, 2004, 34, 587-97  Regulation and function of serine kinase networks in lymphocytes. Current Opinion in Immunology, 2003, 15, 294-8  Protein kinase D2 has a restricted but critical role in T-cell antigen receptor signalling in mature T-cells. Biochemical Journal, 2012, 442, 649-59  Differential requirement for RhoA GTPase depending on the cellular localization of protein kinase D. Journal of Biological Chemistry, 2006, 281, 25089-96  Quantitative phosphoproteomics of cytotoxic T cells to reveal protein kinase d 2 regulated networks. Molecular and Cellular Proteomics, 2014, 13, 3544-57  The role of serine/threonine kinases in T-cell activation. Current Opinion in Immunology, 2006, 18, 314-207, 8  The coordination of T-cell function by serine/threonine kinases. Cold Spring Harbor Perspectives in Biology, 2011, 3, a002261  LKB1 mediates the development of conventional and i	Dual phospholipase C/diacylglycerol requirement for protein kinase D1 activation in lymphocytes.  Journal of Biological Chemistry, 2005, 280, 6245-51  Adenosine-mono-phosphate-activated protein kinase-independent effects of metformin in T cells.  PLoS ONE, 2014, 9, e106710  L12 selectively regulates STAT4 via phosphatidylinositiol 3-kinase and Ras-independent signal transduction pathways. European Journal of Immunology, 2000, 30, 1425-34  Temporal differences in the dependency on phospholinositide-dependent kinase 1 distinguish the development of invariant Valpha14 NKT cells and conventional T cells. Journal of Immunology, 2010  1,85, 597-382  Protein kinase D enzymes are dispensable for proliferation, survival and antigen receptor-regulated NFkappaB activity in vertebrate B-cells. FEBS Letters, 2007, 581, 1377-82  The impact of KLF2 modulation on the transcriptional program and function of CD8 T cells. PLoS ONE, 2013, 8, e77537  Single Cell Glucose Uptake Assays: A Cautionary Tale. Immunometabalism, 2020, 2, e200029  4.1 19  Identification of pro-interleukin 16 as a novel target of MAP kinases in activated T lymphocytes.  European Journal of Immunology, 2004, 34, 587-97  Regulation and function of serine kinase networks in lymphocytes. Current Opinion in Immunology, 2004, 2020, 20

22	Phosphoinositide-dependent kinase l (PDK1) haplo-insufficiency inhibits production of alpha/beta (alpha/beta) but not gamma delta (gamma/delta) T lymphocytes. <i>FEBS Letters</i> , <b>2006</b> , 580, 2135-40	3.8	10
21	Antigen receptor regulation of phosphoinositide-dependent kinase 1 pathways during thymocyte development. <i>FEBS Letters</i> , <b>2006</b> , 580, 5845-50	3.8	10
20	Mitochondrial translation is required for sustained killing by cytotoxic T cells. <i>Science</i> , <b>2021</b> , 374, eabe9	9 <i>33</i> .3	9
19	A type I IFN, prothrombotic hyperinflammatory neutrophil signature is distinct for COVID-19 ARDS <i>Wellcome Open Research</i> , <b>2021</b> , 6, 38	4.8	8
18	The RhoA transcriptional program in pre-T cells. FEBS Letters, 2007, 581, 4309-17	3.8	7
17	Extracellular signal-regulated kinase (ERK) pathway control of CD8+ T cell differentiation.  Biochemical Journal, <b>2021</b> , 478, 79-98	3.8	7
16	Hypoxia drives murine neutrophil protein scavenging to maintain central carbon metabolism. <i>Journal of Clinical Investigation</i> , <b>2021</b> , 131,	15.9	6
15	Phosphoinositide-dependent protein kinase-1 (PDK1)-independent activation of the protein kinase C substrate, protein kinase D. <i>FEBS Letters</i> , <b>2007</b> , 581, 3494-8	3.8	5
14	Commentary: Vav-1 and T cells. European Journal of Immunology, 2003, 33, 1070-2	6.1	5
13	Nrf2 activation reprograms macrophage intermediary metabolism and suppresses the type I interferon response <i>IScience</i> , <b>2022</b> , 25, 103827	6.1	4
12	Protein synthesis, degradation, and energy metabolism in T cell immunity <i>Cellular and Molecular Immunology</i> , <b>2022</b> ,	15.4	3
11	Proteomics identifies a type I IFN, prothrombotic hyperinflammatory circulating COVID-19 neutrophil signature distinct from non-COVID-19 ARDS		3
10	Phosphoinositide 3-Kinase p110 Delta Differentially Restrains and Directs NaWe Versus Effector CD8 To Cell Transcriptional Programs. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 691997	8.4	3
9	The active inner life of naive T cells. <i>Nature Immunology</i> , <b>2020</b> , 21, 827-828	19.1	2
8	Involvement of phosphoinositide 3-kinase and Rac in membrane ruffling induced by IL-2 in T cells <b>1998</b> , 28, 1877		2
7	Move to metabolism. <i>Nature Reviews Immunology</i> , <b>2019</b> , 19, 270	36.5	1
6	PDK1 regulation of mTOR and hypoxia-inducible factor 1 integrate metabolism and migration of CD8+T cells. <i>Journal of Cell Biology</i> , <b>2012</b> , 199, i8-i8	7.3	1
5	Exploring the Biological Role of Kruppel-Like Factor 2 In Cytotoxic T Lymphocytes. <i>Blood</i> , <b>2010</b> , 116, 2783-2783	2.2	1

#### LIST OF PUBLICATIONS

4	Quantitative Analyses Reveal How Hypoxia Reconfigures the Proteome of Primary Cytotoxic T Lymphocytes. <i>Frontiers in Immunology</i> , <b>2021</b> , 12, 712402	8.4	0
3	Regulation of the energy sensor AMP-activated protein kinase by antigen receptor and Ca2+ in T lymphocytes. <i>Journal of Cell Biology</i> , <b>2006</b> , 174, i4-i4	7.3	
2	Phosphoinositide-dependent kinase 1 controls migration and malignant transformation but not cell growth and proliferation in PTEN-null lymphocytes. <i>Journal of Cell Biology</i> , <b>2009</b> , 187, i1-i1	7.3	
1	Of Mosaicism and Mechanisms: How JAK1 Goes Awry. <i>Immunity</i> , <b>2020</b> , 53, 481-484	32.3	