

Henrik Roed

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12093115/publications.pdf>

Version: 2024-02-01

32
papers

1,649
citations

430754

18
h-index

454834

30
g-index

32
all docs

32
docs citations

32
times ranked

1825
citing authors

#	ARTICLE	IF	CITATIONS
1	Phase II study on stereotactic body radiotherapy of colorectal metastases. <i>Acta Oncol</i> 2006, 45, 823-830.	0.8	379
2	Phase-II study on stereotactic radiotherapy of locally advanced pancreatic carcinoma. <i>Radiotherapy and Oncology</i> , 2005, 76, 48-53.	0.3	323
3	Niraparib plus bevacizumab versus niraparib alone for platinum-sensitive recurrent ovarian cancer (NSGO-AVANOVA2/ENGOT-ov24): a randomised, phase 2, superiority trial. <i>Lancet Oncology</i> , 2019, 20, 1409-1419.	5.1	179
4	The diagnostic value of PET/CT scanning in patients with cervical cancer: A prospective study. <i>Gynecologic Oncology</i> , 2007, 106, 29-34.	0.6	168
5	Prospective study on stereotactic radiotherapy of limited-stage non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, S128-S135.	0.4	78
6	Pulsed dose rate (PDR) brachytherapy of anal carcinoma. <i>Radiotherapy and Oncology</i> , 1996, 41, 131-134.	0.3	46
7	The effect of the two epipodophyllotoxin derivatives etoposide (VP-16) and teniposide (VM-26) on cell lines established from patients with small cell carcinoma of the lung. <i>Cancer Chemotherapy and Pharmacology</i> , 1987, 19, 16-20.	1.1	41
8	The carboxylic ionophore monensin inhibits active drug efflux and modulates in vitro resistance in daunorubicin resistant Ehrlich ascites tumor cells. <i>Biochemical Pharmacology</i> , 1988, 37, 3305-3310.	2.0	41
9	Fractionated Stereotactic Radiotherapy of Vestibular Schwannomas Accelerates Hearing Loss. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012, 83, e607-e611.	0.4	41
10	Three-Dimensional Anal Endosonography May Improve Staging of Anal Cancer Compared With Two-Dimensional Endosonography. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 341-345.	0.7	40
11	Inter-experiment variation and dependence on culture conditions in assaying the chemosensitivity of human small cell lung cancer cell lines. <i>European Journal of Cancer & Clinical Oncology</i> , 1987, 23, 177-186.	0.9	37
12	Pulsed dose rate (PDR) brachytherapy as salvage treatment of locally advanced or recurrent gynecologic cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998, 42, 1041-1047.	0.4	29
13	The cytotoxic activity of cisplatin, carboplatin and teniposide alone and combined determined on four human small cell lung cancer cell lines by the clonogenic assay. <i>European Journal of Cancer & Clinical Oncology</i> , 1988, 24, 247-253.	0.9	27
14	Visual outcome after fractionated stereotactic radiation therapy of benign anterior skull base tumors. <i>Journal of Neuro-Oncology</i> , 2014, 118, 101-108.	1.4	26
15	No Rules without Exception: Long-Term Complete Remission Observed in a Study Using a LH-RH Agonist in Platinum-Refractory Ovarian Cancer. <i>Gynecologic Oncology</i> , 2002, 86, 297-301.	0.6	24
16	Visual outcome, endocrine function and tumor control after fractionated stereotactic radiation therapy of craniopharyngiomas in adults: findings in a prospective cohort. <i>Acta Oncol</i> 2017, 56, 415-421.	0.8	22
17	Gemcitabine for recurrent ovarian cancer - a systematic review and meta-analysis. <i>Gynecologic Oncology</i> , 2019, 155, 530-537.	0.6	22
18	In vitro and in vivo evaluation of the indoloquinone EO-9 (NSC 382 459) against human small cell carcinoma of the lung. <i>European Journal of Cancer & Clinical Oncology</i> , 1989, 25, 1197-1201.	0.9	21

#	ARTICLE	IF	CITATIONS
19	In vitro evaluation of a new nitrosourea, TCNU, against human small cell lung cancer cell lines. <i>Cancer Chemotherapy and Pharmacology</i> , 1987, 19, 315-8.	1.1	18
20	A phase I study of the PARP inhibitor niraparib in combination with bevacizumab in platinum-sensitive epithelial ovarian cancer: NSGO AVANOVA1/ENGOT-OV24. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 84, 791-798.	1.1	17
21	Antitumor activity of the two epipodophyllotoxin derivatives VP-16 and VM-26 in preclinical systems: a comparison of in vitro and in vivo drug evaluation. <i>Cancer Chemotherapy and Pharmacology</i> , 1990, 27, 194-198.	1.1	14
22	Doxorubicin sensitivity pattern in a panel of small-cell lung-cancer cell lines: correlation to etoposide and vincristine sensitivity and inverse correlation to carmustine sensitivity. <i>Cancer Chemotherapy and Pharmacology</i> , 1992, 31, 46-52.	1.1	14
23	Reduced variation in the clonogenic assay obtained by standardization of the cell culture conditions prior to drug testing on human small cell lung cancer cell lines. <i>Investigational New Drugs</i> , 1989, 7, 307-15.	1.2	10
24	Combination of niraparib and bevacizumab versus niraparib alone as treatment of recurrent platinum-sensitive ovarian cancer: A randomized controlled chemotherapy-free study. <i>Journal of Clinical Oncology</i> , 2019, 37, 5505-5505.	0.8	10
25	Endoscann Cell Sampling For Cytological Assessment of Endometrial Pathology. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1986, 65, 397-399.	1.3	6
26	¹⁸ F-FDG PET/CT for planning external beam radiotherapy alters therapy in 11% of 581 patients. <i>Clinical Physiology and Functional Imaging</i> , 2018, 38, 278-284.	0.5	6
27	Preliminary phase II results of selinexor, an oral selective inhibitor of nuclear export in patients with heavily pretreated gynecological cancers. <i>Journal of Clinical Oncology</i> , 2015, 33, 5565-5565.	0.8	4
28	Cervical cancer staging, pretreatment planning, and surgical treatment in the Nordic countries. Survey from the Surgical Subcommittee of the Nordic Society of Gynecological Oncology. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1178-1184.	1.3	3
29	Cerebral infarction after fractionated stereotactic radiation therapy of benign anterior skull base tumors. <i>Clinical and Translational Radiation Oncology</i> , 2019, 15, 93-98.	0.9	2
30	Can Human Small-Cell Lung Cancer Cell Lines be Applied for Optimizing Chemotherapy?. <i>Cancer Treatment and Research</i> , 1989, 45, 151-172.	0.2	1
31	Effect of the Two Epipodophyllotoxins VP-16 and VM-26 on a Small Cell Carcinoma of the Lung Xenograft Grown in Nude Mice. , 1989, , 268-273.		0
32	In Reply to Maletz et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 85, 1153-1154.	0.4	0