

# Anuradha Kalyanasundaram

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12093318/publications.pdf>

Version: 2024-02-01

36  
papers

1,364  
citations

430874

18  
h-index

501196

28  
g-index

36  
all docs

36  
docs citations

36  
times ranked

2062  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comprehensive evaluation of electrophysiological and 3D structural features of human atrial myocardium with insights on atrial fibrillation maintenance mechanisms. <i>Journal of Molecular and Cellular Cardiology</i> , 2021, 151, 56-71.	1.9	11
2	Fibroblast-Specific Proteotranscriptomes Reveal Distinct Fibrotic Signatures of Human Sinoatrial Node in Nonfailing and Failing Hearts. <i>Circulation</i> , 2021, 144, 126-143.	1.6	22
3	Altered microRNA and mRNA profiles during heart failure in the human sinoatrial node. <i>Scientific Reports</i> , 2021, 11, 19328.	3.3	12
4	Unmasking Arrhythmogenic Hubs of Reentry Driving Persistent Atrial Fibrillation for Patient-Specific Treatment. <i>Journal of the American Heart Association</i> , 2020, 9, e017789.	3.7	18
5	Impaired neuronal sodium channels cause intranodal conduction failure and reentrant arrhythmias in human sinoatrial node. <i>Nature Communications</i> , 2020, 11, 512.	12.8	39
6	Physical activity prevents acute inflammation in a gout model by downregulation of TLR2 on circulating neutrophils as well as inhibition of serum CXCL1 and is associated with decreased pain and inflammation in gout patients. <i>PLoS ONE</i> , 2020, 15, e0237520.	2.5	19
7	Title is missing!. , 2020, 15, e0237520.		0
8	Title is missing!. , 2020, 15, e0237520.		0
9	Title is missing!. , 2020, 15, e0237520.		0
10	Title is missing!. , 2020, 15, e0237520.		0
11	βIV-Spectrin/STAT3 complex regulates fibroblast phenotype, fibrosis, and cardiac function. <i>JCI Insight</i> , 2019, 4, .	5.0	19
12	Lights on! Can visual light help distinguish fibrotic scars from ablation lesions?. <i>Heart Rhythm</i> , 2018, 15, 576-577.	0.7	0
13	Accentuated vagal antagonism paradoxically increases ryanodine receptor calcium leak in long-term exercised Calsequestrin2 knockout mice. <i>Heart Rhythm</i> , 2018, 15, 430-441.	0.7	5
14	Human Atrial Fibrillation Drivers Resolved With Integrated Functional and Structural Imaging to Benefit Clinical Mapping. <i>JACC: Clinical Electrophysiology</i> , 2018, 4, 1501-1515.	3.2	51
15	Redundant and diverse intranodal pacemakers and conduction pathways protect the human sinoatrial node from failure. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	76
16	Graded Maximal Exercise Testing to Assess Mouse Cardio-Metabolic Phenotypes. <i>PLoS ONE</i> , 2016, 11, e0148010.	2.5	58
17	Adenosine-Induced Atrial Fibrillation. <i>Circulation</i> , 2016, 134, 486-498.	1.6	85
18	Leptin Production by Encapsulated Adipocytes Increases Brown Fat, Decreases Resistin, and Improves Glucose Intolerance in Obese Mice. <i>PLoS ONE</i> , 2016, 11, e0153198.	2.5	11

#	ARTICLE	IF	CITATIONS
19	Atrial fibrillation driven by micro-anatomic intramural re-entry revealed by simultaneous sub-epicardial and sub-endocardial optical mapping in explanted human hearts. <i>European Heart Journal</i> , 2015, 36, 2390-2401.	2.2	347
20	Sarcoplasmic reticulum Ca <sup>2+</sup> ATPase pump is a major regulator of glucose transport in the healthy and diabetic heart. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015, 1852, 873-881.	3.8	24
21	Fibrosis: a structural modulator of sinoatrial node physiology and dysfunction. <i>Frontiers in Physiology</i> , 2015, 6, 37.	2.8	93
22	Alternating membrane potential/calcium interplay underlies repetitive focal activity in a genetic model of calcium-dependent atrial arrhythmias. <i>Journal of Physiology</i> , 2015, 593, 1443-1458.	2.9	24
23	Calsequestrin 2 deletion causes sinoatrial node dysfunction and atrial arrhythmias associated with altered sarcoplasmic reticulum calcium cycling and degenerative fibrosis within the mouse atrial pacemaker complex1. <i>European Heart Journal</i> , 2015, 36, 686-697.	2.2	110
24	Abstract 17874: Aerobic Exercise Training Improves Exercise Capacity, Reduces Arrhythmia Susceptibility but Does Not Normalize Ryanodine Receptor Mediated Aberrant Calcium Release in Catecholaminergic Polymorphic Ventricular Tachycardia. <i>Circulation</i> , 2015, 132, .	1.6	0
25	Fibroblast Growth Factor 23. <i>Circulation</i> , 2014, 130, 295-297.	1.6	3
26	Upregulation of Adenosine A1 Receptors Facilitates Sinoatrial Node Dysfunction in Chronic Canine Heart Failure by Exacerbating Nodal Conduction Abnormalities Revealed by Novel Dual-Sided Intramural Optical Mapping. <i>Circulation</i> , 2014, 130, 315-324.	1.6	70
27	KATP vs Purkinje fibers: Which should we shoot first, or should we?. <i>Heart Rhythm</i> , 2013, 10, 1718-1719.	0.7	0
28	Up-regulation of sarcoplasmic reticulum Ca <sup>2+</sup> uptake leads to cardiac hypertrophy, contractile dysfunction and early mortality in mice deficient in CASQ2. <i>Cardiovascular Research</i> , 2013, 98, 297-306.	3.8	37
29	Functional consequences of stably expressing a mutant calsequestrin (CASQ2D307H) in the CASQ2 null background. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2012, 302, H253-H261.	3.2	12
30	Detrimental effects of thyroid hormone analog DITPA in the mouse heart: increased mortality with in vivo acute myocardial ischemia-reperfusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011, 300, H702-H711.	3.2	11
31	The Calsequestrin Mutation CASQ2D307H Does Not Affect Protein Stability and Targeting to the Junctional Sarcoplasmic Reticulum but Compromises Its Dynamic Regulation of Calcium Buffering. <i>Journal of Biological Chemistry</i> , 2010, 285, 3076-3083.	3.4	26
32	Reduced SERCA2a converts sub-lethal myocardial injury to infarction and affects postischemic functional recovery. <i>Journal of Molecular and Cellular Cardiology</i> , 2009, 46, 285-287.	1.9	19
33	Is reduced SERCA2a expression detrimental or beneficial to postischemic cardiac function and injury? Evidence from heterozygous SERCA2a knockout mice. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 294, H1426-H1434.	3.2	55
34	A mutation in calsequestrin, CASQ2D307H, impairs Sarcoplasmic Reticulum Ca <sup>2+</sup> handling and causes complex ventricular arrhythmias in mice. <i>Cardiovascular Research</i> , 2007, 75, 69-78.	3.8	52
35	Expression of SERCA isoform with faster Ca <sup>2+</sup> transport properties improves postischemic cardiac function and Ca <sup>2+</sup> handling and decreases myocardial infarction. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H2418-H2428.	3.2	55
36	Glutathiolation and Nitration of Sarcoplasmic Reticulum Ca <sup>2+</sup> ATPase (SERCA) in hearts overexpressing SERCA1a-pump. <i>FASEB Journal</i> , 2007, 21, A535.	0.5	0