

Anne S Meyer

List of Publications by Citations

Source: <https://exaly.com/author-pdf/12096905/anne-s-meyer-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

328
papers

17,199
citations

71
h-index

115
g-index

331
ext. papers

19,290
ext. citations

6
avg, IF

7.09
L-index

#	Paper	IF	Citations
328	The problems of using one-dimensional methods to evaluate multifunctional food and biological antioxidants. <i>Journal of the Science of Food and Agriculture</i> , 2000 , 80, 1925-1941	4.3	775
327	Antioxidant Activity of Berry Phenolics on Human Low-Density Lipoprotein and Liposome Oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 4107-4112	5.7	490
326	Important determinants for fucoidan bioactivity: a critical review of structure-function relations and extraction methods for fucose-containing sulfated polysaccharides from brown seaweeds. <i>Marine Drugs</i> , 2011 , 9, 2106-30	6	433
325	Upgrading of grape skins: Significance of plant cell-wall structural components and extraction techniques for phenol release. <i>Trends in Food Science and Technology</i> , 2006 , 17, 579-590	15.3	366
324	Phytate: impact on environment and human nutrition. A challenge for molecular breeding. <i>Journal of Zhejiang University: Science B</i> , 2008 , 9, 165-91	4.5	345
323	Antioxidant interactions of catechin, cyanidin, caffeic acid, quercetin, and ellagic acid on human LDL oxidation. <i>Food Chemistry</i> , 1998 , 61, 71-75	8.5	265
322	Lignocellulose pretreatment severity - relating pH to biomatrix opening. <i>New Biotechnology</i> , 2010 , 27, 739-50	6.4	252
321	Inhibition of Human Low-Density Lipoprotein Oxidation in Relation to Composition of Phenolic Antioxidants in Grapes (<i>Vitis vinifera</i>). <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 1638-1643	5.7	247
320	Formation of degradation compounds from lignocellulosic biomass in the biorefinery: sugar reaction mechanisms. <i>Carbohydrate Research</i> , 2014 , 385, 45-57	2.9	234
319	Can laccases catalyze bond cleavage in lignin?. <i>Biotechnology Advances</i> , 2015 , 33, 13-24	17.8	219
318	Reactor design for minimizing product inhibition during enzymatic lignocellulose hydrolysis: I. Significance and mechanism of cellobiose and glucose inhibition on cellulolytic enzymes. <i>Biotechnology Advances</i> , 2010 , 28, 308-24	17.8	219
317	Antioxidant effects of phenolic rye (<i>Secale cereale</i> L.) extracts, monomeric hydroxycinnamates, and ferulic acid dehydromers on human low-density lipoproteins. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 4090-6	5.7	218
316	Phenolic Composition and Antioxidant Activity of Prunes and Prune Juice (<i>Prunus domestica</i>). <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 1247-1252	5.7	216
315	Fruit Hydroxycinnamic Acids Inhibit Human Low-Density Lipoprotein Oxidation in Vitro. <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 1783-1787	5.7	202
314	Fucoidans from brown seaweeds: an update on structures, extraction techniques and use of enzymes as tools for structural elucidation. <i>RSC Advances</i> , 2013 , 3, 8131-8141	3.7	200
313	Enzyme-assisted extraction of antioxidative phenols from black currant juice press residues (<i>Ribes nigrum</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 3169-77	5.7	193
312	Antioxidant strategies for preventing oxidative flavour deterioration of foods enriched with n-3 polyunsaturated lipids: a comparative evaluation. <i>Trends in Food Science and Technology</i> , 2008 , 19, 76-93 ^{15.3}	15.3	192

311	Content of phenolic acids and ferulic acid dehydrodimers in 17 rye (<i>Secale cereale</i> L.) varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 2837-42	5.7	186
310	Exploring fungal biodiversity for the production of water-soluble pigments as potential natural food colorants. <i>Current Opinion in Biotechnology</i> , 2005 , 16, 231-8	11.4	182
309	Fungal polyketide azaphilone pigments as future natural food colorants?. <i>Trends in Biotechnology</i> , 2010 , 28, 300-7	15.1	180
308	Seaweed hydrocolloid production: an update on enzyme assisted extraction and modification technologies. <i>Marine Drugs</i> , 2015 , 13, 3340-59	6	177
307	Oxidative stability of fish and algae oils containing long-chain polyunsaturated fatty acids in bulk and in oil-in-water emulsions. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 2094-9	5.7	174
306	Fucoidan from <i>Sargassum</i> sp. and <i>Fucus vesiculosus</i> reduces cell viability of lung carcinoma and melanoma cells in vitro and activates natural killer cells in mice in vivo. <i>International Journal of Biological Macromolecules</i> , 2011 , 49, 331-6	7.9	172
305	Effect of ripeness and postharvest storage on the phenolic profiles of Cherries (<i>Prunus avium</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 523-30	5.7	172
304	Effect of ripeness and postharvest storage on the evolution of colour and anthocyanins in cherries (<i>Prunus avium</i> L.). <i>Food Chemistry</i> , 2007 , 103, 976-984	8.5	164
303	Effects of substrate loading on enzymatic hydrolysis and viscosity of pretreated barley straw. <i>Applied Biochemistry and Biotechnology</i> , 2007 , 143, 27-40	3.2	160
302	Membrane technology for purification of enzymatically produced oligosaccharides: Molecular and operational features affecting performance. <i>Separation and Purification Technology</i> , 2009 , 70, 1-11	8.3	149
301	Developments in support materials for immobilization of oxidoreductases: A comprehensive review. <i>Advances in Colloid and Interface Science</i> , 2018 , 258, 1-20	14.3	143
300	Engineering aspects of hydrothermal pretreatment: From batch to continuous operation, scale-up and pilot reactor under biorefinery concept. <i>Bioresource Technology</i> , 2020 , 299, 122685	11	136
299	Enzymatic Release of Antioxidants for Human Low-Density Lipoprotein from Grape Pomace. <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 2439-2446	5.7	130
298	Predictions of flavonoid solubility in ionic liquids by COSMO-RS: experimental verification, structural elucidation, and solvation characterization. <i>Green Chemistry</i> , 2007 , 9, 1362	10	129
297	Evaluation of minimal <i>Trichoderma reesei</i> cellulase mixtures on differently pretreated Barley straw substrates. <i>Biotechnology Progress</i> , 2007 , 23, 1270-6	2.8	125
296	Reactor design for minimizing product inhibition during enzymatic lignocellulose hydrolysis: II. Quantification of inhibition and suitability of membrane reactors. <i>Biotechnology Advances</i> , 2010 , 28, 407-25 ^{17,8}	17.8	118
295	Prebiotic potential of pectin and pectic oligosaccharides to promote anti-inflammatory commensal bacteria in the human colon. <i>FEMS Microbiology Ecology</i> , 2017 , 93,	4.3	117
294	Chemical and olfactometric characterization of volatile flavor compounds in a fish oil enriched milk emulsion. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 311-7	5.7	110

293	In vitro fermentation of arabinoxylan-derived carbohydrates by bifidobacteria and mixed fecal microbiota. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 8598-606	5.7	109
292	Enzymatic hydrolysis of water-soluble wheat arabinoxylan. 1. Synergy between alpha-L-arabinofuranosidases, endo-1,4-beta-xylanases, and beta-xylosidase activities. <i>Biotechnology and Bioengineering</i> , 2003 , 81, 726-31	4.9	109
291	Application of enzymes as food antioxidants. <i>Trends in Food Science and Technology</i> , 1995 , 6, 300-304	15.3	109
290	Synergistic antioxidative effects of alkamides, caffeic acid derivatives, and polysaccharide fractions from <i>Echinacea purpurea</i> on in vitro oxidation of human low-density lipoproteins. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 9413-23	5.7	107
289	Effect of harvest time and field retting duration on the chemical composition, morphology and mechanical properties of hemp fibers. <i>Industrial Crops and Products</i> , 2015 , 69, 29-39	5.9	106
288	Commercial Grape Juices Inhibit the in Vitro Oxidation of Human Low-Density Lipoproteins. <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 834-838	5.7	105
287	Identification of potentially safe promising fungal cell factories for the production of polyketide natural food colorants using chemotaxonomic rationale. <i>Microbial Cell Factories</i> , 2009 , 8, 24	6.4	104
286	Lipid oxidation in fish oil enriched mayonnaise: calcium disodium ethylenediaminetetraacetate, but not gallic acid, strongly inhibited oxidative deterioration. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 1009-19	5.7	99
285	Efficiency of new fungal cellulase systems in boosting enzymatic degradation of barley straw lignocellulose. <i>Biotechnology Progress</i> , 2006 , 22, 493-8	2.8	98
284	Juice clarification by protease and pectinase treatments indicates new roles of pectin and protein in cherry juice turbidity. <i>Food and Bioprocess Processing</i> , 2010 , 88, 259-265	4.9	95
283	Fucose-containing sulfated polysaccharides from brown seaweeds inhibit proliferation of melanoma cells and induce apoptosis by activation of caspase-3 in vitro. <i>Marine Drugs</i> , 2011 , 9, 2605-21	6	94
282	Cascade catalysis in membranes with enzyme immobilization for multi-enzymatic conversion of CO ₂ to methanol. <i>New Biotechnology</i> , 2015 , 32, 319-27	6.4	91
281	Enzymatic lignocellulose hydrolysis: Improved cellulase productivity by insoluble solids recycling. <i>Biotechnology for Biofuels</i> , 2013 , 6, 5	7.8	89
280	Selective release of phenols from apple skin: Mass transfer kinetics during solvent and enzyme-assisted extraction. <i>Separation and Purification Technology</i> , 2008 , 63, 620-627	8.3	89
279	Lipid oxidation in milk, yoghurt, and salad dressing enriched with neat fish oil or pre-emulsified fish oil. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 7802-9	5.7	88
278	Targeted pre-treatment of hemp bast fibres for optimal performance in biocomposite materials: A review. <i>Industrial Crops and Products</i> , 2017 , 108, 660-683	5.9	87
277	Comparison of methods for compositional characterization of grape (<i>Vitis vinifera</i> L.) and apple (<i>Malus domestica</i>) skins. <i>Food and Bioprocess Processing</i> , 2008 , 86, 79-86	4.9	86
276	Oxidation in fish oil enriched mayonnaise: ascorbic acid and low pH increase oxidative deterioration. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 3947-56	5.7	86

275	A novel GH43 alpha-L-arabinofuranosidase from <i>Humicola insolens</i> : mode of action and synergy with GH51 alpha-L-arabinofuranosidases on wheat arabinoxylan. <i>Applied Microbiology and Biotechnology</i> , 2006 , 73, 850-61	5.7	85
274	Multi-faceted strategy based on enzyme immobilization with reactant adsorption and membrane technology for biocatalytic removal of pollutants: A critical review. <i>Biotechnology Advances</i> , 2019 , 37, 107401	17.8	84
273	Comparison of different pretreatment strategies for enzymatic hydrolysis of wheat and barley straw. <i>Applied Biochemistry and Biotechnology</i> , 2007 , 143, 284-96	3.2	83
272	Enzymatic xylose release from pretreated corn bran arabinoxylan: differential effects of deacetylation and deferuloylation on insoluble and soluble substrate fractions. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 6141-8	5.7	82
271	Efficiencies of designed enzyme combinations in releasing arabinose and xylose from wheat arabinoxylan in an industrial ethanol fermentation residue. <i>Enzyme and Microbial Technology</i> , 2005 , 36, 773-784	3.8	82
270	Modeling the sensory impact of defined combinations of volatile lipid oxidation products on fishy and metallic off-flavors. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 1635-41	5.7	80
269	Homogenization conditions affect the oxidative stability of fish oil enriched milk emulsions: lipid oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 1773-80	5.7	79
268	Enzymatic hydrolysis of wheat arabinoxylan by a recombinant "minimal" enzyme cocktail containing beta-xylosidase and novel endo-1,4-beta-xylanase and alpha-L-arabinofuranosidase activities. <i>Biotechnology Progress</i> , 2007 , 23, 100-7	2.8	78
267	Effects of different enzymatic maceration treatments on enhancement of anthocyanins and other phenolics in black currant juice. <i>Innovative Food Science and Emerging Technologies</i> , 2004 , 5, 503-513	6.8	78
266	Recovery of volatile aroma compounds from black currant juice by vacuum membrane distillation. <i>Journal of Food Engineering</i> , 2004 , 64, 23-31	6	76
265	Influence of substrate particle size and wet oxidation on physical surface structures and enzymatic hydrolysis of wheat straw. <i>Biotechnology Progress</i> , 2009 , 25, 399-408	2.8	75
264	Oxidation in fish-oil-enriched mayonnaise 1. Assessment of propyl gallate as an antioxidant by discriminant partial least squares regression analysis. <i>European Food Research and Technology</i> , 1999 , 210, 13-30	3.4	75
263	Impact of isolation method on the antioxidant activity of rapeseed meal phenolics. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 8202-7	5.7	74
262	Predictive screening of ionic liquids for dissolving cellulose and experimental verification. <i>Green Chemistry</i> , 2016 , 18, 6246-6254	10	74
261	Characterization of alginates from Ghanaian brown seaweeds: <i>Sargassum</i> spp. and <i>Padina</i> spp.. <i>Food Hydrocolloids</i> , 2017 , 71, 236-244	10.6	72
260	Quantitative prediction of cell wall polysaccharide composition in grape (<i>Vitis vinifera</i> L.) and apple (<i>Malus domestica</i>) skins from acid hydrolysis monosaccharide profiles. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 3611-9	5.7	72
259	Tailored enzymatic production of oligosaccharides from sugar beet pectin and evidence of differential effects of a single DP chain length difference on human faecal microbiota composition after in vitro fermentation. <i>Process Biochemistry</i> , 2011 , 46, 1039-1049	4.8	71
258	The minimal enzyme cocktail concept for biomass processing. <i>Journal of Cereal Science</i> , 2009 , 50, 337-344	4.8	71

257	Application of enzymes for efficient extraction, modification, and development of functional properties of lime pectin. <i>Food Hydrocolloids</i> , 2014 , 40, 273-282	10.6	70
256	Quantitative analysis of phytate globoids isolated from wheat bran and characterization of their sequential dephosphorylation by wheat phytase. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 7547-52	5.7	69
255	Colorimetric characterization for comparative analysis of fungal pigments and natural food colorants. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 7027-35	5.7	69
254	Antioxidant activity of grape extracts in a lecithin liposome system. <i>JAOCs, Journal of the American Oil Chemists Society</i> , 1997 , 74, 1301-1307	1.8	67
253	Ascorbyl palmitate, gamma-tocopherol, and EDTA affect lipid oxidation in fish oil enriched salad dressing differently. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 2369-75	5.7	67
252	Methods for improving enzymatic trans-glycosylation for synthesis of human milk oligosaccharide biomimetics. <i>Journal of Agricultural and Food Chemistry</i> , 2014 , 62, 9615-31	5.7	66
251	Effects of lactoferrin, phytic acid, and EDTA on oxidation in two food emulsions enriched with long-chain polyunsaturated fatty acids. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 7690-9	5.7	66
250	Oxidative flavour deterioration of fish oil enriched milk. <i>European Journal of Lipid Science and Technology</i> , 2003 , 105, 518-528	3	66
249	Designed optimization of a single-step extraction of fucose-containing sulfated polysaccharides from <i>Sargassum</i> sp.. <i>Journal of Applied Phycology</i> , 2012 , 24, 715-723	3.2	65
248	Effect of ascorbic acid on iron release from the emulsifier interface and on the oxidative flavor deterioration in fish oil enriched mayonnaise. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 4917-26	5.7	65
247	Effect and modeling of glucose inhibition and in situ glucose removal during enzymatic hydrolysis of pretreated wheat straw. <i>Applied Biochemistry and Biotechnology</i> , 2010 , 160, 280-97	3.2	61
246	Maximal release of highly bifidogenic soluble dietary fibers from industrial potato pulp by minimal enzymatic treatment. <i>Applied Microbiology and Biotechnology</i> , 2011 , 90, 873-84	5.7	60
245	Prediction of wine color attributes from the phenolic profiles of red grapes (<i>Vitis vinifera</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 1105-15	5.7	60
244	Protection against oxidation of fish-oil-enriched milk emulsions through addition of rapeseed oil or antioxidants. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 5429-37	5.7	60
243	Effects of different enzymatic pre-press maceration treatments on the release of phenols into blackcurrant juice. <i>European Food Research and Technology</i> , 2004 , 219, 620-629	3.4	60
242	Discriminated release of phenolic substances from red wine grape skins (<i>Vitis vinifera</i> L.) by multicomponent enzymes treatment. <i>Biochemical Engineering Journal</i> , 2010 , 49, 68-77	4.2	59
241	Computerized screening for novel producers of Monascus-like food pigments in <i>Penicillium</i> species. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 9981-9	5.7	59
240	Sensory stability and oxidation of fish oil enriched milk is affected by milk storage temperature and oil quality. <i>International Dairy Journal</i> , 2005 , 15, 173-182	3.5	59

239	Oxidation in fish oil-enriched mayonnaise ³ . Assessment of the influence of the emulsion structure on oxidation by discriminant partial least squares regression analysis. <i>European Food Research and Technology</i> , 2000 , 211, 86-98	3.4	59
238	Assessing reliability of cellulose hydrolysis models to support biofuel process design Identifiability and uncertainty analysis. <i>Computers and Chemical Engineering</i> , 2010 , 34, 1385-1392 ⁴		57
237	Feruloylated and nonferuloylated arabino-oligosaccharides from sugar beet pectin selectively stimulate the growth of Bifidobacterium spp. in human fecal in vitro fermentations. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 6511-9	5.7	56
236	Quantitative analysis of the main phenolics in rapeseed meal and oils processed differently using enzymatic hydrolysis and HPLC. <i>European Food Research and Technology</i> , 2003 , 217, 517-523	3.4	56
235	In vitro fermentation of sugar beet arabino-oligosaccharides by fecal microbiota obtained from patients with ulcerative colitis to selectively stimulate the growth of Bifidobacterium spp. and Lactobacillus spp. <i>Applied and Environmental Microbiology</i> , 2011 , 77, 8336-44	4.8	55
234	Partitioning of selected antioxidants in mayonnaise. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 3601-10	5.7	55
233	Synthesis of Human Milk Oligosaccharides: Protein Engineering Strategies for Improved Enzymatic Transglycosylation. <i>Molecules</i> , 2019 , 24,	4.8	54
232	Structure, functionality and tuning up of laccases for lignocellulose and other industrial applications. <i>Critical Reviews in Biotechnology</i> , 2016 , 36, 70-86	9.4	54
231	Stabilization of emulsions by gum tragacanth (Astragalus spp.) correlates to the galacturonic acid content and methoxylation degree of the gum. <i>Food Hydrocolloids</i> , 2013 , 31, 5-14	10.6	54
230	Phenolic cross-links: building and de-constructing the plant cell wall. <i>Natural Product Reports</i> , 2020 , 37, 919-961	15.1	53
229	Potential of phytase-mediated iron release from cereal-based foods: a quantitative view. <i>Nutrients</i> , 2013 , 5, 3074-98	6.7	52
228	Enzymatic solubilization of a pectinaceous dietary fiber fraction from potato pulp: Optimization of the fiber extraction process. <i>Biochemical Engineering Journal</i> , 2009 , 43, 106-112	4.2	52
227	Effects of fish oil type, lipid antioxidants and presence of rapeseed oil on oxidative flavour stability of fish oil enriched milk. <i>European Journal of Lipid Science and Technology</i> , 2004 , 106, 170-182	3	52
226	Compositional variations of brown seaweeds Laminaria digitata and Saccharina latissima in Danish waters. <i>Journal of Applied Phycology</i> , 2017 , 29, 1493-1506	3.2	50
225	Low temperature lignocellulose pretreatment: effects and interactions of pretreatment pH are critical for maximizing enzymatic monosaccharide yields from wheat straw. <i>Biotechnology for Biofuels</i> , 2011 , 4, 11	7.8	50
224	Influence of lambda-carrageenan on the release of systematic series of volatile flavor compounds from viscous food model systems. <i>Journal of Agricultural and Food Chemistry</i> , 2004 , 52, 3542-9	5.7	50
223	A Mathematical Model for Simultaneous Saccharification and Co-fermentation (SSCF) of C6 and C5 Sugars. <i>Chinese Journal of Chemical Engineering</i> , 2011 , 19, 185-191	3.2	49
222	A structural-chemical explanation of fungal laccase activity. <i>Scientific Reports</i> , 2018 , 8, 17285	4.9	49

221	Fouling-induced enzyme immobilization for membrane reactors. <i>Bioresource Technology</i> , 2013 , 147, 260-268	4.8	48
220	Release of hydroxycinnamic and hydroxybenzoic acids in rye by commercial plant cell wall degrading enzyme preparations. <i>Journal of the Science of Food and Agriculture</i> , 1999 , 79, 411-413	4.3	48
219	Enzymatic conversion of CO ₂ to CH ₃ OH via reverse dehydrogenase cascade biocatalysis: Quantitative comparison of efficiencies of immobilized enzyme systems. <i>Biochemical Engineering Journal</i> , 2017 , 127, 217-228	4.2	47
218	Robust biodegradation of naproxen and diclofenac by laccase immobilized using electrospun nanofibers with enhanced stability and reusability. <i>Materials Science and Engineering C</i> , 2019 , 103, 109789	8.3	45
217	Effect of pectin and hemicellulose removal from hemp fibres on the mechanical properties of unidirectional hemp/epoxy composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016 , 90, 724-735	8.4	45
216	Lignin from hydrothermally pretreated grass biomass retards enzymatic cellulose degradation by acting as a physical barrier rather than by inducing nonproductive adsorption of enzymes. <i>Biotechnology for Biofuels</i> , 2018 , 11, 85	7.8	45
215	A framework for model-based optimization of bioprocesses under uncertainty: Lignocellulosic ethanol production case. <i>Computers and Chemical Engineering</i> , 2012 , 42, 115-129	4	45
214	Statistically designed two step response surface optimization of enzymatic prepress treatment to increase juice yield and lower turbidity of elderberry juice. <i>Innovative Food Science and Emerging Technologies</i> , 2007 , 8, 135-142	6.8	45
213	Storage affects the phenolic profiles and antioxidant activities of cherries (<i>Prunus avium</i> L) on human low-density lipoproteins. <i>Journal of the Science of Food and Agriculture</i> , 2004 , 84, 1013-1020	4.3	45
212	Directing filtration to optimize enzyme immobilization in reactive membranes. <i>Journal of Membrane Science</i> , 2014 , 459, 1-11	9.6	44
211	Expression and characterization of an endo-1,4-β-galactanase from <i>Emericella nidulans</i> in <i>Pichia pastoris</i> for enzymatic design of potentially prebiotic oligosaccharides from potato galactans. <i>Enzyme and Microbial Technology</i> , 2012 , 50, 121-9	3.8	44
210	Functionalization of a membrane sublayer using reverse filtration of enzymes and dopamine coating. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 22894-904	9.5	44
209	Enzyme immobilization by fouling in ultrafiltration membranes: Impact of membrane configuration and type on flux behavior and biocatalytic conversion efficacy. <i>Biochemical Engineering Journal</i> , 2014 , 83, 79-89	4.2	43
208	Dynamic model-based evaluation of process configurations for integrated operation of hydrolysis and co-fermentation for bioethanol production from lignocellulose. <i>Bioresource Technology</i> , 2011 , 102, 1174-84	11	43
207	Monosaccharide yields and lignin removal from wheat straw in response to catalyst type and pH during mild thermal pretreatment. <i>Process Biochemistry</i> , 2010 , 45, 1181-1186	4.8	43
206	Synergistic enzyme mechanisms and effects of sequential enzyme additions on degradation of water insoluble wheat arabinoxylan. <i>Enzyme and Microbial Technology</i> , 2007 , 40, 908-918	3.8	43
205	Effect of xanthan on flavor release from thickened viscous food model systems. <i>Journal of Agricultural and Food Chemistry</i> , 2005 , 53, 3577-83	5.7	43
204	Characterization and biological depectinization of hemp fibers originating from different stem sections. <i>Industrial Crops and Products</i> , 2015 , 76, 880-891	5.9	42

203	Oxidation in fish oil-enriched mayonnaise: 4. Effect of tocopherol concentration on oxidative deterioration. <i>European Food Research and Technology</i> , 2001 , 212, 308-318	3.4	42
202	Ensiling as biological pretreatment of grass (<i>Festulolium Hykor</i>): The effect of composition, dry matter, and inocula on cellulose convertibility. <i>Biomass and Bioenergy</i> , 2013 , 58, 303-312	5.3	39
201	Rheological properties of agar and carrageenan from Ghanaian red seaweeds. <i>Food Hydrocolloids</i> , 2017 , 63, 50-58	10.6	39
200	Recovery of volatile fruit juice aroma compounds by membrane technology: Sweeping gas versus vacuum membrane distillation. <i>Innovative Food Science and Emerging Technologies</i> , 2011 , 12, 388-397	6.8	39
199	Targeted natural product isolation guided by HPLC-SPE-NMR: constituents of <i>Hubertia</i> species. <i>Journal of Natural Products</i> , 2007 , 70, 1472-7	4.9	39
198	Substrate specificity and transfucosylation activity of GH29 β -fucosidases for enzymatic production of human milk oligosaccharides. <i>New Biotechnology</i> , 2018 , 41, 34-45	6.4	39
197	Microbial enzymes catalyzing keratin degradation: Classification, structure, function. <i>Biotechnology Advances</i> , 2020 , 44, 107607	17.8	38
196	Controlled retting of hemp fibres: Effect of hydrothermal pre-treatment and enzymatic retting on the mechanical properties of unidirectional hemp/epoxy composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2016 , 88, 253-262	8.4	37
195	Filtration behavior of casein glycomacropeptide (CGMP) in an enzymatic membrane reactor: fouling control by membrane selection and threshold flux operation. <i>Journal of Membrane Science</i> , 2014 , 469, 127-139	9.6	37
194	Acetate is a superior substrate for microbial fuel cell initiation preceding bioethanol effluent utilization. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 4905-15	5.7	36
193	Separation of phenolic acids from monosaccharides by low-pressure nanofiltration integrated with laccase pre-treatments. <i>Journal of Membrane Science</i> , 2015 , 482, 83-91	9.6	36
192	Enzymatic cellulose hydrolysis: enzyme reusability and visualization of β -glucosidase immobilized in calcium alginate. <i>Molecules</i> , 2014 , 19, 19390-406	4.8	36
191	Selection of elderberry (<i>Sambucus nigra</i> L.) genotypes best suited for the preparation of juice. <i>European Food Research and Technology</i> , 2008 , 226, 843-855	3.4	36
190	Identification of a laccase from <i>Ganoderma lucidum</i> CBS 229.93 having potential for enhancing cellulase catalyzed lignocellulose degradation. <i>Enzyme and Microbial Technology</i> , 2013 , 53, 378-85	3.8	35
189	Ensiling of wheat straw decreases the required temperature in hydrothermal pretreatment. <i>Biotechnology for Biofuels</i> , 2013 , 6, 116	7.8	35
188	Soluble fiber extracted from potato pulp is highly fermentable but has no effect on risk markers of diabetes and cardiovascular disease in Goto-Kakizaki rats. <i>Nutrition Research</i> , 2007 , 27, 152-160	4	35
187	Backbone structures in human milk oligosaccharides: trans-glycosylation by metagenomic β -N-acetylhexosaminidases. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 7997-8009	5.7	34
186	Enzyme-Assisted Fucoïdan Extraction from Brown Macroalgae subsp. and. <i>Marine Drugs</i> , 2020 , 18,	6	34

185	Rye bran bread intake elevates urinary excretion of ferulic acid in humans, but does not affect the susceptibility of LDL to oxidation ex vivo. <i>European Journal of Nutrition</i> , 2004 , 43, 230-6	5.2	34
184	Brown seaweed processing: enzymatic saccharification of <i>Laminaria digitata</i> requires no pre-treatment. <i>Journal of Applied Phycology</i> , 2016 , 28, 1287-1294	3.2	33
183	Enzyme catalyzed oxidative gelation of sugar beet pectin: Kinetics and rheology. <i>Food Hydrocolloids</i> , 2012 , 28, 130-140	10.6	33
182	Combination of ensiling and fungal delignification as effective wheat straw pretreatment. <i>Biotechnology for Biofuels</i> , 2016 , 9, 16	7.8	32
181	Enzyme catalysed production of sialylated human milk oligosaccharides and galactooligosaccharides by <i>Trypanosoma cruzi</i> trans-sialidase. <i>New Biotechnology</i> , 2014 , 31, 156-65	6.4	32
180	Identification, expression, and characterization of a novel bacterial RGI lyase enzyme for the production of bio-functional fibers. <i>Enzyme and Microbial Technology</i> , 2011 , 49, 160-6	3.8	32
179	Bioremediation of lignin derivatives and phenolics in wastewater with lignin modifying enzymes: Status, opportunities and challenges. <i>Science of the Total Environment</i> , 2021 , 777, 145988	10.2	32
178	Influence of mediators on laccase catalyzed radical formation in lignin. <i>Enzyme and Microbial Technology</i> , 2018 , 116, 48-56	3.8	32
177	High performance separation of xylose and glucose by enzyme assisted nanofiltration. <i>Journal of Membrane Science</i> , 2015 , 492, 107-115	9.6	31
176	Low energy recycling of ionic liquids via freeze crystallization during cellulose spinning. <i>Green Chemistry</i> , 2018 , 20, 493-501	10	30
175	Hydrothermal Liquefaction of Enzymatic Hydrolysis Lignin: Biomass Pretreatment Severity Affects Lignin Valorization. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 5940-5949	8.3	30
174	Biocatalytic production of 3'-sialyllactose by use of a modified sialidase with superior trans-sialidase activity. <i>Process Biochemistry</i> , 2014 , 49, 265-270	4.8	30
173	Photostability of natural orange-red and yellow fungal pigments in liquid food model systems. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 6253-61	5.7	30
172	Classification and enzyme kinetics of formate dehydrogenases for biomanufacturing via CO utilization. <i>Biotechnology Advances</i> , 2019 , 37, 107408	17.8	29
171	The natural catalytic function of GE glucuronoyl esterase in hydrolysis of genuine lignin-carbohydrate complexes from birch. <i>Biotechnology for Biofuels</i> , 2018 , 11, 71	7.8	29
170	Thermostable β -galactosidases for the synthesis of human milk oligosaccharides. <i>New Biotechnology</i> , 2016 , 33, 355-60	6.4	29
169	Significance of membrane bioreactor design on the biocatalytic performance of glucose oxidase and catalase: Free vs. immobilized enzyme systems. <i>Biochemical Engineering Journal</i> , 2017 , 117, 41-47	4.2	29
168	Prediction of Pectin Yield and Quality by FTIR and Carbohydrate Microarray Analysis. <i>Food and Bioprocess Technology</i> , 2017 , 10, 143-154	5.1	29

167	Definition and characterization of enzymes for maximal biocatalytic solubilization of prebiotic polysaccharides from potato pulp. <i>Enzyme and Microbial Technology</i> , 2011 , 49, 289-97	3.8	29
166	Efficiency of enzymatic and other alternative clarification and fining treatments on turbidity and haze in cherry juice. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 3644-50	5.7	29
165	A <i>Pasteurella multocida</i> sialyltransferase displaying dual trans-sialidase activities for production of 3'-sialyl and 6'-sialyl glycans. <i>Journal of Biotechnology</i> , 2014 , 170, 60-7	3.7	28
164	Stabilization of oil-in-water emulsions by enzyme catalyzed oxidative gelation of sugar beet pectin. <i>Food Hydrocolloids</i> , 2013 , 30, 19-25	10.6	28
163	An <i>Aspergillus nidulans</i> GH26 endo- β -mannanase with a novel degradation pattern on highly substituted galactomannans. <i>Enzyme and Microbial Technology</i> , 2016 , 83, 68-77	3.8	27
162	Identification of thermostable beta-xylosidase activities produced by <i>Aspergillus brasiliensis</i> and <i>Aspergillus niger</i> . <i>Biotechnology Letters</i> , 2007 , 29, 743-8	3	27
161	Protease-assisted clarification of black currant juice: synergy with other clarifying agents and effects on the phenol content. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 6554-63	5.7	27
160	Implications of silica on biorefineries II Interactions with organic material and mineral elements in grasses. <i>Biofuels, Bioproducts and Biorefining</i> , 2015 , 9, 109-121	5.3	26
159	Crude fucoidan content in two North Atlantic kelp species, and -seasonal variation and impact of environmental factors. <i>Journal of Applied Phycology</i> , 2017 , 29, 3121-3137	3.2	26
158	An integrated membrane system for the biocatalytic production of 3'-sialyllactose from dairy by-products. <i>Bioresource Technology</i> , 2014 , 166, 9-16	11	26
157	Optimization of reaction conditions for enzymatic viscosity reduction and hydrolysis of wheat arabinoxylan in an industrial ethanol fermentation residue. <i>Biotechnology Progress</i> , 2006 , 22, 505-13	2.8	26
156	Effect of Cellulases, Solvent Type and Particle Size Distribution on the Extraction of Chlorogenic Acid and Other Phenols from Spent Coffee Grounds. <i>American Journal of Food Technology</i> , 2007 , 2, 641-651	0.1	26
155	Laccase-Catalyzed Oxidation of Lignin Induces Production of H ₂ O ₂ . <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 831-841	8.3	26
154	Comparison of traditional field retting and <i>Phlebia radiata</i> Cel 26 retting of hemp fibres for fibre-reinforced composites. <i>AMB Express</i> , 2017 , 7, 58	4.1	25
153	A dynamic model for cellulosic biomass hydrolysis: a comprehensive analysis and validation of hydrolysis and product inhibition mechanisms. <i>Applied Biochemistry and Biotechnology</i> , 2014 , 172, 2815-372	3.2	25
152	Loop engineering of an β -1,3/4-l-fucosidase for improved synthesis of human milk oligosaccharides. <i>Enzyme and Microbial Technology</i> , 2018 , 115, 37-44	3.8	25
151	Direct rate assessment of laccase catalysed radical formation in lignin by electron paramagnetic resonance spectroscopy. <i>Enzyme and Microbial Technology</i> , 2017 , 106, 88-96	3.8	24
150	Ascorbic acid improves the antioxidant activity of European grape juices by improving the juices' ability to inhibit lipid peroxidation of human LDL in vitro. <i>International Journal of Food Science and Technology</i> , 2001 , 36, 727-735	3.8	24

149	Enhancing RGI lyase thermostability by targeted single point mutations. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 9727-35	5.7	23
148	Optimizing the biocatalytic productivity of an engineered sialidase from <i>Trypanosoma rangeli</i> for 3'-sialyllactose production. <i>Enzyme and Microbial Technology</i> , 2014 , 55, 85-93	3.8	23
147	Characterization of solubilized arabinoxylo-oligosaccharides by MALDI-TOF MS analysis to unravel and direct enzyme catalyzed hydrolysis of insoluble wheat arabinoxylan. <i>Enzyme and Microbial Technology</i> , 2007 , 41, 103-110	3.8	23
146	Liver patte n enriched with dietary fibre extracted from potato fibre as fat substitutes. <i>European Food Research and Technology</i> , 2006 , 223, 267-272	3.4	23
145	Antioxidant activity of hydroxycinnamic acids on human low-density lipoprotein oxidation. <i>Methods in Enzymology</i> , 2001 , 335, 256-65	1.7	23
144	Cellulase production by white-rot basidiomycetous fungi: solid-state versus submerged cultivation. <i>Applied Microbiology and Biotechnology</i> , 2018 , 102, 5827-5839	5.7	23
143	The significance of the initiation process parameters and reactor design for maximizing the efficiency of microbial fuel cells. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 2415-27	5.7	22
142	Rational design of a new <i>Trypanosoma rangeli</i> trans-sialidase for efficient sialylation of glycans. <i>PLoS ONE</i> , 2014 , 9, e83902	3.7	22
141	Boosting of enzymatic softwood saccharification by fungal GH5 and GH26 endomannanases. <i>Biotechnology for Biofuels</i> , 2018 , 11, 194	7.8	21
140	Characterisation of a novel endo-xyloglucanase (XcXGHA) from <i>Xanthomonas</i> that accommodates a xylosyl-substituted glucose at subsite -1. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 9667-79	5.7	21
139	A combined metabolomic and phylogenetic study reveals putatively prebiotic effects of high molecular weight arabino-oligosaccharides when assessed by in vitro fermentation in bacterial communities derived from humans. <i>Anaerobe</i> , 2014 , 28, 68-77	2.8	21
138	Evaluation of <i>Epicoccum nigrum</i> for growth, morphology and production of natural colorants in liquid media and on a solid rice medium. <i>Biotechnology Letters</i> , 2008 , 30, 2183-90	3	21
137	Changes in macroscopic viscosity do not affect the release of aroma aldehydes from a pectinaceous food model system of low sucrose content. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 8020-6	5.7	21
136	Novel Enzyme Actions for Sulphated Galactofucan Depolymerisation and a New Engineering Strategy for Molecular Stabilisation of Fucoïdan Degrading Enzymes. <i>Marine Drugs</i> , 2018 , 16,	6	21
135	Oxidative cleavage and hydrolytic boosting of cellulose in soybean spent flakes by <i>Trichoderma reesei</i> Cel61A lytic polysaccharide monooxygenase. <i>Enzyme and Microbial Technology</i> , 2017 , 98, 58-66	3.8	20
134	Surface properties correlate to the digestibility of hydrothermally pretreated lignocellulosic Poaceae biomass feedstocks. <i>Biotechnology for Biofuels</i> , 2017 , 10, 49	7.8	20
133	Proteomic enzyme analysis of the marine fungus <i>Paradendryphiella salina</i> reveals alginate lyase as a minimal adaptation strategy for brown algae degradation. <i>Scientific Reports</i> , 2019 , 9, 12338	4.9	20
132	Cellulases adsorb reversibly on biomass lignin. <i>Biotechnology and Bioengineering</i> , 2018 , 115, 2869-2880	4.9	20

131	Separation of 3'-sialyllactose and lactose by nanofiltration: A trade-off between charge repulsion and pore swelling induced by high pH. <i>Separation and Purification Technology</i> , 2014 , 138, 77-83	8.3	20
130	Enzymatic depolymerization of gum tragacanth: bifidogenic potential of low molecular weight oligosaccharides. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 1272-8	5.7	20
129	FATE OF THE SYNERGISTIC ANTIOXIDANT SYSTEM ASCORBIC ACID, LECITHIN, AND TOCOPHEROL IN MAYONNAISE: PARTITION OF ASCORBIC ACID. <i>Journal of Food Lipids</i> , 1996 , 3, 139-147		20
128	Oxidation of lignin in hemp fibres by laccase: Effects on mechanical properties of hemp fibres and unidirectional fibre/epoxy composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2017 , 95, 377-387	8.4	19
127	Enzyme technology for precision functional food ingredient processes. <i>Annals of the New York Academy of Sciences</i> , 2010 , 1190, 126-32	6.5	19
126	Size exclusion chromatography for the quantitative profiling of the enzyme-catalyzed hydrolysis of Xylo-oligosaccharides. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 762-9	5.7	19
125	Oxidation mechanisms in real food emulsions: oil-water partition coefficients of selected volatile off-flavor compounds in mayonnaise. <i>European Food Research and Technology</i> , 1999 , 208, 317-327		19
124	Rhamnogalacturonan I modifying enzymes: an update. <i>New Biotechnology</i> , 2016 , 33, 41-54	6.4	18
123	Loop Protein Engineering for Improved Transglycosylation Activity of a N-Acetylhexosaminidase. <i>ChemBioChem</i> , 2018 , 19, 1858-1865	3.8	18
122	Characterization of an extensin-modifying metalloprotease: N-terminal processing and substrate cleavage pattern of <i>Pectobacterium carotovorum</i> Prt1. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 10077-89	5.7	18
121	Design of thermostable rhamnogalacturonan lyase mutants from <i>Bacillus licheniformis</i> by combination of targeted single point mutations. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 4521-31	5.7	18
120	Dependency of the hydrogen bonding capacity of the solvent anion on the thermal stability of feruloyl esterases in ionic liquid systems. <i>Green Chemistry</i> , 2011 , 13, 1550	10	18
119	OXIDATION MECHANISMS IN REAL FOOD EMULSIONS: METHOD FOR SEPARATION OF MAYONNAISE BY ULTRACENTRIFUGATION. <i>Journal of Food Lipids</i> , 1998 , 5, 87-101		17
118	Building a Resilient, Sustainable, and Healthier Food Supply Through Innovation and Technology. <i>Annual Review of Food Science and Technology</i> , 2021 , 12, 1-28	14.7	17
117	Modulating the regioselectivity of a <i>Pasteurella multocida</i> sialyltransferase for biocatalytic production of 3'- and 6'-sialyllactose. <i>Enzyme and Microbial Technology</i> , 2015 , 78, 54-62	3.8	16
116	Controlling the rejection of protein during membrane filtration by adding selected polyelectrolytes. <i>Separation and Purification Technology</i> , 2012 , 85, 54-60	8.3	16
115	Rapid near infrared spectroscopy for prediction of enzymatic hydrolysis of corn bran after various pretreatments. <i>New Biotechnology</i> , 2012 , 29, 293-301	6.4	16
114	Thermodynamically based solvent design for enzymatic saccharide acylation with hydroxycinnamic acids in non-conventional media. <i>New Biotechnology</i> , 2012 , 29, 255-70	6.4	16

113	Kinetics based reaction optimization of enzyme catalyzed reduction of formaldehyde to methanol with synchronous cofactor regeneration. <i>Biotechnology and Bioengineering</i> , 2017 , 114, 2762-2770	4.9	16
112	Kinetics of enzyme-catalyzed cross-linking of feruloylated arabinan from sugar beet. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 11598-607	5.7	16
111	Multiple Reaction Monitoring for quantitative laccase kinetics by LC-MS. <i>Scientific Reports</i> , 2018 , 8, 8114	4.9	16
110	Municipal Solid Waste Management in a Low Income Economy Through Biogas and Bioethanol Production. <i>Waste and Biomass Valorization</i> , 2017 , 8, 115-127	3.2	15
109	Fungal secretome profile categorization of CAZymes by function and family corresponds to fungal phylogeny and taxonomy: Example <i>Aspergillus</i> and <i>Penicillium</i> . <i>Scientific Reports</i> , 2020 , 10, 5158	4.9	15
108	Chelating agents improve enzymatic solubilization of pectinaceous co-processing streams. <i>Process Biochemistry</i> , 2014 , 49, 250-257	4.8	15
107	Simultaneous measurement of two enzyme activities using infrared spectroscopy: A comparative evaluation of PARAFAC, TUCKER and N-PLS modeling. <i>Analytica Chimica Acta</i> , 2013 , 790, 14-23	6.6	15
106	Enzyme kinetics and identification of the rate-limiting step of enzymatic arabinoxylan degradation. <i>Biochemical Engineering Journal</i> , 2012 , 69, 8-16	4.2	15
105	Enzyme activity measurement via spectral evolution profiling and PARAFAC. <i>Analytica Chimica Acta</i> , 2013 , 778, 1-8	6.6	15
104	Statistically designed optimisation of enzyme catalysed starch removal from potato pulp. <i>Enzyme and Microbial Technology</i> , 2010 , 46, 297-303	3.8	15
103	It All Starts with a Sandwich: Identification of Sialidases with Trans-Glycosylation Activity. <i>PLoS ONE</i> , 2016 , 11, e0158434	3.7	15
102	Potentials and possible safety issues of using biorefinery products in food value chains. <i>Trends in Food Science and Technology</i> , 2019 , 84, 7-11	15.3	15
101	Upgrading of Biomass Monosaccharides by Immobilized Glucose Dehydrogenase and Xylose Dehydrogenase. <i>ChemCatChem</i> , 2018 , 10, 5164-5173	5.2	15
100	Phenolic and fatty acid profiles, Tocopherol and sucrose contents, and antioxidant capacities of understudied Portuguese almond cultivars. <i>Journal of Food Biochemistry</i> , 2019 , 43, e12887	3.3	14
99	Immobilization of alcohol dehydrogenase on ceramic silicon carbide membranes for enzymatic CH ₃ OH production. <i>Journal of Chemical Technology and Biotechnology</i> , 2018 , 93, 2952-2961	3.5	14
98	A comparative study on the activity of fungal lytic polysaccharide monooxygenases for the depolymerization of cellulose in soybean spent flakes. <i>Carbohydrate Research</i> , 2017 , 449, 85-94	2.9	14
97	A New Functional Classification of Glucuronoyl Esterases by Peptide Pattern Recognition. <i>Frontiers in Microbiology</i> , 2017 , 8, 309	5.7	14
96	Thermostability enhancement of an endo-1,4-β-galactanase from <i>Talaromyces stipitatus</i> by site-directed mutagenesis. <i>Applied Microbiology and Biotechnology</i> , 2015 , 99, 4245-53	5.7	13

95	Effects of Different Processing Treatments on Almond () Bioactive Compounds, Antioxidant Activities, Fatty Acids, and Sensorial Characteristics. <i>Plants</i> , 2020 , 9,	4.5	13
94	Separation of xylose and glucose using an integrated membrane system for enzymatic cofactor regeneration and downstream purification. <i>Journal of Membrane Science</i> , 2017 , 523, 327-335	9.6	13
93	Biorefining of wheat straw: accounting for the distribution of mineral elements in pretreated biomass by an extended pretreatment-severity equation. <i>Biotechnology for Biofuels</i> , 2014 , 7, 141	7.8	13
92	In vitro growth of four individual human gut bacteria on oligosaccharides produced by chemoenzymatic synthesis. <i>Food and Function</i> , 2013 , 4, 784-93	6.1	13
91	pH catalyzed pretreatment of corn bran for enhanced enzymatic arabinoxylan degradation. <i>New Biotechnology</i> , 2011 , 28, 125-35	6.4	13
90	Design of Trypanosoma rangeli sialidase mutants with improved trans-sialidase activity. <i>PLoS ONE</i> , 2017 , 12, e0171585	3.7	13
89	Free and immobilized biocatalysts for removing micropollutants from water and wastewater: Recent progress and challenges. <i>Bioresource Technology</i> , 2022 , 344, 126201	11	13
88	A carbohydrate-binding family 48 module enables feruloyl esterase action on polymeric arabinoxylan. <i>Journal of Biological Chemistry</i> , 2019 , 294, 17339-17353	5.4	12
87	In Situ Formation of a Biocatalytic Alginate Membrane by Enhanced Concentration Polarization. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 17682-91	9.5	12
86	Effects of a Newly Developed Enzyme-Assisted Extraction Method on the Biological Activities of Fucoidans in Ocular Cells. <i>Marine Drugs</i> , 2020 , 18,	6	12
85	EN-Acetylhexosaminidases for Carbohydrate Synthesis via Trans-Glycosylation. <i>Catalysts</i> , 2020 , 10, 365	4	12
84	Enzymatic transfucosylation for synthesis of human milk oligosaccharides. <i>Carbohydrate Research</i> , 2020 , 493, 108029	2.9	12
83	Formation of water-soluble soybean polysaccharides from spent flakes by hydrogen peroxide treatment. <i>Carbohydrate Polymers</i> , 2016 , 144, 504-13	10.3	12
82	Enhanced enzymatic cellulose degradation by cellobiohydrolases via product removal. <i>Biotechnology Letters</i> , 2013 , 35, 205-12	3	12
81	Kinetics and substrate selectivity of a Triticum aestivum xylanase inhibitor (TAXI) resistant D11F/R122D variant of Bacillus subtilis XynA xylanase. <i>Journal of Biotechnology</i> , 2010 , 146, 207-14	3.7	12
80	4-Hydroxybenzoic acid from hydrothermal pretreatment of oil palm empty fruit bunches [Its origin and influence on biomass conversion. <i>Biomass and Bioenergy</i> , 2016 , 93, 209-216	5.3	12
79	Impact of the fouling mechanism on enzymatic depolymerization of xylan in different configurations of membrane reactors. <i>Separation and Purification Technology</i> , 2017 , 178, 154-162	8.3	11
78	Enzymatic production of wheat and ryegrass derived xylooligosaccharides and evaluation of their in vitro effect on pig gut microbiota. <i>Biomass Conversion and Biorefinery</i> , 2018 , 8, 497-507	2.3	11

77	Ensilaging and hydrothermal pretreatment of grass: consequences for enzymatic biomass conversion and total monosaccharide yields. <i>Biotechnology for Biofuels</i> , 2014 , 7, 95	7.8	11
76	Characterization of oligosaccharides from industrial fermentation residues by matrix-assisted laser desorption/ionization, electrospray mass spectrometry, and gas chromatography mass spectrometry. <i>Molecular Biotechnology</i> , 2007 , 35, 149-60	3	11
75	Effect of clarification techniques and rat intestinal extract incubation on phenolic composition and antioxidant activity of black currant juice. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 6564-71	5.7	11
74	Critical assessment of the applicability of superoxide dismutase as an antioxidant in lipid foods. <i>Food Chemistry</i> , 1994 , 51, 171-175	8.5	11
73	A chemo-enzymatic approach for the synthesis of human milk oligosaccharide backbone structures. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2019 , 74, 85-89	1.7	11
72	Membrane separation of enzyme-converted biomass compounds: Recovery of xylose and production of gluconic acid as a value-added product. <i>Separation and Purification Technology</i> , 2018 , 194, 73-80	8.3	11
71	Application of chemometric tools for the comparison of volatile profile from raw and roasted regional and foreign almond cultivars (). <i>Journal of Food Science and Technology</i> , 2019 , 56, 3764-3776	3.3	10
70	Laccase Induced Lignin Radical Formation Kinetics Evaluated by Electron Paramagnetic Resonance Spectroscopy. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 10425-10434	8.3	10
69	Bioconversion of xylose to xylonic acid via co-immobilized dehydrogenases for conjunct cofactor regeneration. <i>Bioorganic Chemistry</i> , 2019 , 93, 102747	5.1	10
68	The structural basis of fungal glucuronoyl esterase activity on natural substrates. <i>Nature Communications</i> , 2020 , 11, 1026	17.4	10
67	Inocula selection in microbial fuel cells based on anodic biofilm abundance of <i>Geobacter sulfurreducens</i> . <i>Chinese Journal of Chemical Engineering</i> , 2016 , 24, 379-387	3.2	10
66	Mathematical modelling of dextran filtration through hollow fibre membranes. <i>Separation and Purification Technology</i> , 2014 , 125, 21-36	8.3	10
65	Performance of microbial phytases for gastric inositol phosphate degradation. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 943-50	5.7	10
64	Production and Bioactivity of Pectic Oligosaccharides from Fruit and Vegetable Biomass 2014 , 76-87		10
63	Endogeneous β -xylosidase and β -arabinofuranosidase activity in flax seed mucilage. <i>Biotechnology Letters</i> , 2010 , 32, 1883-91	3	10
62	Molecular dynamics derived life times of active substrate binding poses explain of laccase mutants.. <i>RSC Advances</i> , 2018 , 8, 36915-36926	3.7	10
61	Formate dehydrogenases for CO utilization. <i>Current Opinion in Biotechnology</i> , 2021 , 73, 95-100	11.4	10
60	Selective Enzymatic Release and Gel Formation by Cross-Linking of Feruloylated Glucurono-Arabinoxylan from Corn Bran. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 8164-8174	8.3	9

59	Phytase-mediated mineral solubilization from cereals under in vitro gastric conditions. <i>Journal of the Science of Food and Agriculture</i> , 2016 , 96, 3755-61	4.3	9
58	Biocatalytic cross-linking of pectic polysaccharides for designed food functionality: Structures, mechanisms, and reactions. <i>Biocatalysis and Agricultural Biotechnology</i> , 2012 , 1, 207-219	4.2	9
57	Characterisation of Authentic Lignin Biorefinery Samples by Fourier Transform Infrared Spectroscopy and Determination of the Chemical Formula for Lignin. <i>Bioenergy Research</i> , 2017 , 10, 1025-1035	3.1	9
56	Freezing Point Determination of Water-Ionic Liquid Mixtures. <i>Journal of Chemical & Engineering Data</i> , 2017 , 62, 2374-2383	2.8	9
55	Effect of Enzymatically Extracted Fucoidans on Angiogenesis and Osteogenesis in Primary Cell Culture Systems Mimicking Bone Tissue Environment. <i>Marine Drugs</i> , 2020 , 18,	6	9
54	Functional Characterization of a New GH107 Endo- α (1,4)-Fucoidanase from the Marine Bacterium. <i>Marine Drugs</i> , 2020 , 18,	6	9
53	Chemistry, gelation, and enzymatic modification of seaweed food hydrocolloids. <i>Trends in Food Science and Technology</i> , 2021 , 109, 608-621	15.3	9
52	Crystal structure and substrate interactions of an unusual fungal non-CBM carrying GH26 endo- β mannanase from <i>Yunnania penicillata</i> . <i>Scientific Reports</i> , 2019 , 9, 2266	4.9	9
51	Enzymes in the third generation biorefinery for macroalgae biomass 2020 , 363-396		9
50	High-performance removal of acids and furans from wheat straw pretreatment liquid by diananofiltration. <i>Separation Science and Technology</i> , 2017 , 52, 1901-1912	2.5	8
49	Green seaweeds (<i>Ulva fasciata</i> sp.) as nitrogen source for fungal cellulase production. <i>World Journal of Microbiology and Biotechnology</i> , 2019 , 35, 82	4.4	8
48	Improvement of trans-sialylation versus hydrolysis activity of an engineered sialidase from <i>Trypanosoma rangeli</i> by use of co-solvents. <i>Biotechnology Letters</i> , 2014 , 36, 1315-20	3	8
47	Conserved unique peptide patterns (CUPP) online platform: peptide-based functional annotation of carbohydrate active enzymes. <i>Nucleic Acids Research</i> , 2020 , 48, W110-W115	20.1	8
46	Laccase activity measurement by FTIR spectral fingerprinting. <i>Enzyme and Microbial Technology</i> , 2019 , 122, 64-73	3.8	8
45	Selection of <i>Bacillus</i> species for targeted in situ release of prebiotic galacto-rhamnogalacturonan from potato pulp in piglets. <i>Applied Microbiology and Biotechnology</i> , 2017 , 101, 3605-3615	5.7	7
44	Microstructural and carbohydrate compositional changes induced by enzymatic saccharification of green seaweed from West Africa. <i>Algal Research</i> , 2020 , 47, 101894	5	7
43	Predicting optimal back-shock times in ultrafiltration hollow fibre modules through path-lines. <i>Journal of Membrane Science</i> , 2014 , 470, 275-293	9.6	7
42	Statistical modelling of the interplay between solute shape and rejection in porous membranes. <i>Separation and Purification Technology</i> , 2012 , 89, 261-269	8.3	7

41	Improving Galactosidase-Catalyzed Transglycosylation Yields by Cross-Linked Layer-by-Layer Enzyme Immobilization. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 16205-16216	8.3	7
40	Novel xylanolytic triple domain enzyme targeted at feruloylated arabinoxylan degradation. <i>Enzyme and Microbial Technology</i> , 2019 , 129, 109353	3.8	6
39	Predicting optimal back-shock times in ultrafiltration hollow fiber modules II: Effect of inlet flow and concentration dependent viscosity. <i>Journal of Membrane Science</i> , 2015 , 493, 486-495	9.6	6
38	Quantitative enzymatic production of sialylated galactooligosaccharides with an engineered sialidase from <i>Trypanosoma rangeli</i> . <i>Enzyme and Microbial Technology</i> , 2016 , 82, 42-50	3.8	6
37	Co-Immobilization of Glucose Dehydrogenase and Xylose Dehydrogenase as a New Approach for Simultaneous Production of Gluconic and Xyonic Acid. <i>Materials</i> , 2019 , 12,	3.5	6
36	Optimization of reaction parameters for enzymatic glyceride synthesis from fish oil: Ethyl esters versus free fatty acids. <i>Biocatalysis and Agricultural Biotechnology</i> , 2012 , 1, 273-279	4.2	6
35	DNA-Based Identification and Chemical Characteristics of <i>Hypnea musciformis</i> from Coastal Sites in Ghana. <i>Diversity</i> , 2016 , 8, 14	2.5	6
34	Specificities and Synergistic Actions of Novel PL8 and PL7 Alginate Lyases from the Marine Fungus. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	6
33	Characterization of two novel bacterial type A exo-chitobiose hydrolases having C-terminal 5/12-type carbohydrate-binding modules. <i>Applied Microbiology and Biotechnology</i> , 2017 , 101, 4533-4546	5.7	5
32	Elemental analysis of various biomass solid fractions in biorefineries by X-ray fluorescence spectrometry. <i>Biomass and Bioenergy</i> , 2017 , 97, 70-76	5.3	5
31	Time of harvest affects the yield of soluble polysaccharides extracted enzymatically from potato pulp. <i>Food and Bioproducts Processing</i> , 2015 , 93, 77-83	4.9	5
30	Direct separation of acetate and furfural from xylose by nanofiltration of birch pretreated liquor: Effect of process conditions and separation mechanism. <i>Separation and Purification Technology</i> , 2020 , 239, 116546	8.3	5
29	Improvement of the Transglycosylation Efficiency of a Lacto-N-Biosidase from <i>Bifidobacterium bifidum</i> by Protein Engineering. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 11493	2.6	5
28	Characterization and immobilization of engineered sialidases from <i>Trypanosoma rangeli</i> for transsialylation. <i>AIMS Molecular Science</i> , 2017 , 4, 140-163	0.9	5
27	Feruloylated Arabinoxylan and Oligosaccharides: Chemistry, Nutritional Functions, and Options for Enzymatic Modification. <i>Annual Review of Food Science and Technology</i> , 2021 , 12, 331-354	14.7	5
26	Alkaline extraction of seaweed carrageenan hydrocolloids using cocoa pod husk ash. <i>Biomass Conversion and Biorefinery</i> , 2018 , 8, 577-583	2.3	4
25	Comparative Characterization of Pectin Lyases by Discriminative Substrate Degradation Profiling. <i>Frontiers in Bioengineering and Biotechnology</i> , 2020 , 8, 873	5.8	4
24	Enzymatic production of 3'-sialyllactose in milk. <i>Enzyme and Microbial Technology</i> , 2021 , 148, 109829	3.8	4

23	Depolymerization of fucoïdan with endo-fucoïdanase changes bioactivity in processes relevant for bone regeneration.. <i>Carbohydrate Polymers</i> , 2022 , 286, 119286	10.3	4
22	Bioinformatics based discovery of new keratinases in protease family M36.. <i>New Biotechnology</i> , 2022 , 68, 19-19	6.4	3
21	New Method for Identifying Fungal Kingdom Enzyme Hotspots from Genome Sequences. <i>Journal of Fungi (Basel, Switzerland)</i> , 2021 , 7,	5.6	3
20	Grape skins (<i>Vitis vinifera</i> L.) catalyze the in vitro enzymatic hydroxylation of p-coumaric acid to caffeic acid. <i>Biotechnology Letters</i> , 2009 , 31, 1953-60	3	2
19	The Endo- α (1,4) Specific Fucoïdanase Fhf2 From Releases Highly Sulfated Fucoïdan Oligosaccharides.. <i>Frontiers in Plant Science</i> , 2022 , 13, 823668	6.2	2
18	ANTIOXIDANT ACTIVITY OF HYDROXYCINNAMIC ACIDS ON HUMAN LOW-DENSITY LIPOPROTEIN OXIDATION IN VITRO 1999 , 197-199		2
17	Fast anaerobic digestion of complex substrates via immobilized biofilms in a novel compartmentalized reactor design. <i>Biochemical Engineering Journal</i> , 2019 , 143, 224-229	4.2	2
16	Pre-process desilication of wheat straw with citrate. <i>Process Biochemistry</i> , 2017 , 55, 126-132	4.8	1
15	A Miniature Membrane Reactor for Evaluation of Process Design Options on the Enzymatic Degradation of Pectin. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 11252-11258	3.9	1
14	Ascorbic acid improves the antioxidant activity of European grape juices by improving the juices' ability to inhibit lipid peroxidation of human LDL in vitro. <i>International Journal of Food Science and Technology</i> , 2008 , 36, 727-735	3.8	1
13	Role of viscosity and hydrocolloid in flavour release from thickened food model systems. <i>Developments in Food Science</i> , 2006 , 43, 395-398		1
12	Fungal Biotechnology: Unlocking the Full Potential of Fungi for a More Sustainable World. <i>Grand Challenges in Biology and Biotechnology</i> , 2020 , 3-32	2.4	1
11	Removal of tetracycline in enzymatic membrane reactor: Enzymatic conversion as the predominant mechanism over adsorption and membrane rejection. <i>Journal of Environmental Chemical Engineering</i> , 2022 , 10, 106973	6.8	1
10	Beyond ruminants: discussing opportunities for alternative pasture uses in New Zealand. <i>Journal of New Zealand Grasslands</i> , 217-222		1
9	Improved Transglycosylation by a Xyloglucan-Active β -Fucosidase from. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020 , 6,	5.6	1
8	Cathode Assessment for Maximizing Current Generation in Microbial Fuel Cells Utilizing Bioethanol Effluent as Substrate. <i>Energies</i> , 2016 , 9, 388	3.1	1
7	Cell wall configuration and ultrastructure of cellulose crystals in green seaweeds. <i>Cellulose</i> , 2021 , 28, 2763-2778	5.5	1
6	A novel thermostable prokaryotic fucoïdan active sulfatase PsFucS1 with an unusual quaternary hexameric structure. <i>Scientific Reports</i> , 2021 , 11, 19523	4.9	1

5	A new FTIR assay for quantitative measurement of endo-fucoidanase activity.. <i>Enzyme and Microbial Technology</i> , 2022 , 158, 110035	3.8	1
4	The Endo- α (1,3)-Fucoidanase Mef2 Releases Uniquely Branched Oligosaccharides from <i>Saccharina latissima</i> Fucoidans. <i>Marine Drugs</i> , 2022 , 20, 305	6	1
3	A Laboratory Exercise To Understand the Importance of Enzyme Technology in the Fruit-Processing Industry: Viscosity Decrease and Phenols Release from Apple Mash. <i>Journal of Chemical Education</i> , 2011 , 88, 499-502	2.4	0
2	Discovery of a novel glucuronan lyase system in. <i>Applied and Environmental Microbiology</i> , 2021 , AEM0181921	1.8	0
1	Physical and oxidative stability of n-3 delivery emulsions added seaweed-based polysaccharide extracts from Nordic brown algae <i>Saccharina latissima</i> . <i>JAOCS, Journal of the American Oil Chemistsf Society</i> , 2022 , 99, 239-251	1.8	