

Peter Inglesby

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12097114/publications.pdf>

Version: 2024-02-01

28
papers

6,703
citations

516561

16
h-index

642610

23
g-index

44
all docs

44
docs citations

44
times ranked

14213
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors associated with COVID-19-related death using OpenSAFELY. <i>Nature</i> , 2020, 584, 430-436.	13.7	4,674
2	HIV infection and COVID-19 death: a population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet HIV</i> , 2021, 8, e24-e32.	2.1	340
3	Ethnic differences in SARS-CoV-2 infection and COVID-19-related hospitalisation, intensive care unit admission, and death in 17 million adults in England: an observational cohort study using the OpenSAFELY platform. <i>Lancet</i> , 2021, 397, 1711-1724.	6.3	332
4	Long COVID burden and risk factors in 10 UK longitudinal studies and electronic health records. <i>Nature Communications</i> , 2022, 13, .	5.8	243
5	Risk of COVID-19-related death among patients with chronic obstructive pulmonary disease or asthma prescribed inhaled corticosteroids: an observational cohort study using the OpenSAFELY platform. <i>Lancet Respiratory Medicine</i> , 2020, 8, 1106-1120.	5.2	211
6	Factors associated with deaths due to COVID-19 versus other causes: population-based cohort analysis of UK primary care data and linked national death registrations within the OpenSAFELY platform. <i>Lancet Regional Health - Europe</i> , 2021, 6, 100109.	3.0	121
7	Trends and clinical characteristics of COVID-19 vaccine recipients: a federated analysis of 57.9 million patients' primary care records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2022, 72, e51-e62.	0.7	75
8	Clinical coding of long COVID in English primary care: a federated analysis of 58 million patient records <i>in situ</i> using OpenSAFELY. <i>British Journal of General Practice</i> , 2021, 71, e806-e814.	0.7	74
9	Risks of covid-19 hospital admission and death for people with learning disability: population based cohort study using the OpenSAFELY platform. <i>BMJ</i> , 2021, 374, n1592.	3.0	70
10	Use of non-steroidal anti-inflammatory drugs and risk of death from COVID-19: an OpenSAFELY cohort analysis based on two cohorts. <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 943-951.	0.5	66
11	Risk of severe COVID-19 outcomes associated with immune-mediated inflammatory diseases and immune-modifying therapies: a nationwide cohort study in the OpenSAFELY platform. <i>Lancet Rheumatology</i> , 2022, 4, e490-e506.	2.2	61
12	Association between living with children and outcomes from covid-19: OpenSAFELY cohort study of 12 million adults in England. <i>BMJ</i> , 2021, 372, n628.	3.0	56
13	Effect of pre-exposure use of hydroxychloroquine on COVID-19 mortality: a population-based cohort study in patients with rheumatoid arthritis or systemic lupus erythematosus using the OpenSAFELY platform. <i>Lancet Rheumatology</i> , 2021, 3, e19-e27.	2.2	49
14	OpenSAFELY: Representativeness of electronic health record platform OpenSAFELY-TPP data compared to the population of England. <i>Wellcome Open Research</i> , 0, 7, 191.	0.9	40
15	Overall and cause-specific hospitalisation and death after COVID-19 hospitalisation in England: A cohort study using linked primary care, secondary care, and death registration data in the OpenSAFELY platform. <i>PLoS Medicine</i> , 2022, 19, e1003871.	3.9	39
16	Mortality among Care Home Residents in England during the first and second waves of the COVID-19 pandemic: an observational study of 4.3 million adults over the age of 65. <i>Lancet Regional Health - Europe</i> , 2022, 14, 100295.	3.0	38
17	Impact of first UK COVID-19 lockdown on hospital admissions: Interrupted time series study of 32 million people. <i>EClinicalMedicine</i> , 2022, 49, 101462.	3.2	30
18	OpenSAFELY NHS Service Restoration Observatory 1: primary care clinical activity in England during the first wave of COVID-19. <i>British Journal of General Practice</i> , 2022, 72, e63-e74.	0.7	22

#	ARTICLE	IF	CITATIONS
19	Identifying Care Home Residents in Electronic Health Records - An OpenSAFELY Short Data Report. Wellcome Open Research, 2021, 6, 90.	0.9	18
20	OpenSAFELY: impact of national guidance on switching anticoagulant therapy during COVID-19 pandemic. Open Heart, 2021, 8, e001784.	0.9	17
21	Association between warfarin and COVID-19-related outcomes compared with direct oral anticoagulants: population-based cohort study. Journal of Hematology and Oncology, 2021, 14, 172.	6.9	8
22	A comprehensive high cost drugs dataset from the NHS in England - An OpenSAFELY-TPP Short Data Report. Wellcome Open Research, 0, 6, 360.	0.9	8
23	Potentially inappropriate prescribing of DOACs to people with mechanical heart valves: A federated analysis of 57.9 million patients' primary care records in situ using OpenSAFELY. Thrombosis Research, 2022, 211, 150-153.	0.8	6
24	Rates of serious clinical outcomes in survivors of hospitalisation with COVID-19 in England: a descriptive cohort study within the OpenSAFELY platform. Wellcome Open Research, 0, 7, 142.	0.9	6
25	Study protocol: Comparison of different risk prediction modelling approaches for COVID-19 related death using the OpenSAFELY platform. Wellcome Open Research, 0, 5, 243.	0.9	3
26	Association between oral anticoagulants and COVID-19-related outcomes: a population-based cohort study. British Journal of General Practice, 2022, 72, e456-e463.	0.7	3
27	Comparison of methods for predicting COVID-19-related death in the general population using the OpenSAFELY platform. Diagnostic and Prognostic Research, 2022, 6, 6.	0.8	2
28	Hydroxychloroquine treatment does not reduce COVID-19 mortality; underdosing to the wrong patients? " Authors' reply. Lancet Rheumatology, The, 2021, 3, e172-e173.	2.2	1