
Bekir Ã**‡**kir

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1209786/publications.pdf Version: 2024-02-01



REVID ATAVID

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Assessment of calcium and vitamin D medications adherence in patients with hypoparathyroidism after thyroidectomy. Archives of Osteoporosis, 2022, 17, 22. | 2.4 | 5 |
| 2 | Mini-review: pump therapy in endocrinology & metabolism beyond diabetes. Endocrine, 2022, 76, 245-252. | 2.3 | 2 |
| 3 | Patient's point of view on the diagnosis, treatment, and follow-up in acromegaly: single-center study from a tertiary center. Revista Da Associação Médica Brasileira, 2022, 68, 599-604. | 0.7 | 0 |
| 4 | Thicknesses of the retinal layers in patients with Graves' disease with or without orbitopathy. International Ophthalmology, 2022, , . | 1.4 | 1 |
| 5 | Awareness, treatment rates, and compliance to treatment in patients with serum LDL cholesterol higher than 250 mg/dL, and possible, probable, or definite familial hypercholesterolemia. Postgraduate Medicine, 2021, 133, 146-153. | 2.0 | 2 |
| 6 | Enemy Beyond the Wall: Clinicopathological Features of Intrathyroidal Papillary Thyroid Carcinoma (T1-T3a) That Metastasize to Lymph Nodes Without Extrathyroidal Extension. Cancer Investigation, 2021, 39, 401-408. | 1.3 | 0 |
| 7 | Are clinicopathological features of the isthmic thyroid nodule different from nodules in thyroid lobes? A single center experience. Archives of Endocrinology and Metabolism, 2021, 65, 277-288. | 0.6 | 1 |
| 8 | The value of serum thyroglobulin alteration after ultrasonographyâ€guided fineâ€needle biopsy of suspicious cervical lymph nodes in the diagnosis of metastasis in patients with differentiated thyroid cancer. International Journal of Clinical Practice, 2021, 75, e14218. | 1.7 | 0 |
| 9 | Organâ€specific autoimmune markers in adult patients with type 1 diabetes mellitus. International Journal of Clinical Practice, 2021, 75, e14842. | 1.7 | 1 |
| 10 | Retinal layers in prolactinoma patients: a spectral-domain optical coherence tomography study. International Ophthalmology, 2021, 41, 1373-1379. | 1.4 | 5 |
| 11 | The Variation of Disulfides in the Progression of Type 2 Diabetes Mellitus. Experimental and Clinical Endocrinology and Diabetes, 2020, 128, 77-81. | 1.2 | 15 |
| 12 | Can Repeat Biopsies Change the Prognoses of AUS/FLUS Nodule?. European Thyroid Journal, 2020, 9, 92-98. | 2.4 | 12 |
| 13 | Low rate of latent autoimmune diabetes in adults (LADA) in patients followed for type 2 diabetes: A single center's experience in Turkey. Archives of Endocrinology and Metabolism, 2020, 64, 584-590. | 0.6 | 5 |
| 14 | Ultrasonographical, clinical and histopathological features of 1264 nodules with papillary thyroid carcinoma and microcarcinoma based on tumor size. Archives of Endocrinology and Metabolism, 2020, 64, 533-541. | 0.6 | 0 |
| 15 | Evaluation of the correlation between quantitative measurement of the foveal avascular zone and retinal vessel density and outer retinal disruptions in diabetic patients Turkish Journal of Medical Sciences, 2019, 49, . | 0.9 | 3 |
| 16 | Evaluation of malignancy with thyroid imaging reporting and data system (TI-RADS) in thyroid nodules with persistent nondiagnostic cytology. Turkish Journal of Medical Sciences, 2019, 49, 907-913. | 0.9 | 4 |
| 17 | Diagnosing atypia of undetermined significance in thyroid fine needle aspiration samples using nuclear scoring. Annals of Diagnostic Pathology, 2019, 41, 112-115. | 1.3 | 1 |
| 18 | Is thyroid nodule volume predictive for malignancy?. Archives of Endocrinology and Metabolism, 2019, 63, 337-344. | 0.6 | 3 |

Bekir ‡akir

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Preoperative predictors and prognosis of bilateral multifocal papillary thyroid carcinomas. Surgical Oncology, 2019, 28, 145-149. | 1.6 | 14 |
| 20 | A cancer of undetermined significance: Incidental thyroid carcinoma. Diagnostic Cytopathology, 2019, 47, 412-416. | 1.0 | 12 |
| 21 | The diagnostic value of parathyroid hormone washout in primary hyperparathyroidism patients with negative or equivocal 99 m Tcâ€MIBI results. Diagnostic Cytopathology, 2019, 47, 94-99. | 1.0 | 6 |
| 22 | Ultrasound elastography score and strain index in different parathyroid lesions. Endocrine Connections, 2019, 8, 1579-1590. | 1.9 | 7 |
| 23 | Role of calcium-sensing receptor, Galectin-3, Cyclin D1, and Ki-67 immunohistochemistry to favor in the diagnosis of parathyroid carcinoma. Indian Journal of Pathology and Microbiology, 2018, 61, 22. | 0.2 | 8 |
| 24 | Concomitant thyroid lesions in patients with primary hyperparathyroidism. Asian Journal of Surgery, 2017, 40, 338-344. | 0.4 | 10 |
| 25 | Is ultrasonographically detected nodule diameter concordant with pathological tumor size?. International Journal of Surgery, 2017, 42, 95-102. | 2.7 | 5 |
| 26 | Diagnostic accuracy of Thyroid Imaging Reporting and Data System in the prediction of malignancy in nodules with atypia and follicular lesion of undetermined significance cytologies. Clinical Endocrinology, 2017, 86, 584-590. | 2.4 | 22 |
| 27 | Comparative analysis of diagnostic adequacy rate between aspiration and nonaspiration techniques of fineâ€needle cytology in patients with thyroid cancer and ultrasonographically suspicious cervical lymph nodes. Diagnostic Cytopathology, 2017, 45, 889-894. | 1.0 | 7 |
| 28 | Evaluation of Retinal Nerve Fiber Layer Thickness in Acromegalic Patients Using Spectral-Domain Optical Coherence Tomography. Seminars in Ophthalmology, 2016, 31, 1-6. | 1.6 | 11 |
| 29 | Evaluation of preoperative ultrasonographic and biochemical features of patients with aggressive parathyroid disease: is there a reliable predictive marker?. Archives of Endocrinology and Metabolism, 2016, 60, 537-544. | 0.6 | 17 |
| 30 | Evaluation of biochemical and clinical markers of endothelial dysfunction and their correlation with urinary albumin excretion in patients with type 1 diabetes mellitus. Archives of Endocrinology and Metabolism, 2016, 60, 117-124. | 0.6 | 19 |
| 31 | Mean platelet volume in patients with prolactinoma. Archives of Endocrinology and Metabolism, 2016, 60, 319-322. | 0.6 | 1 |
| 32 | Differentiated thyroid cancer in patients with prolactinoma. Turkish Journal of Medical Sciences, 2016, 46, 1360-1365. | 0.9 | 4 |
| 33 | Importance of ectopic thyroid tissue detected in the midline of the neck: single center experience. Archives of Endocrinology and Metabolism, 2016, 60, 231-235. | 0.6 | 9 |
| 34 | Gigantomastia and Macroprolactinemia Responding to Cabergoline Treatment: A Case Report and Minireview of the Literature. Case Reports in Endocrinology, 2016, 2016, 1-5. | 0.4 | 4 |
| 35 | Hypocalcemia development in patients operated for primary hyperparathyroidism: Can it be predicted preoperatively?. Archives of Endocrinology and Metabolism, 2016, 60, 465-471. | 0.6 | 23 |
| 36 | Malignancy risk and false-negative rate of fine needle aspiration cytology in thyroid nodules ≥4.0Âcm. Surgery, 2016, 160, 405-412. | 1.9 | 14 |

Bekir ‡akir

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Association of multifocality, tumor number, and total tumor diameter with clinicopathological features in papillary thyroid cancer. Endocrine, 2016, 53, 774-783. | 2.3 | 41 |
| 38 | A new approach for standardization and increased accuracy of lymph node washout thyroglobulin in patients with differentiated thyroid carcinoma. Diagnostic Cytopathology, 2016, 44, 177-186. | 1.0 | 4 |
| 39 | Is there any association between primary hyperparathyroidism and ocular changes, such as central corneal thickness, retinal thickness, and intraocular pressure?. Endocrine, 2016, 51, 545-550. | 2.3 | 7 |
| 40 | Comparing Clinicopathologic and Radiographic Findings Between TT-UMP, Classical, and Non-Encapsulated Follicular Variants of Papillary Thyroid Carcinomas. Endocrine Pathology, 2016, 27, 233-242. | 9.0 | 7 |
| 41 | The correlation of sodium iodide symporter and BRAFV600E mutation in classical variant papillary thyroid carcinoma. Annals of Diagnostic Pathology, 2016, 22, 58-62. | 1.3 | 8 |
| 42 | Higher TSH can be used as an additional risk factor in prediction of malignancy in euthyroid thyroid nodules evaluated by cytology based on Bethesda system. Endocrine, 2016, 53, 520-529. | 2.3 | 17 |
| 43 | Thyroid FNAC containing hürthle cells and hürthle-like cells: A study of 128 cases. Journal of Cytology, 2016, 33, 214. | 0.6 | 4 |
| 44 | The Relationship between Epicardial Fat Thickness and Endothelial Dysfunction in Type I Diabetes Mellitus. Echocardiography, 2015, 32, 1745-1753. | 0.9 | 21 |
| 45 | Serum testosterone does not affect bone mineral density in postmenopausal women. Archives of Endocrinology and Metabolism, 2015, 59, 292-296. | 0.6 | 6 |
| 46 | Nonclassical Congenital Adrenal Hyperplasia and Pregnancy. Case Reports in Endocrinology, 2015, 2015, 1-4. | 0.4 | 1 |
| 47 | Cytomorphologic features and ultrasonographic characteristics of thyroid nodules with Hurthle cells. Annals of Diagnostic Pathology, 2015, 19, 175-179. | 1.3 | 6 |
| 48 | Hashimoto's Thyroiditis Does Not Affect Ultrasonographical, Cytological, and Histopathological Features in Patients with Papillary Thyroid Carcinoma. Endocrine Pathology, 2015, 26, 356-364. | 9.0 | 25 |
| 49 | Real-time sonoelastography and ultrasound evaluation of the Achilles tendon in patients with diabetes with or without foot ulcers: a cross sectional study. Journal of Diabetes and Its Complications, 2015, 29, 1124-1129. | 2.3 | 21 |
| 50 | Comparison of ultrasonography features and malignancy rate of toxic and nontoxic autonomous nodules: a preliminary study. Annals of Nuclear Medicine, 2015, 29, 883-889. | 2.2 | 9 |
| 51 | Correlation of normal thyroid ultrasonography with thyroid tests. Quantitative Imaging in Medicine and Surgery, 2015, 5, 569-74. | 2.0 | 8 |
| 52 | Thyroid nodules and thyroid cancer in Graves' disease. Arquivos Brasileiros De Endocrinologia E Metabologia, 2014, 58, 933-938. | 1.3 | 27 |
| 53 | Evaluation of cytopathological findings in thyroid nodules with macrocalcification: macrocalcification is not innocent as it seems. Arquivos Brasileiros De Endocrinologia E Metabologia, 2014, 58, 939-945. | 1.3 | 19 |
| 54 | Evaluation of Postural Parathyroid Hormone Change in Patients with Primary Hyperparathyroidism. International Journal of Endocrinology, 2014, 2014, 1-5. | 1.5 | 1 |

Bekir ‡akir

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Evaluation of Serum Fibrinogen, Plasminogen, <i>α</i> 2-Anti-Plasmin, and Plasminogen Activator Inhibitor Levels (PAI) and Their Correlation with Presence of Retinopathy in Patients with Type 1 DM. Journal of Diabetes Research, 2014, 2014, 1-6. | 2.3 | 15 |
| 56 | Gynecomastia: Clinical evaluation and management. Indian Journal of Endocrinology and Metabolism, 2014, 18, 150. | 0.4 | 87 |
| 57 | Urinary Neopterin Levels in Patients with Thyroid Cancer. Indian Journal of Otolaryngology and Head and Neck Surgery, 2014, 66, 302-308. | 0.9 | 4 |
| 58 | Do repeatedly nondiagnostic fine needle aspirations of thyroid nodules predict malignancy risk?. Annals of Diagnostic Pathology, 2014, 18, 297-300. | 1.3 | 4 |
| 59 | Twelve-year trends in the prevalence and risk factors of diabetes and prediabetes in Turkish adults. European Journal of Epidemiology, 2013, 28, 169-180. | 5.7 | 487 |