Jayne Cooper

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/12104561/jayne-cooper-publications-by-year.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

70
papers

4,268
citations

h-index

65
g-index

76
ext. papers

4,872
ext. citations

5.05
L-index

#	Paper	IF	Citations
70	Detection of H3N8 influenza A virus with multiple mammalian-adaptive mutations in a rescued Grey seal () pup. <i>Virus Evolution</i> , 2020 , 6, veaa016	3.7	8
69	Advance decisions to refuse treatment and suicidal behaviour in emergency care: T t T s very much a step into the unknownT <i>BJPsych Open</i> , 2019 , 5, e50	5	0
68	Comparative micro-epidemiology of pathogenic avian influenza virus outbreaks in a wild bird population. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019 , 374, 20180259	5.8	13
67	Management of patients with an advance decision and suicidal behaviour: a systematic review. <i>BMJ Open</i> , 2019 , 9, e023978	3	8
66	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. <i>BMC Psychiatry</i> , 2018 , 18, 113	4.2	37
65	Premature Death Among Primary Care Patients With a History of Self-Harm. <i>Annals of Family Medicine</i> , 2017 , 15, 246-254	2.9	17
64	Predictive accuracy of risk scales following self-harm: multicentre, prospective cohort study. <i>British Journal of Psychiatry</i> , 2017 , 210, 429-436	5.4	76
63	Self-harm and life problems: findings from the Multicentre Study of Self-harm in England. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 183-92	4.5	18
62	Clinical management following self-harm in a UK-wide primary care cohort. <i>Journal of Affective Disorders</i> , 2016 , 197, 182-8	6.6	17
61	Impact of the recent recession on self-harm: Longitudinal ecological and patient-level investigation from the Multicentre Study of Self-harm in England. <i>Journal of Affective Disorders</i> , 2016 , 191, 132-8	6.6	29
60	The epidemiology of self-harm in a UK-wide primary care patient cohort, 2001-2013. <i>BMC Psychiatry</i> , 2016 , 16, 53	4.2	47
59	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. <i>Journal of Affective Disorders</i> , 2016 , 190, 522-528	6.6	23
58	High-Volume Repeaters of Self-Harm. <i>Crisis</i> , 2016 , 37, 427-437	2.8	6
57	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. <i>PLoS ONE</i> , 2016 , 11, e0149713	3.7	34
56	Self-harm in bipolar disorder: findings from a prospective clinical database. <i>Journal of Affective Disorders</i> , 2015 , 173, 113-9	6.6	12
55	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. <i>Lancet Psychiatry,the</i> , 2015 , 2, 809-16	23.3	39
54	Factors influencing coronersTverdicts: an analysis of verdicts given in 12 coronersTdistricts to researcher-defined suicides in England in 2005. <i>Journal of Public Health</i> , 2015 , 37, 157-65	3.5	22

53	Switching methods of self-harm at repeat episodes: Findings from a multicentre cohort study. Journal of Affective Disorders, 2015 , 180, 44-51	6.6	29
52	Variations in the hospital management of self-harm and patient outcome: a multi-site observational study in England. <i>Journal of Affective Disorders</i> , 2015 , 174, 101-5	6.6	15
51	Variation by ethnic group in premature mortality risk following self-harm: a multicentre cohort study in England. <i>BMC Psychiatry</i> , 2015 , 15, 254	4.2	7
50	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. BMC Psychiatry, 2015 , 15, 79	4.2	1
49	Alcohol use and misuse, self-harm and subsequent mortality: an epidemiological and longitudinal study from the multicentre study of self-harm in England. <i>Emergency Medicine Journal</i> , 2015 , 32, 793-9	1.5	39
48	Suicide following self-harm: findings from the Multicentre Study of self-harm in England, 2000-2012. <i>Journal of Affective Disorders</i> , 2015 , 175, 147-51	6.6	175
47	Early Intervention for Self-Harm and Suicidality 2014 , 255-266		0
46	Alcohol-related mortality following self-harm: a multicentre cohort study. <i>JRSM Open</i> , 2014 , 5, 2054270	0 4 1 4 53	3 3 326
45	Qualitative interviewing with vulnerable populations: individualsTexperiences of participating in suicide and self-harm based research. <i>Journal of Affective Disorders</i> , 2013 , 145, 356-62	6.6	84
44	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: a multi-centre cohort study. <i>Journal of Affective Disorders</i> , 2013 , 148, 435-9	6.6	13
43	Service user perspectives on psychosocial assessment following self-harm and its impact on further help-seeking: a qualitative study. <i>Journal of Affective Disorders</i> , 2013 , 145, 315-23	6.6	55
42	Suicide by burning barbecue charcoal in England. <i>Journal of Public Health</i> , 2013 , 35, 223-7	3.5	18
41	Messages from Manchester: pilot randomised controlled trial following self-harm. <i>British Journal of Psychiatry</i> , 2013 , 203, 73-4	5.4	37
40	Does clinical management improve outcomes following self-harm? Results from the multicentre study of self-harm in England. <i>PLoS ONE</i> , 2013 , 8, e70434	3.7	8o
39	How do methods of non-fatal self-harm relate to eventual suicide?. <i>Journal of Affective Disorders</i> , 2012 , 136, 526-33	6.6	84
38	Premature death after self-harm: a multicentre cohort study. <i>Lancet, The</i> , 2012 , 380, 1568-74	40	194
37	The use of the Internet by people who die by suicide in England: a cross sectional study. <i>Journal of Affective Disorders</i> , 2012 , 141, 480-3	6.6	26
36	Repetition of self-harm and suicide following self-harm in children and adolescents: findings from the Multicentre Study of Self-harm in England. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> 2012 53 1212-9	7.9	164

35	Epidemiology and nature of self-harm in children and adolescents: findings from the multicentre study of self-harm in England. <i>European Child and Adolescent Psychiatry</i> , 2012 , 21, 369-77	5.5	64
34	Risk factors for repetition and suicide following self-harm in older adults: multicentre cohort study. British Journal of Psychiatry, 2012 , 200, 399-404	5.4	71
33	Screening for suicide - Reply. <i>Psychological Medicine</i> , 2012 , 42, 2012-2013	6.9	1
32	Risk assessment following self-harm: comparison of mental health nurses and psychiatrists. <i>Journal of Advanced Nursing</i> , 2011 , 67, 127-39	3.1	15
31	Impact of different pack sizes of paracetamol in the United Kingdom and Ireland on intentional overdoses: a comparative study. <i>BMC Public Health</i> , 2011 , 11, 460	4.1	27
30	"Well it ike someone at the other end cares about you." A qualitative study exploring the views of users and providers of care of contact-based interventions following self-harm. <i>General Hospital Psychiatry</i> , 2011 , 33, 166-76	5.6	37
29	Impact of withdrawal of the analgesic Co-proxamol on nonfatal self-poisoning in the UK. <i>Crisis</i> , 2011 , 32, 81-7	2.8	16
28	Assessment rates and compliance with assertive follow-up after self-harm: cohort study. <i>Archives of Suicide Research</i> , 2010 , 14, 120-34	2.3	9
27	Toxicity of antidepressants: rates of suicide relative to prescribing and non-fatal overdose. <i>British Journal of Psychiatry</i> , 2010 , 196, 354-8	5.4	127
26	Postcards, green cards and telephone calls: therapeutic contact with individuals following self-harm. <i>British Journal of Psychiatry</i> , 2010 , 197, 5-7	5.4	41
25	Ethnic differences in self-harm, rates, characteristics and service provision: three-city cohort study. British Journal of Psychiatry, 2010 , 197, 212-8	5.4	58
24	Epidemiology and trends in non-fatal self-harm in three centres in England: 2000-2007. <i>British Journal of Psychiatry</i> , 2010 , 197, 493-8	5.4	121
23	A comparative study of non-fatal self-poisoning with antidepressants relative to prescribing in three centres in England. <i>Journal of Affective Disorders</i> , 2010 , 123, 95-101	6.6	9
22	Psychosocial assessment and repetition of self-harm: the significance of single and multiple repeat episode analyses. <i>Journal of Affective Disorders</i> , 2010 , 127, 257-65	6.6	62
21	Prison staff and women prisoner views on self-harm; their implications for service delivery and development: A qualitative study. <i>Criminal Behaviour and Mental Health</i> , 2010 , 20, 274-84	1.4	37
20	Risk factors for suicide in Hungary: a case-control study. <i>BMC Psychiatry</i> , 2009 , 9, 45	4.2	54
19	Trends in prescribing and self-poisoning in relation to UK regulatory authority warnings against use of SSRI antidepressants in under-18-year-olds. <i>British Journal of Clinical Pharmacology</i> , 2009 , 68, 618-29	3.8	29
18	Custody vs care: attitudes of prison staff to self-harm in women prisoners qualitative study. Journal of Forensic Psychiatry and Psychology, 2009, 20, 408-426	0.9	36

LIST OF PUBLICATIONS

17	Psychosocial assessment following self-harm: results from the multi-centre monitoring of self-harm project. <i>Journal of Affective Disorders</i> , 2008 , 106, 285-93	6.6	86
16	Hospital care and repetition following self-harm: multicentre comparison of self-poisoning and self-injury. <i>British Journal of Psychiatry</i> , 2008 , 192, 440-5	5.4	97
15	Communication between secondary and primary care following self-harm: are National Institute of Clinical Excellence (NICE) guidelines being met?. <i>Annals of General Psychiatry</i> , 2008 , 7, 21	3.4	17
14	Self-harm in England: a tale of three cities. Multicentre study of self-harm. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2007 , 42, 513-21	4.5	262
13	The effect of using NHS number as the unique identifier for patients who self-harm: a multi-centre descriptive study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2007 , 3, 16	3.2	
12	A comparison between cliniciansTassessment and the Manchester Self-Harm Rule: a cohort study. <i>Emergency Medicine Journal</i> , 2007 , 24, 720-1	1.5	22
11	Individual- and area-level predictors of self-harm repetition. British Journal of Psychiatry, 2006, 189, 416	-3.4	30
10	A clinical tool for assessing risk after self-harm. <i>Annals of Emergency Medicine</i> , 2006 , 48, 459-66	2.1	86
9	Self-harm in the UK: differences between South Asians and Whites in rates, characteristics, provision of service and repetition. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2006 , 41, 782-8	4.5	52
8	The repetition of suicidal behavior: a multicenter cohort study. <i>Journal of Clinical Psychiatry</i> , 2006 , 67, 1599-609	4.6	113
7	Predicting the risk of repetition after self harm: cohort study. <i>BMJ, The</i> , 2005 , 330, 394-5	5.9	50
6	Suicide after deliberate self-harm: a 4-year cohort study. <i>American Journal of Psychiatry</i> , 2005 , 162, 297-	- 30 39	463
5	UK legislation on analgesic packs: before and after study of long term effect on poisonings. <i>BMJ</i> , <i>The</i> , 2004 , 329, 1076	5.9	166
4	"Near-fatal" deliberate self-harm: characteristics, prevention and implications for the prevention of suicide. <i>Journal of Affective Disorders</i> , 2004 , 79, 263-8	6.6	49
3	Emergency department management and outcome for self-poisoning: a cohort study. <i>General Hospital Psychiatry</i> , 2004 , 26, 36-41	5.6	54
2	Ethical issues and their practical application in a psychological autopsy study of suicide. <i>Journal of Clinical Nursing</i> , 1999 , 8, 467-75	3.2	39
1	Psychological autopsy study of suicides by people aged under 35. <i>British Journal of Psychiatry</i> , 1999 , 175, 168-74	5.4	168