
## David A Scott

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12108240/publications.pdf Version: 2024-02-01



#	Article	lF	CITATIONS
1	Performance of the bispectral index and electroencephalograph derived parameters of anesthetic depth during emergence from xenon and sevoflurane anesthesia. Journal of Clinical Monitoring and Computing, 2023, 37, 71-81.	1.6	0
2	Comparing the effect of xenon and sevoflurane anesthesia on postoperative neural injury biomarkers: a randomized controlled trial. Medical Gas Research, 2022, 12, 10.	2.3	8
3	Digital clock drawing test metrics in older patients before and after endoscopy with sedation: An exploratory analysis. Acta Anaesthesiologica Scandinavica, 2022, 66, 207-214.	1.6	2
4	A novel digital clock drawing test as a screening tool for perioperative neurocognitive disorders: A feasibility study. Acta Anaesthesiologica Scandinavica, 2021, 65, 473-480.	1.6	10
5	Improving perioperative brain health: an expert consensus review of key actions for the perioperative care team. British Journal of Anaesthesia, 2021, 126, 423-432.	3.4	78
6	Comparison of the Spectral Features of the Frontal Electroencephalogram in Patients Receiving Xenon and Sevoflurane General Anesthesia. Anesthesia and Analgesia, 2021, 133, 1269-1279.	2.2	9
7	Anaesthetic depth and delirium after major surgery: a randomised clinical trial. British Journal of Anaesthesia, 2021, 127, 704-712.	3.4	134
8	Preventing Delirium and Promoting Long-Term Brain Health: A Clinical Trial Design for the Perioperative Cognitive Enhancement (PROTECT) Trial. Journal of Alzheimer's Disease, 2021, 83, 1-13.	2.6	8
9	Impaired cognitive performance on MoCA testing at discharge in elderly patients following day endoscopy and its relationship to preoperative mild cognitive impairment. Anaesthesia and Intensive Care, 2021, 49, 357-365.	0.7	2
10	Preoperative Frailty Predicts Postoperative Neurocognitive Disorders After Total Hip Joint Replacement Surgery. Anesthesia and Analgesia, 2020, 131, 1582-1588.	2.2	29
11	Separating the effects of anaesthesia and surgery on the brain. British Journal of Anaesthesia, 2020, 125, 227-229.	3.4	5
12	Informed Consent in Patients With Frailty Syndrome. Anesthesia and Analgesia, 2020, 130, 1474-1481.	2.2	10
13	Restrictive compared with liberal red cell transfusion strategies in cardiac surgery: a meta-analysis. European Heart Journal, 2019, 40, 1081-1088.	2.2	85
14	State of the clinical science of perioperative brain health: report from the American Society of Anesthesiologists Brain Health Initiative Summit 2018. British Journal of Anaesthesia, 2019, 123, 464-478.	3.4	134
15	Recommendations for a new perioperative cognitive impairment nomenclature. Alzheimer's and Dementia, 2019, 15, 1115-1116.	0.8	8
16	One-year results of the pilot multicentre randomised trial of preoperative focused cardiac ultrasound in hip fracture surgery. Anaesthesia and Intensive Care, 2019, 47, 207-208.	0.7	9
17	Informed Consent and Cognitive Impairment. , 2019, , 179-189.		0
18	Association of Changes in Plasma Neurofilament Light and Tau Levels With Anesthesia and Surgery. JAMA Neurology, 2018, 75, 542.	9.0	96

DAVID A SCOTT

#	Article	IF	CITATIONS
19	Cognitive Function Before and After Left Heart Catheterization. Journal of the American Heart Association, 2018, 7, .	3.7	17
20	Best Practices for Postoperative Brain Health. Anesthesia and Analgesia, 2018, 127, 1406-1413.	2.2	183
21	Recommendations for the nomenclature of cognitive change associated with anaesthesia and surgery—2018. Acta Anaesthesiologica Scandinavica, 2018, 62, 1473-1480.	1.6	19
22	Recommendations for the nomenclature of cognitive change associated with anaesthesia and surgery—2018. British Journal of Anaesthesia, 2018, 121, 1005-1012.	3.4	420
23	The past, present and future of the postanesthesia care unit (PACU) in Japan. Journal of Anesthesia, 2017, 31, 601-607.	1.7	22
24	Cognitive decline associated with anesthesia and surgery in the elderly. Current Opinion in Psychiatry, 2017, 30, 220-226.	6.3	48
25	Prevalence of Dementia 7.5 Years after Coronary Artery Bypass Graft Surgery. Anesthesiology, 2016, 125, 62-71.	2.5	135
26	Cerebrospinal Fluid Biomarker for Alzheimer Disease Predicts Postoperative Cognitive Dysfunction. Anesthesiology, 2016, 124, 353-361.	2.5	105
27	Pre-existing cognitive impairment and post-operative cognitive dysfunction: should we be talking the same language?. International Psychogeriatrics, 2016, 28, 1053-1055.	1.0	16
28	The impact of the periâ€operative period on cognition in older individuals. Journal of Pharmacy Practice and Research, 2015, 45, 93-99.	0.8	7
29	Preexisting Cognitive Impairment Is Associated with Postoperative Cognitive Dysfunction after Hip Joint Replacement Surgery. Anesthesiology, 2015, 122, 1224-1234.	2.5	189
30	Perioperative Hemoglobin Trajectory in Adult Cardiac Surgical Patients. Journal of Extra-Corporeal Technology, 2015, 47, 167-73.	0.4	1
31	The Devil Is in the Detail. Annals of Thoracic Surgery, 2014, 98, 385.	1.3	2
32	Cognitive dysfunction follows left heart catheterisation but is not related to microembolic count. International Journal of Cardiology, 2014, 175, 67-71.	1.7	11
33	Cardiac surgery, the brain, and inflammation. Journal of Extra-Corporeal Technology, 2014, 46, 15-22.	0.4	11
34	Anesthesia and Alzheimer's disease: time to wake up!. International Psychogeriatrics, 2013, 25, 341-344.	1.0	12
35	The Effect of Etanercept on Lung Leukocyte Margination and Fibrin Deposition after Cardiac Surgery. American Journal of Respiratory and Critical Care Medicine, 2013, 188, 751-754.	5.6	5
36	Preexisting Cognitive Impairment and Mild Cognitive Impairment in Subjects Presenting for Total Hip Joint Replacement. Survey of Anesthesiology, 2012, 56, 119-120.	0.1	0

DAVID A SCOTT

#	Article	IF	CITATIONS
37	Preexisting Cognitive Impairment and Mild Cognitive Impairment in Subjects Presenting for Total Hip Joint Replacement. Survey of Anesthesiology, 2012, 56, 18-19.	0.1	1
38	Anesthesiology Must Play a Greater Role in Patients with Alzheimer's Disease. Anesthesia and Analgesia, 2011, 112, 1242-1245.	2.2	20
39	Postoperative Cognitive Dysfunction Is Independent of Type of Surgery and Anesthetic. Anesthesia and Analgesia, 2011, 112, 1179-1185.	2.2	340
40	Cognitive decline in the elderly: Is anaesthesia implicated?. Bailliere's Best Practice and Research in Clinical Anaesthesiology, 2011, 25, 379-393.	4.0	62
41	Preexisting Cognitive Impairment and Mild Cognitive Impairment in Subjects Presenting for Total Hip Joint Replacement. Anesthesiology, 2011, 114, 1297-1304.	2.5	76
42	Postoperative Cognitive Dysfunction and Aortic Atheroma. Annals of Thoracic Surgery, 2010, 89, 1091-1097.	1.3	31
43	Cognitive Decline after Surgery and Illness. Anesthesiology, 2010, 112, 1282-1282.	2.5	6
44	Plasma Amyloid β42 and Amyloid β40 Levels Are Associated With Early Cognitive Dysfunction After Cardiac Surgery. Annals of Thoracic Surgery, 2009, 88, 1426-1432.	1.3	35
45	The Apolipoprotein E ϵ4 Allele is not Associated With Cognitive Dysfunction in Cardiac Surgery. Annals of Thoracic Surgery, 2008, 86, 841-847.	1.3	44
46	Do we need to justify epidural analgesia beyond pain relief?. Lancet, The, 2008, 372, 514-516.	13.7	17
47	Homocysteine and C-Reactive Protein Are Not Markers of Cognitive Impairment in Patients with Major Cardiovascular Disease. Dementia and Geriatric Cognitive Disorders, 2008, 25, 309-316.	1.5	8
48	Preexisting Cognitive Impairment in Patients Scheduled for Elective Coronary Artery Bypass Graft Surgery. Anesthesia and Analgesia, 2007, 104, 1023-1028.	2.2	105
49	A Review of Neuraxial Epidural Morbidity. Anesthesiology, 2007, 106, 997-1002.	2.5	168
50	Detection of Postoperative Cognitive Decline After Coronary Artery Bypass Graft Surgery is Affected by the Number of Neuropsychological Tests in the Assessment Battery. Annals of Thoracic Surgery, 2006, 81, 2097-2104.	1.3	61
51	The influence of different error estimates in the detection of post-operative cognitive dysfunction using reliable change indices with correction for practice effects. Archives of Clinical Neuropsychology, 2006, 21, 421-427.	0.5	31
52	A Comparison of the Effect of High- and Low-dose Fentanyl on the Incidence of Postoperative Cognitive Dysfunction after Coronary Artery Bypass Surgery in the Elderly. Anesthesiology, 2006, 104, 1137-1145.	2.5	106
53	A Comparison of Dexmedetomidine Versus Conventional Therapy for Sedation and Hemodynamic Control During Carotid Endarterectomy Performed Under Regional Anesthesia. Anesthesia and Analgesia, 2006, 102, 668-675.	2.2	97
54	Synergy between intrathecal ω-conotoxin CVID and dexmedetomidine to attenuate mechanical hypersensitivity in the rat. European Journal of Pharmacology, 2005, 506, 221-227.	3.5	10

DAVID A SCOTT

#	Article	IF	CITATIONS
55	Evidence that CB-1 and CB-2 cannabinoid receptors mediate antinociception in neuropathic pain in the rat. Pain, 2004, 109, 124-131.	4.2	121
56	The intra- and interrater reliability of hip muscle strength assessments using a handheld versus a portable dynamometer anchoring station. Archives of Physical Medicine and Rehabilitation, 2004, 85, 598-603.	0.9	105
57	Centrifugal versus roller head pumps for cardiopulmonary bypass: Effect on early neuropsychologic outcomes after coronary artery surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2002, 16, 715-722.	1.3	32
58	Actions of intrathecal ω-conotoxins CVID, GVIA, MVIIA, and morphine in acute and neuropathic pain in the rat. European Journal of Pharmacology, 2002, 451, 279-286.	3.5	158
59	Ropivacaine for postoperative epidural analgesia. Techniques in Regional Anesthesia and Pain Management, 2001, 5, 64-69.	0.2	4
60	Neuropsychologic testing within 18 hours after cardiac surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2001, 15, 20-24.	1.3	32
61	A Comparison of Epidural Ropivacaine Infusion Alone and in Combination with 1, 2, and 4 [micro sign]g/mL Fentanyl for Seventy-Two Hours of Postoperative Analgesia After Major Abdominal Surgery. Anesthesia and Analgesia, 1999, 88, 857-864.	2.2	42
62	A Comparison of Epidural Ropivacaine Infusion Alone and in Combination with 1, 2, and 4 [micro sign]g/mL Fentanyl for Seventy-Two Hours of Postoperative Analgesia After Major Abdominal Surgery. Anesthesia and Analgesia, 1999, 88, 857-864.	2.2	82
63	Pharmacokinetics and Efficacy of Long-Term Epidural Ropivacaine Infusion for Postoperative Analgesia. Anesthesia and Analgesia, 1997, 85, 1322-1330.	2.2	54
64	Comparative effects of plain and epinephrine-containing bupivacaine on the hemodynamic response to cervical plexus anesthesia in patients undergoing carotid endarterectomy. Journal of Cardiothoracic and Vascular Anesthesia, 1996, 10, 593-597.	1.3	12
65	Detection of intravenous fluid extravasation using resistance measurements. Journal of Clinical Monitoring and Computing, 1996, 12, 325-330.	0.7	14
66	Resistance to fluid flow in veins. Journal of Clinical Monitoring and Computing, 1996, 12, 331-337.	0.7	8
67	Postoperative Analgesia Using Epidural Infusions of Fentanyl with Bupivacaine. Anesthesiology, 1995, 83, 727-737	2.5	249
68	Epidural Ropivacaine Infusion for Postoperative Analgesia After Major Lower Abdominal SurgeryA Dose Finding Study. Anesthesia and Analgesia, 1995, 81, 982-986.	2.2	63
69	Epidural Ropivacaine Infusion for Postoperative Analgesia After Major Lower Abdominal SurgeryA Dose Finding Study. Anesthesia and Analgesia, 1995, 81, 982-986.	2.2	98