

Adrian Puren

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1211947/adrian-puren-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

7,682
citations

39
h-index

86
g-index

124
ext. papers

8,498
ext. citations

5.8
avg, IF

5.4
L-index

#	Paper	IF	Citations
120	Randomized, controlled intervention trial of male circumcision for reduction of HIV infection risk: the ANRS 1265 Trial. <i>PLoS Medicine</i> , 2005 , 2, e298	11.6	1601
119	Impact of stepping stones on incidence of HIV and HSV-2 and sexual behaviour in rural South Africa: cluster randomised controlled trial. <i>BMJ, The</i> , 2008 , 337, a506	5.9	532
118	Interleukin-18 (IFN γ -inducing factor) induces IL-8 and IL-1 β via TNF α production from non-CD14 ⁺ human blood mononuclear cells. <i>Journal of Clinical Investigation</i> , 1998 , 101, 711-21	15.9	431
117	Gene expression, synthesis, and secretion of interleukin 18 and interleukin 1 β are differentially regulated in human blood mononuclear cells and mouse spleen cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 2256-61	11.5	315
116	Safety and efficacy of the HVTN 503/Phambili study of a clade-B-based HIV-1 vaccine in South Africa: a double-blind, randomised, placebo-controlled test-of-concept phase 2b study. <i>Lancet Infectious Diseases, The</i> , 2011 , 11, 507-15	25.5	272
115	A cluster randomized-controlled trial to determine the effectiveness of Stepping Stones in preventing HIV infections and promoting safer sexual behaviour amongst youth in the rural Eastern Cape, South Africa: trial design, methods and baseline findings. <i>Tropical Medicine and International Health</i> , 2006 , 11, 3-16	2.3	249
114	Effect of male circumcision on the prevalence of high-risk human papillomavirus in young men: results of a randomized controlled trial conducted in Orange Farm, South Africa. <i>Journal of Infectious Diseases</i> , 2009 , 199, 14-9	7	210
113	Peripartum cardiomyopathy: analysis of clinical outcome, left ventricular function, plasma levels of cytokines and Fas/APO-1. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 701-5	15.1	208
112	Factors associated with HIV sero-status in young rural South African women: connections between intimate partner violence and HIV. <i>International Journal of Epidemiology</i> , 2006 , 35, 1461-8	7.8	196
111	Associations between childhood adversity and depression, substance abuse and HIV and HSV2 incident infections in rural South African youth. <i>Child Abuse and Neglect</i> , 2010 , 34, 833-41	4.3	163
110	Transmission networks and risk of HIV infection in KwaZulu-Natal, South Africa: a community-wide phylogenetic study. <i>Lancet HIV,the</i> , 2017 , 4, e41-e50	7.8	158
109	Antibody specificities associated with neutralization breadth in plasma from human immunodeficiency virus type 1 subtype C-infected blood donors. <i>Journal of Virology</i> , 2009 , 83, 8925-37	6.6	149
108	Effect of HSV-2 serostatus on acquisition of HIV by young men: results of a longitudinal study in Orange Farm, South Africa. <i>Journal of Infectious Diseases</i> , 2009 , 199, 958-64	7	119
107	Patterns of cytokine expression in community-acquired pneumonia. <i>Chest</i> , 1995 , 107, 1342-9	5.3	119
106	Respiratory viral coinfections identified by a 10-plex real-time reverse-transcription polymerase chain reaction assay in patients hospitalized with severe acute respiratory illness--South Africa, 2009-2010. <i>Journal of Infectious Diseases</i> , 2012 , 206 Suppl 1, S159-65	7	112
105	National HIV incidence measures--new insights into the South African epidemic. <i>South African Medical Journal</i> , 2007 , 97, 194-9	1.5	107
104	Interim report on pandemic H1N1 influenza virus infections in South Africa, April to October 2009: epidemiology and factors associated with fatal cases. <i>Eurosurveillance</i> , 2009 , 14,	19.8	104

103	Interleukin 18 stimulates HIV type 1 in monocytic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998 , 95, 12550-5	11.5	96
102	Interleukin-18 enhances lipopolysaccharide-induced interferon-gamma production in human whole blood cultures. <i>Journal of Infectious Diseases</i> , 1998 , 178, 1830-4	7	88
101	Acceptability of male circumcision as a tool for preventing HIV infection in a highly infected community in South Africa. <i>Aids</i> , 2003 , 17, 89-95	3.5	83
100	Male circumcision and Neisseria gonorrhoeae, Chlamydia trachomatis and Trichomonas vaginalis: observations after a randomised controlled trial for HIV prevention. <i>Sexually Transmitted Infections</i> , 2009 , 85, 116-20	2.8	81
99	Polymerase chain reaction for diagnosis of human immunodeficiency virus infection in infancy in low resource settings. <i>Pediatric Infectious Disease Journal</i> , 2005 , 24, 993-7	3.4	77
98	Can highly active antiretroviral therapy reduce the spread of HIV?: A study in a township of South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2004 , 36, 613-21	3.1	75
97	First population-level effectiveness evaluation of a national programme to prevent HIV transmission from mother to child, South Africa. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 240-8	5.1	74
96	Selection and persistence of viral resistance in HIV-infected children after exposure to single-dose nevirapine. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 44, 148-53	3.1	74
95	The interleukin 1 receptor. <i>Trends in Immunology</i> , 1989 , 10, 49-51		71
94	Association of the ANRS-12126 male circumcision project with HIV levels among men in a South African township: evaluation of effectiveness using cross-sectional surveys. <i>PLoS Medicine</i> , 2013 , 10, e1001509	11.6	69
93	Association of oncogenic and nononcogenic human papillomavirus with HIV incidence. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2010 , 53, 111-6	3.1	67
92	Does tuberculosis increase HIV load?. <i>Journal of Infectious Diseases</i> , 2004 , 190, 1677-84	7	61
91	Factors associated with HIV sero-positivity in young, rural South African men. <i>International Journal of Epidemiology</i> , 2006 , 35, 1455-60	7.8	59
90	HIV incidence in rural South Africa: comparison of estimates from longitudinal surveillance and cross-sectional cBED assay testing. <i>PLoS ONE</i> , 2008 , 3, e3640	3.7	58
89	Progress towards the UNAIDS 90-90-90 goals by age and gender in a rural area of KwaZulu-Natal, South Africa: a household-based community cross-sectional survey. <i>BMC Public Health</i> , 2018 , 18, 303	4.1	55
88	Missed Opportunities along the Prevention of Mother-to-Child Transmission Services Cascade in South Africa: Uptake, Determinants, and Attributable Risk (the SAPMTCTE). <i>PLoS ONE</i> , 2015 , 10, e0132423	3.7	55
87	Human leukocyte antigen class I (A, B, C) and II (DRB1) diversity in the black and Caucasian South African population. <i>Human Immunology</i> , 2012 , 73, 80-92	2.3	48
86	Community-based HIV prevalence in KwaZulu-Natal, South Africa: results of a cross-sectional household survey. <i>Lancet HIV, the</i> , 2018 , 5, e427-e437	7.8	47

85	Novel and promiscuous CTL epitopes in conserved regions of Gag targeted by individuals with early subtype C HIV type 1 infection from southern Africa. <i>Journal of Immunology</i> , 2004 , 173, 4607-17	5.3	47
84	A Comparison of South African National HIV Incidence Estimates: A Critical Appraisal of Different Methods. <i>PLoS ONE</i> , 2015 , 10, e0133255	3.7	43
83	Does sex in the early period after circumcision increase HIV-seroconversion risk? Pooled analysis of adult male circumcision clinical trials. <i>Aids</i> , 2009 , 23, 1557-64	3.5	42
82	Population-level effectiveness of PMTCT Option A on early mother-to-child (MTCT) transmission of HIV in South Africa: implications for eliminating MTCT. <i>Journal of Global Health</i> , 2016 , 6,	4.3	41
81	Progress of UNAIDS 90-90-90 targets in a district in KwaZulu-Natal, South Africa, with high HIV burden, in the HIPSS study: a household-based complex multilevel community survey. <i>Lancet HIV</i> , 2017 , 4, e505-e513	7.8	37
80	Adult male circumcision as an intervention against HIV: an operational study of uptake in a South African community (ANRS 12126). <i>BMC Infectious Diseases</i> , 2011 , 11, 253	4	36
79	Studies on IL-1 receptors on D10S T-helper cells: demonstration of two molecularly and antigenically distinct IL-1 binding proteins. <i>Cytokine</i> , 1989 , 1, 23-35	4	36
78	Vaccine Efficacy of ALVAC-HIV and Bivalent Subtype C gp120-MF59 in Adults. <i>New England Journal of Medicine</i> , 2021 , 384, 1089-1100	59.2	36
77	Young age at start of antiretroviral therapy and negative HIV antibody results in HIV-infected children when suppressed. <i>Aids</i> , 2015 , 29, 1053-60	3.5	35
76	Surveillance of transmitted HIV-1 drug resistance in Gauteng and KwaZulu-Natal Provinces, South Africa, 2005-2009. <i>Clinical Infectious Diseases</i> , 2012 , 54 Suppl 4, S334-8	11.6	34
75	The continuum of HIV care in South Africa: implications for achieving the second and third UNAIDS 90-90-90 targets. <i>Aids</i> , 2017 , 31, 545-552	3.5	32
74	Measles outbreak in South Africa: epidemiology of laboratory-confirmed measles cases and assessment of intervention, 2009-2011. <i>PLoS ONE</i> , 2013 , 8, e55682	3.7	32
73	Improvement in healing and reduction in HIV shedding with episodic acyclovir therapy as part of syndromic management among men: a randomized, controlled trial. <i>Journal of Infectious Diseases</i> , 2009 , 200, 1039-49	7	32
72	Respiratory syncytial virus nucleoprotein-specific cytotoxic T-cell epitopes in a South African population of diverse HLA types are conserved in circulating field strains. <i>Journal of Virology</i> , 2003 , 77, 7319-29	6.6	32
71	Diagnosis of Human Immunodeficiency Virus Infection. <i>Clinical Microbiology Reviews</i> , 2019 , 32,	34	31
70	Population-level effectiveness of PMTCT Option A on early mother-to-child (MTCT) transmission of HIV in South Africa: implications for eliminating MTCT. <i>Journal of Global Health</i> , 2016 , 6, 020405	4.3	30
69	Implications of spatially heterogeneous vaccination coverage for the risk of congenital rubella syndrome in South Africa. <i>Journal of the Royal Society Interface</i> , 2013 , 10, 20120756	4.1	29
68	Epidemiologic and virologic assessment of the 2009 influenza A (H1N1) pandemic on selected temperate countries in the Southern Hemisphere: Argentina, Australia, Chile, New Zealand and South Africa. <i>Influenza and Other Respiratory Viruses</i> , 2011 , 5, e487-98	5.6	28

67	Attrition and Opportunities Along the HIV Care Continuum: Findings From a Population-Based Sample, North West Province, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 73, 91-9	3.1	27
66	Strengthening HIV surveillance in the antiretroviral therapy era: rationale and design of a longitudinal study to monitor HIV prevalence and incidence in the uMgungundlovu District, KwaZulu-Natal, South Africa. <i>BMC Public Health</i> , 2015 , 15, 1149	4.1	27
65	Beyond Social Desirability Bias: Investigating Inconsistencies in Self-Reported HIV Testing and Treatment Behaviors Among HIV-Positive Adults in North West Province, South Africa. <i>AIDS and Behavior</i> , 2018 , 22, 2368-2379	4.3	27
64	Determinants of HIV type 1 shedding from genital ulcers among men in South Africa. <i>Clinical Infectious Diseases</i> , 2010 , 50, 1060-7	11.6	26
63	Poor sensitivity of field rapid HIV testing: implications for mother-to-child transmission programme. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2009 , 116, 1805-8	3.7	26
62	Toward elimination of mother-to-child transmission of HIV in South Africa: how best to monitor early infant infections within the Prevention of Mother-to-Child Transmission Program. <i>Journal of Global Health</i> , 2017 , 7, 010701	4.3	25
61	Emergence of vaccine-derived polioviruses, Democratic Republic of Congo, 2004-2011. <i>Emerging Infectious Diseases</i> , 2013 , 19, 1583-9	10.2	25
60	Transmission probabilities of HIV and herpes simplex virus type 2, effect of male circumcision and interaction: a longitudinal study in a township of South Africa. <i>Aids</i> , 2009 , 23, 377-383	3.5	25
59	Viral dynamics and CD4+ T cell counts in subtype C human immunodeficiency virus type 1-infected individuals from southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2005 , 21, 285-91	1.6	24
58	Adolescent Access to Care and Risk of Early Mother-to-Child HIV Transmission. <i>Journal of Adolescent Health</i> , 2018 , 62, 434-443	5.8	22
57	Identifying high-risk areas for sporadic measles outbreaks: lessons from South Africa. <i>Bulletin of the World Health Organization</i> , 2013 , 91, 174-83	8.2	22
56	Evaluating the BED capture enzyme immunoassay to estimate HIV incidence among adults in three countries in sub-Saharan Africa. <i>AIDS Research and Human Retroviruses</i> , 2010 , 26, 1051-61	1.6	21
55	Laboratory operations, specimen processing, and handling for viral load testing and surveillance. <i>Journal of Infectious Diseases</i> , 2010 , 201 Suppl 1, S27-36	7	20
54	Hepatitis C virus genotypes in two different patient cohorts in Johannesburg, South Africa. <i>Archives of Virology</i> , 2008 , 153, 2049-58	2.6	18
53	Investigation of HIV in amniotic fluid from HIV-infected pregnant women at full term. <i>Journal of Infectious Diseases</i> , 2005 , 192, 488-91	7	18
52	Spontaneous and inducible cytokine responses in healthy humans receiving a single dose of IFN-alpha2b: increased production of interleukin-1 receptor antagonist and suppression of IL-1-induced IL-8. <i>Journal of Interferon and Cytokine Research</i> , 1998 , 18, 897-903	3.5	18
51	High rate of adverse events following circumcision of young male adults with the Tara KLamp technique: a randomised trial in South Africa. <i>South African Medical Journal</i> , 2009 , 99, 163-9	1.5	18
50	Trends in HIV Prevention, Treatment, and Incidence in a Hyperendemic Area of KwaZulu-Natal, South Africa. <i>JAMA Network Open</i> , 2019 , 2, e1914378	10.4	17

49	Results of a safety and feasibility study of the diaphragm used with ACIDFORM Gel or K-Y Jelly. <i>Contraception</i> , 2010 , 81, 232-9	2.5	17
48	Improvements in the South African HIV care cascade: findings on 90-90-90 targets from successive population-representative surveys in North West Province. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25295	5.4	16
47	Women exposed to single-dose nevirapine in successive pregnancies: effectiveness and nonnucleoside reverse transcriptase inhibitor resistance. <i>Aids</i> , 2009 , 23, 809-16	3.5	16
46	South African HIV self-testing policy and guidance considerations. <i>Southern African Journal of HIV Medicine</i> , 2017 , 18, 775	1.4	16
45	Evaluation of blood collection filter papers for HIV-1 DNA PCR. <i>Journal of Clinical Virology</i> , 2012 , 55, 1011-6	4.5	15
44	Evaluating DREAMS HIV prevention interventions targeting adolescent girls and young women in high HIV prevalence districts in South Africa: protocol for a cross-sectional study. <i>BMC Women's Health</i> , 2020 , 20, 7	2.9	14
43	An association between decreasing incidence of invasive non-typhoidal salmonellosis and increased use of antiretroviral therapy, Gauteng Province, South Africa, 2003-2013. <i>PLoS ONE</i> , 2017 , 12, e0173091	3.7	14
42	Misdiagnosis of HIV infection during a South African community-based survey: implications for rapid HIV testing. <i>Journal of the International AIDS Society</i> , 2017 , 20, 21753	5.4	13
41	Association of low-risk human papillomavirus infection with male circumcision in young men: results from a longitudinal study conducted in Orange Farm (South Africa). <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2011 , 2011, 567408	2.4	13
40	Sequence-based in silico analysis of well studied hepatitis C virus epitopes and their variants in other genotypes (particularly genotype 5a) against South African human leukocyte antigen backgrounds. <i>BMC Immunology</i> , 2012 , 13, 67	3.7	11
39	Level of viral suppression and the cascade of HIV care in a South African semi-urban setting in 2012. <i>Aids</i> , 2016 , 30, 2107-16	3.5	11
38	Feasibility of community-based HIV self-screening in South Africa: a demonstration project. <i>BMC Public Health</i> , 2019 , 19, 898	4.1	10
37	Obtaining a male circumcision prevalence rate of 80% among adults in a short time: An observational prospective intervention study in the Orange Farm township of South Africa. <i>Medicine (United States)</i> , 2017 , 96, e5328	1.8	10
36	Genetic variability in markers of HLA-C expression in two diverse South African populations. <i>PLoS ONE</i> , 2013 , 8, e67780	3.7	10
35	Population-level HIV incidence estimates using a combination of synthetic cohort and recency biomarker approaches in KwaZulu-Natal, South Africa. <i>PLoS ONE</i> , 2018 , 13, e0203638	3.7	9
34	Acute HIV infections among men with genital ulcer disease in South Africa. <i>Journal of Infectious Diseases</i> , 2010 , 201, 1811-5	7	8
33	Development of phenotypic HIV-1 drug resistance after exposure to single-dose nevirapine. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2008 , 49, 538-43	3.1	8
32	The HIV-1 epidemic in South Africa. <i>Oral Diseases</i> , 2002 , 8 Suppl 2, 27-31	3.5	8

31	Estimating the contribution of key populations towards HIV transmission in South Africa. <i>Journal of the International AIDS Society</i> , 2021 , 24, e25650	5.4	8
30	The accuracy of HIV rapid testing in integrated bio-behavioral surveys of men who have sex with men across 5 Provinces in South Africa. <i>Medicine (United States)</i> , 2017 , 96, e7391	1.8	7
29	Serum interleukin (IL-1 beta) in patients with diffuse scleritis. <i>Scandinavian Journal of Immunology</i> , 1992 , 11, 171-2	3.4	7
28	Exploring HIV infection and susceptibility to measles among older children and adults in Malawi: a facility-based study. <i>International Journal of Infectious Diseases</i> , 2015 , 31, 61-7	10.5	6
27	Hepatitis C genotype distribution in patient and blood donor samples in South Africa for the period 2008-2012. <i>Journal of Viral Hepatitis</i> , 2016 , 23, 881-888	3.4	6
26	Women's knowledge and perception of male circumcision before and after its roll-out in the South African township of Orange Farm from community-based cross-sectional surveys. <i>PLoS ONE</i> , 2017 , 12, e0173595	3.7	6
25	Recent HIV infection among pregnant women in the 2017 antenatal sentinel cross-sectional survey, South Africa: Assay-based incidence measurement. <i>PLoS ONE</i> , 2021 , 16, e0249953	3.7	6
24	CD4 count recovery and associated factors among individuals enrolled in the South African antiretroviral therapy programme: An analysis of national laboratory based data. <i>PLoS ONE</i> , 2019 , 14, e0217742	3.7	5
23	Design and implementation of an external quality assessment program for HIV viral load measurements using dried blood spots. <i>Journal of Clinical Microbiology</i> , 2015 , 53, 964-6	9.7	5
22	Awareness of HIV-positive status and linkage to treatment prior to pregnancy in the "test and treat" era: A national antenatal sentinel survey, 2017, South Africa. <i>PLoS ONE</i> , 2020 , 15, e0229874	3.7	5
21	Killer-cell immunoglobulin-like receptor (KIR) and human leukocyte antigen (HLA) class I genetic diversity in four South African populations. <i>Human Immunology</i> , 2017 , 78, 503-509	2.3	5
20	Naturally occurring resistance mutations within the core and NS5B regions in hepatitis C genotypes, particularly genotype 5a, in South Africa. <i>Antiviral Research</i> , 2016 , 127, 90-8	10.8	5
19	The World Health Organization African region external quality assessment scheme for anti-HIV serology. <i>African Journal of Laboratory Medicine</i> , 2012 , 1, 39	0.9	5
18	Comparison of lavage and swabs for the collection of genital ulcer specimens to measure HIV RNA shedding. <i>Journal of Clinical Virology</i> , 2009 , 46, 165-8	14.5	5
17	Human leukocyte antigen class I (A, B, C) and class II (DPB1, DQB1, DRB1) allele and haplotype variation in Black South African individuals. <i>Human Immunology</i> , 2020 , 81, 6-7	2.3	5
16	Prevalence of HIV-1 drug resistance amongst newly diagnosed HIV-infected infants age 4-8 weeks, enrolled in three nationally representative PMTCT effectiveness surveys, South Africa: 2010, 2011-12 and 2012-13. <i>BMC Infectious Diseases</i> , 2019 , 19, 787	4	4
15	The role of drug resistance in poor viral suppression in rural South Africa: findings from a population-based study. <i>BMC Infectious Diseases</i> , 2020 , 20, 248	4	4
14	Palindromic-nucleotide substitutions (PNS) of hepatitis C virus genotypes 1 and 5a from South Africa. <i>Journal of Virological Methods</i> , 2011 , 175, 272-7	2.6	4

13	Human immunodeficiency virus-1 infection correlates strongly with herpes simplex virus-2 (genital herpes) seropositivity in South African and United States blood donations. <i>Transfusion</i> , 2008 , 48, 295-303	3.9	4
12	Sequential Cross-Sectional Surveys in Orange Farm, a Township of South Africa, Revealed a Constant Low Voluntary Medical Male Circumcision Uptake among Adults despite Demand Creation Campaigns and High Acceptability. <i>PLoS ONE</i> , 2016 , 11, e0158675	3.7	4
11	Daily Vaginal Swabs and Mobile Phone Sex Report for Assessing HIV Virion Exposure Prospectively Among a Cohort of Young Sexually Active Women in South Africa (HVTN 915). <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 81, e39-e48	3.1	4
10	Phylogeny of arthropod immunity. An inducible humoral response in the Kalahari millipede, <i>Triaenostreptus triodus</i> (Attems). <i>Die Naturwissenschaften</i> , 1990 , 77, 189-90	2	3
9	Knowledge of HIV status and antiretroviral therapy use among sexually transmitted infections service attendees and the case for improving the integration of services in South Africa: A cross sectional study. <i>Medicine (United States)</i> , 2018 , 97, e12575	1.8	3
8	Frequencies of immune hypersensitivity reaction-associated HLA class I alleles in healthy South African Indian and mixed ancestry populations determined by a novel real-time PCR assay. <i>Tissue Antigens</i> , 2014 , 84, 389-97		1
7	Population-level HIV incidence estimates using a combination of synthetic cohort and recency biomarker approaches in KwaZulu-Natal, South Africa		1
6	Medical Male Circumcision and Associations Among Sexually Transmitted Infections Service Attendees. <i>AIDS and Behavior</i> , 2020 , 24, 1422-1431	4.3	1
5	Impact of breastfeeding, maternal antiretroviral treatment and health service factors on 18-month vertical transmission of HIV and HIV-free survival: results from a nationally representative HIV-exposed infant cohort, South Africa. <i>Journal of Epidemiology and Community Health</i> , 2020 , 74, 1069-1077	5.1	1
4	HIV viral load non-suppression and associated factors among pregnant and postpartum women in rural northeastern South Africa: a cross-sectional survey.. <i>BMJ Open</i> , 2022 , 12, e058347	3	1
3	HIV diagnostics97-116		
2	Description of non-polio enteroviruses identified in two national surveillance programmes in South Africa. <i>Southern African Journal of Infectious Diseases</i> , 2020 , 35, 196	0.4	
1	Interleukin-8 genetic diversity, haplotype structure and production differ in two ethnically distinct South African populations. <i>Cytokine</i> , 2021 , 143, 155489	4	