## Jiamin Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1212015/publications.pdf Version: 2024-02-01



| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | The application of Al <sub>2</sub> TiO <sub>5</sub> at the TiO <sub>2</sub> /perovskite interface to decrease carrier losses in solar cells. Journal of Materials Chemistry A, 2017, 5, 3691-3698.                       | 10.3 | 10        |
| 2  | Triboelectric Nanogenerator Using Microdomeâ€Patterned PDMS as a Wearable Respiratory Energy<br>Harvester. Advanced Materials Technologies, 2017, 2, 1700014.  | 5.8  | 38        |
| 3  | Visualization of electrical field of electrode using voltage-controlled fluorescence release.<br>Computers in Biology and Medicine, 2016, 75, 38-44.   | 7.0  | 2         |
| 4  | Catalytic reduction of 4-nitrophenol over Ni-Pd nanodimers supported on nitrogen-doped reduced graphene oxide. Journal of Hazardous Materials, 2016, 320, 96-104.  | 12.4 | 121       |
| 5  | Interfacial engineering with amino-functionalized graphene for efficient perovskite solar cells.<br>Journal of Materials Chemistry A, 2016, 4, 13482-13487.  | 10.3 | 80        |
| 6  | Interface engineering via an insulating polymer for highly efficient and environmentally stable perovskite solar cells. Chemical Communications, 2016, 52, 11355-11358.  | 4.1  | 58        |
| 7  | TiO <sub>2</sub> /ZnO/TiO <sub>2</sub> sandwich multi-layer films as a hole-blocking layer for efficient perovskite solar cells. International Journal of Energy Research, 2016, 40, 806-813.                            | 4.5  | 31        |
| 8  | Perovskite solar cells based on bottom-fused TiO <sub>2</sub> nanocones. Journal of Materials<br>Chemistry A, 2016, 4, 1520-1530.  | 10.3 | 36        |
| 9  | Nanostructured Surfaces, Coatings, and Films 2014. Journal of Nanomaterials, 2015, 2015, 1-2.  | 2.7  | 0         |
| 10 | Enhancing the performance of planar organo-lead halide perovskite solar cells by using a mixed halide<br>source. Journal of Materials Chemistry A, 2015, 3, 963-967.   | 10.3 | 91        |
| 11 | Nanostructured solar cell based on solution processed Cu <sub>2</sub> ZnSnS <sub>4</sub><br>nanoparticles and vertically aligned ZnO nanorod array. Physica Status Solidi - Rapid Research<br>Letters, 2014, 8, 971-975. | 2.4  | 9         |
| 12 | Characteristics of skin-electrode impedance for a novel screw electrode. , 2014, 2014, 1-2.  |      | 5         |
| 13 | Substrate placement angle-dependent growth of dandelion-like TiO <sub>2</sub> nanorods for solid-state semiconductor-sensitized solar cells. RSC Advances, 2014, 4, 53335-53343.   | 3.6  | 14        |
| 14 | Ultra-small TiO <sub>2</sub> nanowire forests on transparent conducting oxide for solid-state semiconductor-sensitized solar cells. RSC Advances, 2014, 4, 46987-46991.  | 3.6  | 10        |
| 15 | Hybrid TiO <sub>2</sub> –SnO <sub>2</sub> Nanotube Arrays for Dye-Sensitized Solar Cells. Journal of<br>Physical Chemistry C, 2013, 117, 3232-3239.  | 3.1  | 113       |
| 16 | Sorting Short Fragments of Single-Stranded DNA with an Evolving Electric Double Layer. Journal of<br>Physical Chemistry B, 2013, 117, 2267-2272.   | 2.6  | 7         |
| 17 | Nanostructured Surfaces, Coatings, and Films: Fabrication, Characterization, and Application. Journal of Nanomaterials, 2013, 2013, 1-2.   | 2.7  | 1         |
| 18 | Multistage Magnetic Separation of Microspheres Enabled by Temperature-Responsive Polymers. ACS<br>Applied Materials & Interfaces, 2012, 4, 3041-3046.  | 8.0  | 8         |

Jiamin Wu

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Cholesterol-based low-molecular mass gelators towards smart ionogels. Soft Matter, 2012, 8, 11697.   | 2.7 | 60        |
| 20 | Separation of single-stranded DNA fragments at a 10-nucleotide resolution by stretching in microfluidic channels. Lab on A Chip, 2011, 11, 4036.       | 6.0 | 8         |
| 21 | Ordered TiO <sub>2</sub> Nanotube Arrays on Transparent Conductive Oxide for Dye-Sensitized Solar<br>Cells. Chemistry of Materials, 2010, 22, 143-148. | 6.7 | 203       |