## Robert Elashoff

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12120981/publications.pdf

Version: 2024-02-01

57758 98798 12,141 69 44 67 citations h-index g-index papers 69 69 69 9652 docs citations times ranked citing authors all docs

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 1  | Preoperative Ultrasound Assessment of Regional Lymph Nodes in Melanoma Patients Does not Provide Reliable Nodal Staging. Annals of Surgery, 2021, 273, 814-820.   | 4.2  | 16        |
| 2  | E-Cigarette Use and Subclinical Cardiac Effects. Circulation Research, 2020, 127, 1566-1567.  | 4.5  | 5         |
| 3  | Bevacizumab at first recurrence after standard radio-chemotherapy is associated with improved overall survival in glioblastoma patients with large tumor burden. Neuro-Oncology Practice, 2019, 6, 103-111.                 | 1.6  | 3         |
| 4  | Racial-ethnic differences in chronic kidney disease-mineral bone disorder in youth on dialysis.<br>Pediatric Nephrology, 2019, 34, 107-115.   | 1.7  | 7         |
| 5  | Estriolâ€mediated neuroprotection in multiple sclerosis localized by voxelâ€based morphometry. Brain and Behavior, 2018, 8, e01086.   | 2.2  | 22        |
| 6  | Electronic Cigarettes Impair Human Coronary Endothelial Function. FASEB Journal, 2018, 32, 579.4.   | 0.5  | 0         |
| 7  | Human <i>TERT</i> promoter mutation enables survival advantage from <i>MGMT</i> promoter methylation in <i>IDH1</i> wild-type primary glioblastoma treated by standard chemoradiotherapy. Neuro-Oncology, 2017, 19, now189. | 1.2  | 65        |
| 8  | A phase 3 randomized placebo-controlled trial of tadalafil for Duchenne muscular dystrophy.<br>Neurology, 2017, 89, 1811-1820.  | 1.1  | 58        |
| 9  | Long-Term Survival after Complete Surgical Resection and Adjuvant Immunotherapy for Distant<br>Melanoma Metastases. Annals of Surgical Oncology, 2017, 24, 3991-4000.   | 1.5  | 102       |
| 10 | Derivation and Validation of a Geriatricâ€Sensitive Perioperative Cardiac Risk Index. Journal of the American Heart Association, 2017, 6, .   | 3.7  | 27        |
| 11 | Impact of Time Between Diagnosis and SLNB on Outcomes in Cutaneous Melanoma. Journal of the American College of Surgeons, 2017, 225, 302-311.   | 0.5  | 20        |
| 12 | Disability-Specific Atlases of Gray Matter Loss in Relapsing-Remitting Multiple Sclerosis. JAMA Neurology, 2016, 73, 944.   | 9.0  | 24        |
| 13 | Relationship between quantitative radiographic assessments of interstitial lung disease and physiological and clinical features of systemic sclerosis. Annals of the Rheumatic Diseases, 2016, 75, 374-381.                 | 0.9  | 76        |
| 14 | Transitions to different patterns of interstitial lung disease in scleroderma with and without treatment. Annals of the Rheumatic Diseases, 2016, 75, 1367-1371.  | 0.9  | 35        |
| 15 | Longitudinal data analysis with non-ignorable missing data. Statistical Methods in Medical Research, 2016, 25, 205-220.   | 1.5  | 19        |
| 16 | Estriol combined with glatiramer acetate for women with relapsing-remitting multiple sclerosis: a randomised, placebo-controlled, phase 2 trial. Lancet Neurology, The, 2016, 15, 35-46.                                    | 10.2 | 158       |
| 17 | Sodium nitrate alleviates functional muscle ischaemia in patients with Becker muscular dystrophy.<br>Journal of Physiology, 2015, 593, 5183-5200.   | 2.9  | 26        |
| 18 | Final Trial Report of Sentinel-Node Biopsy versus Nodal Observation in Melanoma. New England Journal of Medicine, 2014, 370, 599-609.   | 27.0 | 1,203     |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Deferred use of bevacizumab for recurrent glioblastoma is not associated with diminished efficacy. Neuro-Oncology, 2014, 16, 815-822.  | 1.2 | 49        |
| 20 | Lack of FGF23 Response to Acute Changes in Serum Calcium and PTH in Humans. Journal of Clinical Endocrinology and Metabolism, 2014, 99, E1951-E1956.   | 3.6 | 14        |
| 21 | Online Self-Report Data for Duchenne Muscular Dystrophy Confirms Natural History and Can Be Used to Assess for Therapeutic Benefits. PLOS Currents, 2014, 6, .   | 1.4 | 25        |
| 22 | A Critical Analysis of the Clinical Use of Incretin-Based Therapies. Diabetes Care, 2013, 36, 2118-2125.   | 8.6 | 264       |
| 23 | Interaction between Pseudomonas and CXC Chemokines Increases Risk of Bronchiolitis Obliterans<br>Syndrome and Death in Lung Transplantation. American Journal of Respiratory and Critical Care<br>Medicine, 2013, 187, 518-526.                    | 5.6 | 84        |
| 24 | The Skeletal Consequences of Growth Hormone Therapy in Dialyzed Children. Clinical Journal of the American Society of Nephrology: CJASN, 2013, 8, 824-832.   | 4.5 | 28        |
| 25 | Early Skeletal and Biochemical Alterations in Pediatric Chronic Kidney Disease. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 146-152.   | 4.5 | 144       |
| 26 | Assessment of Prognostic Circulating Tumor Cells in a Phase III Trial of Adjuvant Immunotherapy After Complete Resection of Stage IV Melanoma. Annals of Surgery, 2012, 255, 357-362.  | 4.2 | 83        |
| 27 | Metastasectomy for Distant Metastatic Melanoma: Analysis of Data from the First Multicenter Selective Lymphadenectomy Trial (MSLT-I). Annals of Surgical Oncology, 2012, 19, 2547-2555.  | 1.5 | 155       |
| 28 | Pancreatitis, Pancreatic, and Thyroid Cancer With Glucagon-Like Peptide-1–Based Therapies.<br>Gastroenterology, 2011, 141, 150-156.  | 1.3 | 734       |
| 29 | Adverse Events during the Scleroderma Lung Study. American Journal of Medicine, 2011, 124, 459-467.  | 1.5 | 30        |
| 30 | Calcitriol and doxercalciferol are equivalent in controlling bone turnover, suppressing parathyroid hormone, and increasing fibroblast growth factor-23 in secondary hyperparathyroidism. Kidney International, 2011, 79, 112-119.                 | 5.2 | 148       |
| 31 | Quantitative texture-based assessment of one-year changes in fibrotic reticular patterns on HRCT in scleroderma lung disease treated with oral cyclophosphamide. European Radiology, 2011, 21, 2455-2465.  | 4.5 | 99        |
| 32 | Clinical course of lung physiology in patients with scleroderma and interstitial lung disease: Analysis of the Scleroderma Lung Study Placebo Group. Arthritis and Rheumatism, 2011, 63, 3078-3085.  | 6.7 | 107       |
| 33 | Phase II Study of Bevacizumab Plus Temozolomide During and After Radiation Therapy for Patients<br>With Newly Diagnosed Glioblastoma Multiforme. Journal of Clinical Oncology, 2011, 29, 142-148.  | 1.6 | 418       |
| 34 | Course of dermal ulcers and musculoskeletal involvement in systemic sclerosis patients in the scleroderma lung study. Arthritis Care and Research, 2010, 62, 1772-1778.  | 3.4 | 29        |
| 35 | Protection against Bronchiolitis Obliterans Syndrome Is Associated with Allograft CCR7+CD45RAâ^' T<br>Regulatory Cells. PLoS ONE, 2010, 5, e11354.   | 2.5 | 32        |
| 36 | The Calcemic Response to Continuous Parathyroid Hormone (PTH)(1-34) Infusion in End-Stage Kidney Disease Varies According to Bone Turnover: A Potential Role for PTH(7-84). Journal of Clinical Endocrinology and Metabolism, 2010, 95, 2772-2780. | 3.6 | 67        |

| #  | Article   | IF   | Citations |
|----|---|------|-----------|
| 37 | The Impact on Morbidity and Length of Stay of Early Versus Delayed Complete Lymphadenectomy in Melanoma: Results of the Multicenter Selective Lymphadenectomy Trial (I). Annals of Surgical Oncology, 2010, 17, 3324-3329.  | 1.5  | 177       |
| 38 | International Randomized Clinical Trial, Stroke Inpatient Rehabilitation With Reinforcement of Walking Speed (SIRROWS), Improves Outcomes. Neurorehabilitation and Neural Repair, 2010, 24, 235-242.  | 2.9  | 129       |
| 39 | Systemic sclerosis-associated interstitial lung disease-proposed recommendations for future randomized clinical trials. Clinical and Experimental Rheumatology, 2010, 28, S55-62.   | 0.8  | 32        |
| 40 | Surfactant Protein D and KL-6 as Serum Biomarkers of Interstitial Lung Disease in Patients with Scleroderma. Journal of Rheumatology, 2009, 36, 773-780.  | 2.0  | 153       |
| 41 | Treatment of Scleroderma-Interstitial Lung Disease With Cyclophosphamide Is Associated With Less<br>Progressive Fibrosis on Serial Thoracic High-Resolution CT Scan Than Placebo. Chest, 2009, 136,<br>1333-1340.   | 0.8  | 127       |
| 42 | Minimally important differences in the Mahler's Transition Dyspnoea Index in a large randomized controlled trialresults from the Scleroderma Lung Study. Rheumatology, 2009, 48, 1537-1540.   | 1.9  | 46        |
| 43 | Classification of Parenchymal Abnormality in Scleroderma Lung Using a Novel Approach to Denoise<br>Images Collected via a Multicenter Study. Academic Radiology, 2008, 15, 1004-1016.   | 2.5  | 61        |
| 44 | Sentinel Node Biopsy: Facts to Clear the Alleged Clouds. Archives of Dermatology, 2008, 144, 685.   | 1.4  | 11        |
| 45 | Scleroderma lung study (SLS): differences in the presentation and course of patients with limited versus diffuse systemic sclerosis. Annals of the Rheumatic Diseases, 2007, 66, 1641-1647.   | 0.9  | 74        |
| 46 | Effects of 1-Year Treatment with Cyclophosphamide on Outcomes at 2 Years in Scleroderma Lung Disease. American Journal of Respiratory and Critical Care Medicine, 2007, 176, 1026-1034.   | 5.6  | 411       |
| 47 | Validity of the Walking Scale for Spinal Cord Injury and Other Domains of Function in a Multicenter Clinical Trial. Neurorehabilitation and Neural Repair, 2007, 21, 539-550.   | 2.9  | 98        |
| 48 | Impact of oral cyclophosphamide on health-related quality of life in patients with active scleroderma lung disease: Results from the scleroderma lung study. Arthritis and Rheumatism, 2007, 56, 1676-1684.   | 6.7  | 93        |
| 49 | Reliability and Validity of Bilateral Thigh and Foot Accelerometry Measures of Walking in Healthy and Hemiparetic Subjects. Neurorehabilitation and Neural Repair, 2006, 20, 297-305.   | 2.9  | 104       |
| 50 | Cyclophosphamide versus Placebo in Scleroderma Lung Disease. New England Journal of Medicine, 2006, 354, 2655-2666.   | 27.0 | 1,421     |
| 51 | Sentinel-Node Biopsy or Nodal Observation in Melanoma. New England Journal of Medicine, 2006, 355, 1307-1317.   | 27.0 | 1,679     |
| 52 | Sentinel Node Biopsy for Early-Stage Melanoma. Annals of Surgery, 2005, 242, 302-313.   | 4.2  | 632       |
| 53 | Correlation of the degree of dyspnea with health-related quality of life, functional abilities, and diffusing capacity for carbon monoxide in patients with systemic sclerosis and active alveolitis: Results from the scleroderma lung study. Arthritis and Rheumatism, 2005, 52, 592-600. | 6.7  | 120       |
| 54 | Prognostic Significance of Molecular Upstaging of Paraffin-Embedded Sentinel Lymph Nodes in Melanoma Patients. Journal of Clinical Oncology, 2004, 22, 2671-2680.   | 1.6  | 137       |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Prediction of metastatic melanoma in nonsentinel nodes and clinical outcome based on the primary melanoma and the sentinel node. Modern Pathology, 2004, 17, 747-755.   | 5.5 | 169       |
| 56 | Reply to the letter from J. I. Minguela and R. Ruiz-de-Gauna. Pediatric Nephrology, 2004, 19, 947.  | 1.7 | 0         |
| 57 | Body weight loss with phentermine alone versus phentermine and fenfluramine with very-low-calorie diet in an outpatient obesity management program: a retrospective study. Current Therapeutic Research, 2003, 64, 447-460.                             | 1.2 | 14        |
| 58 | Methods for a Randomized Trial of Weight-Supported Treadmill Training Versus Conventional Training for Walking During Inpatient Rehabilitation after Incomplete Traumatic Spinal Cord Injury. Neurorehabilitation and Neural Repair, 2003, 17, 153-167. | 2.9 | 143       |
| 59 | Lymphatic Mapping and Sentinel Lymphadenectomy for Early-Stage Melanoma. Annals of Surgery, 2003, 238, 538-550.   | 4.2 | 249       |
| 60 | Liquid Meal Replacements and Glycemic Control in Obese Type 2 Diabetes Patients. Obesity, 2001, 9, 341S-347S.   | 4.0 | 69        |
| 61 | Increased Incidence of Second Primary Melanoma in Patients With a Previous Cutaneous Melanoma.<br>Annals of Surgical Oncology, 1999, 6, 705-711.  | 1.5 | 100       |
| 62 | Prognostic Significance of Occult Metastases Detected by Sentinel Lymphadenectomy and Reverse Transcriptase–Polymerase Chain Reaction in Early-Stage Melanoma Patients. Journal of Clinical Oncology, 1999, 17, 3238-3244.                              | 1.6 | 260       |
| 63 | Validation of the Accuracy of Intraoperative Lymphatic Mapping and Sentinel Lymphadenectomy for Early-Stage Melanoma. Annals of Surgery, 1999, 230, 453.  | 4.2 | 694       |
| 64 | Polyvalent Melanoma Vaccine Improves Survival of Patients with Metastatic Melanoma. Annals of the New York Academy of Sciences, 1993, 690, 120-134.   | 3.8 | 61        |
| 65 | Prolongation of Survival in Metastatic Melanoma After Active Specific Immunotherapy With a New Polyvalent Melanoma Vaccine. Annals of Surgery, 1992, 216, 463-482.  | 4.2 | 360       |
| 66 | Adjuvant dietary fat intake reduction in postmenopausal breast cancer patient management. Breast Cancer Research and Treatment, 1991, 20, 73-84.  | 2.5 | 91        |
| 67 | Unpublished data summaries and the design and conduct of clinical trials. Contemporary Clinical Trials, 1989, 10, 368-377.  | 1.9 | 8         |
| 68 | Mitoxantrone use in breast cancer patients with elevated bilirubin. Breast Cancer Research and Treatment, 1989, 14, 267-274.  | 2.5 | 5         |
| 69 | A breast cancer nutrition adjuvant study (NAS): Protocol design and initial patient adherence. Breast Cancer Research and Treatment, 1987, 10, 21-29.   | 2.5 | 37        |