

# Enrico Gherlone

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12121961/publications.pdf>

Version: 2024-02-01

32  
papers

1,197  
citations

393982

19  
h-index

433756

31  
g-index

32  
all docs

32  
docs citations

32  
times ranked

1416  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of white-spot lesions before and during orthodontic treatment with fixed appliances. <i>European Journal of Orthodontics</i> , 2013, 35, 664-668.	1.1	142
2	Osteotome Sinus Floor Elevation and Simultaneous Implant Placement in Grafted Biomaterial Sockets: 3 Years of Follow-Up. <i>Journal of Periodontology</i> , 2010, 81, 344-349.	1.7	99
3	Effects of Er:YAG Laser Compared to Ultrasonic Scaler in Periodontal Treatment: A 2-Year Follow-Up Split-Mouth Clinical Study. <i>Journal of Periodontology</i> , 2007, 78, 1195-1200.	1.7	90
4	Immediate versus delayed loading of dental implants placed in fresh extraction sockets in the maxillary esthetic zone: a clinical comparative study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2008, 23, 753-8.	0.6	89
5	Magnesium-Enriched Hydroxyapatite Compared to Calcium Sulfate in the Healing of Human Extraction Sockets: Radiographic and Histomorphometric Evaluation at 3 Months. <i>Journal of Periodontology</i> , 2009, 80, 210-218.	1.7	76
6	Fresh-Socket Implants in Periapical Infected Sites in Humans. <i>Journal of Periodontology</i> , 2010, 81, 378-383.	1.7	66
7	A 4-Year Evaluation of the Peri-Implant Parameters of Immediately Loaded Implants Placed in Fresh Extraction Sockets. <i>Journal of Periodontology</i> , 2010, 81, 1629-1634.	1.7	65
8	Biologic and clinical aspects of integration of different bone substitutes in oral surgery: a literature review. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2016, 122, 392-402.	0.2	58
9	A 3 years retrospective study of survival for zirconia-based single crowns fabricated from intraoral digital impressions. <i>Journal of Dentistry</i> , 2014, 42, 1151-1155.	1.7	49
10	Effects of Er:YAG Laser and Ultrasonic Treatment on Fibroblast Attachment to Root Surfaces: An In Vitro Study. <i>Journal of Periodontology</i> , 2006, 77, 1217-1222.	1.7	47
11	Immediate occlusal loading of implants placed in fresh sockets after tooth extraction. <i>International Journal of Oral and Maxillofacial Implants</i> , 2007, 22, 955-62.	0.6	46
12	Dental Implants Placed in Extraction Sites Grafted With Different Bone Substitutes: Radiographic Evaluation at 24 Months. <i>Journal of Periodontology</i> , 2009, 80, 1616-1621.	1.7	42
13	Immediate Fixed Rehabilitation of the Edentulous Maxilla: A Prospective Clinical and Radiological Study after 3 Years of Loading. <i>Clinical Implant Dentistry and Related Research</i> , 2014, 16, 292-302.	1.6	38
14	Effect of Finishing Systems on Surface Roughness and Gloss of Full-Body Bulk-Fill Resin Composites. <i>Materials</i> , 2020, 13, 5657.	1.3	29
15	Efficacy and effects of palifermin for the treatment of oral mucositis in patients affected by acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2016, 57, 820-827.	0.6	28
16	One-year impact of COVID-19 pandemic on Italian dental professionals: a cross-sectional survey. <i>Minerva Dental and Oral Science</i> , 2022, 71, .	0.5	27
17	Immediate Implant Placement in Sockets with Asymptomatic Apical Periodontitis. <i>Clinical Implant Dentistry and Related Research</i> , 2017, 19, 20-27.	1.6	26
18	The Usage of an Air Purifier Device with HEPA 14 Filter during Dental Procedures in COVID-19 Pandemic: A Randomized Clinical Trial. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5139.	1.2	21

#	ARTICLE	IF	CITATIONS
19	Direct Esthetic Composite Restorations in Anterior Teeth: Managing Symmetry Strategies. <i>Symmetry</i> , 2021, 13, 797.	1.1	20
20	Dentistry and Covid-19 pandemic: operative indications post-lockdown. <i>New Microbiologica</i> , 2021, 44, 1-11.	0.1	19
21	Fracture Strength of Zirconia and Alumina Ceramic Crowns Supported by Implants. <i>Journal of Oral Implantology</i> , 2015, 41, 352-359.	0.4	16
22	Relationship Between Crestal Bone Levels and Crown-to-Implant Ratio of Ultra-Short Implants With a Microrough Surface: A Prospective Study With 48 Months of Follow-Up. <i>Journal of Oral Implantology</i> , 2019, 45, 18-28.	0.4	16
23	Fourteen-year evaluation of posterior zirconia-based three-unit fixed dental prostheses. <i>Journal of Dentistry</i> , 2020, 101, 103419.	1.7	16
24	Fresh Socket Implants of Different Collar Length: Clinical Evaluation in the Aesthetic Zone. <i>Clinical Implant Dentistry and Related Research</i> , 2015, 17, 871-878.	1.6	14
25	Bone Recontouring in Fresh Sockets with Buccal Bone Loss: A Cone Beam Computed Tomography Study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2014, 29, 863-868.	0.6	13
26	Immediate rehabilitation of the posterior maxilla with extensive sinus pneumatization with one axial and one trans-sinus tilted implant: A 3-year clinical report and a classification. <i>Journal of Prosthetic Dentistry</i> , 2015, 113, 163-168.	1.1	12
27	Dental Implants Placed in Periodontally Infected Sites in Humans. <i>Clinical Implant Dentistry and Related Research</i> , 2017, 19, 131-139.	1.6	11
28	Clinical outcomes and biological and mechanical complications of immediate fixed prostheses supported by zygomatic implants: A retrospective analysis from a prospective clinical study with up to 11 years of follow-up. <i>Clinical Implant Dentistry and Related Research</i> , 2021, 23, 612-624.	1.6	7
29	Buccal-Lingual Bone Remodeling in Immediately Loaded Fresh Socket Implants: A Cone Beam Computed Tomography Study. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2018, 38, 43-49.	0.4	6
30	The "Pre-Finishing" Approach in Direct Anterior Restorations. A Case Series. <i>Dentistry Journal</i> , 2021, 9, 79.	0.9	6
31	Stannous Fluoride Preventive Effect on Enamel Erosion: An In Vitro Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 2755.	1.0	3
32	Laser versus LED polymerization: Comparison of in vitro preventive sealing procedures. <i>Journal of Applied Biomaterials and Functional Materials</i> , 2019, 17, 228080001881601.	0.7	0