Pernille Due

List of Publications by Citations

Source: https://exaly.com/author-pdf/12123351/pernille-due-publications-by-citations.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

110
papers5,711
citations34
h-index74
g-index111
ext. papers6,334
ext. citations3.4
avg, IF5.19
L-index

#	Paper	IF	Citations
110	A cross-national profile of bullying and victimization among adolescents in 40 countries. International Journal of Public Health, 2009, 54 Suppl 2, 216-24	4	647
109	Determinants of fruit and vegetable consumption among children and adolescents: a review of the literature. Part I: Quantitative studies. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006 , 3, 22	8.4	605
108	Bullying and symptoms among school-aged children: international comparative cross sectional study in 28 countries. <i>European Journal of Public Health</i> , 2005 , 15, 128-32	2.1	438
107	Body mass index and overweight in adolescents in 13 European countries, Israel, and the United States. <i>JAMA Pediatrics</i> , 2004 , 158, 27-33		274
106	Social relations: network, support and relational strain. <i>Social Science and Medicine</i> , 1999 , 48, 661-73	5.1	243
105	Socioeconomic inequality in exposure to bullying during adolescence: a comparative, cross-sectional, multilevel study in 35 countries. <i>American Journal of Public Health</i> , 2009 , 99, 907-14	5.1	237
104	The contribution of childhood and adult socioeconomic position to adult obesity and smoking behaviour: an international comparison. <i>International Journal of Epidemiology</i> , 2005 , 34, 335-44	7.8	168
103	Social relations as determinant of onset of disability in aging. <i>Archives of Gerontology and Geriatrics</i> , 2004 , 38, 85-99	4	161
102	Overweight in school-aged children and its relationship with demographic and lifestyle factors: results from the WHO-Collaborative Health Behaviour in School-aged Children (HBSC) study. <i>International Journal of Public Health</i> , 2009 , 54 Suppl 2, 167-79	4	150
101	Pathways and mechanisms in adolescence contribute to adult health inequalities. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 62-78	3	134
100	Cross-national time trends in bullying behaviour 1994-2006: findings from Europe and North America. <i>International Journal of Public Health</i> , 2009 , 54 Suppl 2, 225-34	4	131
99	Cohabitation and marital status as predictors of mortalityan eight year follow-up study. <i>Social Science and Medicine</i> , 2002 , 55, 673-9	5.1	129
98	Income inequality, individual income, and mortality in Danish adults: analysis of pooled data from two cohort studies. <i>BMJ: British Medical Journal</i> , 2002 , 324, 13-6		105
97	Negative school perceptions and involvement in school bullying: a universal relationship across 40 countries. <i>Journal of Adolescence</i> , 2011 , 34, 639-52	3.4	100
96	International survey of self-reported medicine use among adolescents. <i>Annals of Pharmacotherapy</i> , 2003 , 37, 361-6	2.9	93
95	Bullying victimization among 13 to 15-year-old school children: results from two comparative studies in 66 countries and regions. <i>International Journal of Adolescent Medicine and Health</i> , 2008 , 20, 209-21	1.1	90
94	Correlates of fruit and vegetable consumption among 11-year-old Belgian-Flemish and Dutch schoolchildren. <i>Journal of Nutrition Education and Behavior</i> , 2006 , 38, 211-21	2	89

(2004-2004)

functional decline. <i>Journals of Gerontology - Series B Psychological Sciences and Social Sciences</i> , 2004 , 59, S44-51	4.6	89	
Socio-economic inequality in multiple health complaints among adolescents: international comparative study in 37 countries. <i>International Journal of Public Health</i> , 2009 , 54 Suppl 2, 260-70	4	88	
Is bullying equally harmful for rich and poor children?: a study of bullying and depression from age 15 to 27. European Journal of Public Health, 2009 , 19, 464-9	2.1	84	
Overweight, body image and bullyingan epidemiological study of 11- to 15-years olds. <i>European Journal of Public Health</i> , 2012 , 22, 126-30	2.1	75	
Is obesity at individual and national level associated with lower age at menarche? Evidence from 34 countries in the Health Behaviour in School-aged Children Study. <i>Journal of Adolescent Health</i> , 2012 , 50, 621-6	5.8	72	
Exposure to bullying at school and depression in adulthood: a study of Danish men born in 1953. European Journal of Public Health, 2009 , 19, 111-6	2.1	70	
Trends in overweight prevalence among 11-, 13- and 15-year-olds in 25 countries in Europe, Canada and USA from 2002 to 2010. <i>European Journal of Public Health</i> , 2015 , 25 Suppl 2, 28-32	2.1	63	
Trends in prevalence of overweight and obesity in danish infants, children and adolescentsare we still on a plateau?. <i>PLoS ONE</i> , 2013 , 8, e69860	3.7	63	
Is victimization from bullying associated with medicine use among adolescents? A nationally representative cross-sectional survey in Denmark. <i>Pediatrics</i> , 2007 , 120, 110-7	7.4	62	
Peer victimization and subjective health among students reporting disability or chronic illness in 11 Western countries. <i>European Journal of Public Health</i> , 2013 , 23, 421-6	2.1	61	
Determinants of fruit and vegetable intake among 11-year-old schoolchildren in a country of traditionally low fruit and vegetable consumption. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2006 , 3, 41	8.4	54	
Cynical hostility, socioeconomic position, health behaviors, and symptom load: a cross-sectional analysis in a Danish population-based study. <i>Psychosomatic Medicine</i> , 2004 , 66, 572-7	3.7	53	
Self-reported medicine use among 11- to 15-year-old girls and boys in Denmark 1988-1998. Scandinavian Journal of Public Health, 2003 , 31, 334-41	3	52	
Tracking drinking behaviour from age 15-19 years. <i>Addiction</i> , 2003 , 98, 1505-11	4.6	49	
Personal, social and environmental factors regarding fruit and vegetable intake among schoolchildren in nine European countries. <i>Annals of Nutrition and Metabolism</i> , 2005 , 49, 255-66	4.5	43	
Intervention effects on adolescent physical activity in the multicomponent SPACE study: a cluster randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e99369	3.7	40	
Stability and change in structural social relations as predictor of mortality among elderly women and men. <i>European Journal of Epidemiology</i> , 2000 , 16, 1087-97	12.1	37	
Social class variation in medicine use among adolescents. <i>European Journal of Public Health</i> , 2004 , 14, 49-52	2.1	34	
	functional decline. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2004, 59, 544-51 Socio-economic inequality in multiple health complaints among adolescents: international comparative study in 37 countries. International Journal of Public Health, 2009, 54 Suppl 2, 260-70 Is bullying equally harmful for rich and poor children?: a study of bullying and depression from age 15 to 27. European Journal of Public Health, 2009, 19, 464-9 Overweight, body image and bullying-an epidemiological study of 11- to 15-years olds. European Journal of Public Health, 2012, 22, 126-30 Is obesity at individual and national level associated with lower age at menarche? Evidence from 34 countries in the Health Behaviour in School-aged Children Study. Journal of Adolescent Health, 2012, 50, 621-6 Exposure to bullying at school and depression in adulthood: a study of Danish men born in 1953. European Journal of Public Health, 2009, 19, 111-6 Trends in overweight prevalence among 11-, 13- and 15-year-olds in 25 countries in Europe, Canada and USA from 2002 to 2010. European Journal of Public Health, 2015, 25 Suppl 2, 28-32 Trends in prevalence of overweight and obesity in danish infants, children and adolescents-are we still on a plateau?. PLoS ONE, 2013, 8, e69860 Is victimization from bullying associated with medicine use among adolescents? A nationally representative cross-sectional survey in Denmark. Pediatrics, 2007, 120, 110-7 Peer victimization and subjective health among students reporting disability or chronic illness in 11 Western countries. European Journal of Public Health, 2013, 23, 421-6 Determinants of fruit and vegetable intake among 11-year-old schoolchildren in a country of traditionally low fruit and vegetable consumption. International Journal of Behavioral Nutrition and Physical Activity, 2006, 3, 41 Cynical hostility, socioeconomic position, health behaviors, and symptom load: a cross-sectional analysis in a Danish population-based study. Psychosomatic Medicine, 2004, 66,	functional decline. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2004 5, 59, S44-51 Socio-economic inequality in multiple health complaints among adolescents: international comparative study in 37 countries. International Journal of Public Health, 2009, 54 Suppl 2, 260-70 Is bullying equally harmful for rich and poor children?: a study of bullying and depression from age 15 to 27. European Journal of Public Health, 2009, 19, 464-9 Overweight, body image and bullying—an epidemiological study of 11- to 15-years olds. European Journal of Public Health, 2012, 22, 126-30 so a besty at individual and national level associated with lower age at menarche? Evidence from 34 countries in the Health Behaviour in School-aged Children Study. Journal of Adolescent Health, 2012, 50, 621-6 Exposure to bullying at school and depression in adulthood: a study of Danish men born in 1953. European Journal of Public Health, 2009, 19, 111-6 Trends in overweight prevalence among 11-, 13- and 15-year-olds in 25 countries in Europe, Canada and USA from 2002 to 2010. European Journal of Public Health, 2015, 25 Suppl 2, 28-32 Trends in prevalence of overweight and obesity in danish infants, children and adolescents—are we still on a plateau?. PLoS ONE, 2013, 8, e59860 Is victimization from bullying associated with medicine use among adolescents? A nationally representative cross-sectional survey in Denmark. Pediatrics, 2007, 120, 110-7 Peer victimization and subjective health among students reporting disability or chronic illness in 11 Per victimization and subjective health among students reporting disability or chronic illness in 11 Cynical hostility, socioeconomic position, health behaviors, and symptom load: a cross-sectional analysis in a Danish population-based study. Psychosomatic Medicine, 2004, 66, 572-7 Self-reported medicine use among 11- to 15-year-old girls and boys in Denmark 1988-1998. Scandinavian Journal of Public Health, 2003, 31, 334-41 Tracking drinking behaviour from age	functional decline. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2004 4,6 89, 59, S44-51 Socio-economic Inequality in multiple health complaints among adolescents: international comparative study in 37 countries. International Journal of Public Health, 2009, 54 Suppl 2, 260-70 4 88 Is bullying equally harmful for rich and poor children?: a study of bullying and depression from age 15 to 27. European Journal of Public Health, 2009, 19, 464-9 Overweight, body image and bullying—an epidemiological study of 11- to 15-years olds. European Journal of Public Health, 2012, 22, 126-30 Is obesity at individual and national level associated with lower age at menarche? Evidence from 34 countries in the Health Behaviour in School-aged Children Study. Journal of Adolescent Health, 2012, 50, 621-6 Exposure to bullying at school and depression in adulthood: a study of Danish men born in 1953. European Journal of Public Health, 2009, 19, 111-6 Trends in overweight prevalence among 11-, 13- and 15-year-olds in 25 countries in Europe, Canada and USA from 2002 to 2010. European Journal of Public Health, 2015, 25 Suppl 2, 28-32 Trends in overweight prevalence among 11-, 13- and 15-year-olds in 25 countries in Europe, Canada and USA from 2002 to 2010. European Journal of Public Health, 2015, 25 Suppl 2, 28-32 Trends in prevalence of overweight and obesity in danish infants, children and adolescents—are we still on a plateau?. PLoS ONE, 2013, 8, e69860 Is victimization from bullying associated with medicine use among adolescents? A nationally representative cross-sectional survey in Denmark. Pediatrics, 2007, 120, 110-7 Peer victimization and subjective health among students reporting disability or chronic illness in 11 Vestern countries. European Journal of Public Health, 2013, 23, 421-6 Determinants of fruit and vegetable intake among 11- to 15-year-old schoolchildren in a country of traditionally low fruit and vegetable intake among 11- to 15-year-old girls and boys in Denmark 1988-19

75	Income inequality and ischaemic heart disease in Danish men and women. <i>International Journal of Epidemiology</i> , 2003 , 32, 375-80	7.8	33
74	The role of national policies intended to regulate adolescent smoking in explaining the prevalence of daily smoking: a study of adolescents from 27 European countries. <i>Addiction</i> , 2008 , 103, 824-31	4.6	28
73	Social inequality in adolescent daily smoking: has it changed over time?. <i>Scandinavian Journal of Public Health</i> , 2009 , 37, 287-94	3	26
72	Young adolescentsRuse of medicine for headache: sources of supply, availability and accessibility at home. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 406-10	2.6	24
71	Medicine use among 11- and 13-year-olds: agreement between parentsReports and children self-reports. <i>Annals of Pharmacotherapy</i> , 2007 , 41, 581-6	2.9	24
70	Cross-country comparisons of trends in adolescent psychosomatic symptoms - a Rasch analysis of HBSC data from four Nordic countries. <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 27	3	23
69	Prevention of public health risks linked to bullying: a need for a whole community approach. <i>International Journal of Adolescent Medicine and Health</i> , 2008 , 20, 185-99	1.1	23
68	Socioeconomic disparities in birth weight and body mass index during infancy through age 7 years: a study within the Danish National Birth Cohort. <i>BMJ Open</i> , 2017 , 7, e011781	3	22
67	Does school social capital modify socioeconomic inequality in mental health? A multi-level analysis in Danish schools. <i>Social Science and Medicine</i> , 2015 , 140, 35-43	5.1	22
66	The effect of antenatal education in small classes on obstetric and psycho-social outcomes - a systematic review. <i>Systematic Reviews</i> , 2015 , 4, 20	3	22
65	Medicine use for headache in adolescence predicts medicine use for headache in young adulthood. <i>Pharmacoepidemiology and Drug Safety</i> , 2009 , 18, 619-23	2.6	22
64	Revitalising the Metropolit 1953 Danish male birth cohort: background, aims and design. <i>Paediatric and Perinatal Epidemiology</i> , 2004 , 18, 385-94	2.7	22
63	Effect of antenatal education in small classes versus standard auditorium-based lectures on use of pain relief during labour and of obstetric interventions: results from the randomised NEWBORN trial. <i>BMJ Open</i> , 2016 , 6, e010761	3	22
62	Self-rated health as predictor of medicine use in adolescence. <i>Pharmacoepidemiology and Drug Safety</i> , 2008 , 17, 186-92	2.6	21
61	Emotional symptoms among adolescents: epidemiological analysis of individual-, classroom- and school-level factors. <i>European Journal of Public Health</i> , 2015 , 25, 644-9	2.1	20
60	School-related risk factors for drunkenness among adolescents: risk factors differ between socio-economic groups. <i>European Journal of Public Health</i> , 2007 , 17, 27-32	2.1	19
59	Effects of the X:IT smoking intervention: a school-based cluster randomized trial. <i>International Journal of Epidemiology</i> , 2015 , 44, 1900-8	7.8	18
58	Loneliness, immigration background and self-identified ethnicity: a nationally representative study of adolescents in Denmark. <i>Journal of Ethnic and Migration Studies</i> , 2016 , 42, 1977-1995	2.1	18

(2019-2014)

57	Barriers and facilitators for teachersRimplementation of the curricular component of the boost intervention targeting adolescentsRfruit and vegetable intake. <i>Journal of Nutrition Education and Behavior</i> , 2014 , 46, e1-8	2	18
56	Influence of marital history over two and three generations on early death. A longitudinal study of Danish men born in 1953. <i>Journal of Epidemiology and Community Health</i> , 2006 , 60, 496-501	5.1	18
55	Eight-year change in functional ability among 70- to 95-year-olds. <i>Scandinavian Journal of Public Health</i> , 2007 , 35, 243-9	3	18
54	Design of a school-based randomized trial to reduce smoking among 13 to 15-year olds, the X:IT study. <i>BMC Public Health</i> , 2014 , 14, 518	4.1	17
53	Antenatal education in small classes may increase childbirth self-efficacy: Results from a Danish randomised trial. <i>Sexual and Reproductive Healthcare</i> , 2016 , 10, 32-34	2.4	17
52	Changes in social relations in old age. Are they influenced by functional ability?. <i>Aging Clinical and Experimental Research</i> , 2002 , 14, 56-64	4.8	17
51	Implementation of strategies to increase adolescentsRaccess to fruit and vegetables at school: process evaluation findings from the Boost study. <i>BMC Public Health</i> , 2015 , 15, 86	4.1	16
50	A six-step protocol to systematic process evaluation of multicomponent cluster-randomised health promoting interventions illustrated by the Boost study. <i>Evaluation and Program Planning</i> , 2014 , 46, 58-7	1 .7	15
49	High impact of implementation on school-based smoking prevention: the X:IT study-a cluster-randomized smoking prevention trial. <i>Implementation Science</i> , 2016 , 11, 125	8.4	15
48	Changes in household composition as determinant of changes in functional ability among old men and women. <i>Aging Clinical and Experimental Research</i> , 2002 , 14, 65-74	4.8	15
47	The Hi Five study: design of a school-based randomized trial to reduce infections and improve hygiene and well-being among 6-15 year olds in Denmark. <i>BMC Public Health</i> , 2015 , 15, 207	4.1	14
46	Supermarket and fast-food outlet exposure in Copenhagen: associations with socio-economic and demographic characteristics. <i>Public Health Nutrition</i> , 2011 , 14, 1618-26	3.3	14
45	Adolescent Weight Status: Associations With Structural and Functional Dimensions of Social Relations. <i>Journal of Adolescent Health</i> , 2017 , 60, 460-468	5.8	13
44	Secular Trends in Alcohol Drinking Among Danish 15-Year-Olds: Comparable Representative Samples From 1988 to 2010. <i>Journal of Research on Adolescence</i> , 2014 , 24, 748-756	3.2	13
43	Living with a disability: a qualitative study of associations between social relations, social participation and quality of life. <i>Disability and Rehabilitation</i> , 2019 , 41, 1275-1286	2.4	12
42	Validity of a hospital-based obstetric register using medical records as reference. <i>Clinical Epidemiology</i> , 2015 , 7, 509-15	5.9	10
41	Validation of presence of supermarkets and fast-food outlets in Copenhagen: case study comparison of multiple sources of secondary data. <i>Public Health Nutrition</i> , 2012 , 15, 1228-31	3.3	10
40	Trends in high life satisfaction among adolescents in five Nordic countries 2002–2014. <i>Nordisk VIJfādsforskning</i> , 2019 , 4, 54-66	0.8	10

39	Development in self-rated health among older people as determinant of social relations. Scandinavian Journal of Public Health, 2004 , 32, 419-25	3	9
38	Study protocol of the X:IT II - a school-based smoking preventive intervention. <i>BMC Public Health</i> , 2019 , 19, 497	4.1	8
37	Study protocol of the Healthy High School study: a school-based intervention to improve well-being among high school students in Denmark. <i>BMC Public Health</i> , 2020 , 20, 95	4.1	8
36	Group-based antenatal birth and parent preparation for improving birth outcomes and parenting resources: study protocol for a randomised trial. <i>Sexual and Reproductive Healthcare</i> , 2013 , 4, 121-6	2.4	8
35	Old personsRcontact with general practitioners in relation to health: a Danish population study. <i>Scandinavian Journal of Primary Health Care</i> , 1991 , 9, 252-8	2.7	8
34	Antenatal small-class education versus auditorium-based lectures to promote positive transitioning to parenthood - A randomised trial. <i>PLoS ONE</i> , 2017 , 12, e0176819	3.7	8
33	Trends in social inequality in overweight and obesity among adolescents in Denmark 1998-2018. <i>International Journal of Public Health</i> , 2020 , 65, 607-616	4	7
32	Parental involvement and association with adolescentsRfruit and vegetable intake at follow-up: Process evaluation results from the multi-component school-based Boost intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016 , 13, 112	8.4	7
31	Socioeconomic differences in emotional symptoms among adolescents in the Nordic countries: recommendations on how to present inequality. <i>Scandinavian Journal of Public Health</i> , 2015 , 43, 83-90	3	7
30	Association of School Characteristics and Implementation in the X:IT Study-A School-Randomized Smoking Prevention Program. <i>Journal of School Health</i> , 2017 , 87, 329-337	2.1	6
29	The role of curriculum dose for the promotion of fruit and vegetable intake among adolescents: results from the Boost intervention. <i>BMC Public Health</i> , 2015 , 15, 536	4.1	6
28	Implementation fidelity and adolescent smoking: The X:IT study-A school randomized smoking prevention trial. <i>Evaluation and Program Planning</i> , 2019 , 72, 24-32	1.7	6
27	Increasing prevalence of emotional symptoms in higher socioeconomic strata: Trend study among Danish schoolchildren 1991-2014. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 690-694	3	6
26	Integrating couple relationship education in antenatal education - a study of perceived relevance among expectant Danish parents. <i>Sexual and Reproductive Healthcare</i> , 2014 , 5, 174-5	2.4	5
25	Do eating behaviors in the general population account for country variance in glycemic control among adolescents with diabetes: the Hvidoere Study Group and the Health Behaviour in School-Aged Children study. <i>Pediatric Diabetes</i> , 2013 , 14, 554-61	3.6	5
24	Promoting and sustaining health through increased vegetable and fruit consumption among European schoolchildren: The Pro Children Project. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2005 , 13, 97-101	1.4	5
23	Towards enhancing research on adolescent positive mental health. <i>Nordisk Vlyadsforskning</i> , 2019 , 4, 113-128	0.8	5
22	Trends in socioeconomic differences in daily smoking among 15-year-old Danes 1991-2014. <i>Scandinavian Journal of Public Health</i> , 2020 , 48, 667-673	3	5

(2018-2020)

21	Intake of sugar sweetened soft drinks among adolescents: Trends and social inequality in Denmark 2002-2018. <i>Nutrition and Health</i> , 2020 , 26, 3-8	2.1	4
20	The measurement of change in functional ability: dealing with attrition and the floor/ceiling effect. <i>Archives of Gerontology and Geriatrics</i> , 2006 , 43, 337-50	4	4
19	Trends in excellent self-rated health among adolescents: A comparative Nordic study. <i>Nordisk Vlyfadsforskning</i> , 2019 , 4, 67-76	0.8	4
18	Self-efficacy and social competence reduce socioeconomic inequality in emotional symptoms among schoolchildren. <i>European Journal of Public Health</i> , 2020 , 30, 80-85	2.1	3
17	Large-scale alcohol use and socioeconomic position of origin: longitudinal study from ages 15 to 19 years. <i>Scandinavian Journal of Public Health</i> , 2008 , 36, 326-9	3	3
16	Alkoholforbrug og sociale faktorer blandt 11-15 fige. <i>Nordic Psychology</i> , 1991 , 43, 313-325		3
15	Short report: persistent social inequality in poor self-rated health among adolescents in Denmark 1991-2014. <i>European Journal of Public Health</i> , 2018 , 28, 1114-1116	2.1	3
14	Conceptualization, operationalization, and content validity of the EQOL-questionnaire measuring quality of life and participation for persons with disabilities. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 199	3	3
13	Curricular activities and change in determinants of fruit and vegetable intake among adolescents: Results from the Boost intervention. <i>Preventive Medicine Reports</i> , 2017 , 5, 48-56	2.6	2
12	Agreement between children and parents demonstrated that illness-related absenteeism was validly reported by children. <i>Journal of Clinical Epidemiology</i> , 2016 , 69, 61-9	5.7	2
11	Evaluation of the smoking intervention X:IT after the second year: A randomized controlled trial. <i>Scandinavian Journal of Public Health</i> , 2019 , 47, 885-889	3	2
10	Importance of implementation level when evaluating the effect of the Hi Five Intervention on infectious illness and illness-related absenteeism. <i>American Journal of Infection Control</i> , 2018 , 46, 512-5	13 ⁸	1
9	Persistent social inequality in medicine use for headache among adolescents in Denmark 1991-2014. <i>Research in Social and Administrative Pharmacy</i> , 2019 , 15, 465-468	2.9	1
8	The authors reply to Grandone et al. <i>Journal of Adolescent Health</i> , 2013 , 52, 376	5.8	1
7	Socio-economic differences in smoking among adolescents in a school-based smoking intervention: The X:IT II study. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 961-969	3	1
6	What characterizes schools and students participating in health promoting school-based intervention studies? Findings from the healthy high school study. <i>Preventive Medicine Reports</i> , 2021 , 23, 101491	2.6	1
5	Why Do Some Adolescents Manage Despite Parental Illness? Identifying Promotive Factors. <i>Journal of Adolescent Health</i> , 2021 , 69, 335-341	5.8	0
4	Brief Report: Trends in Social Inequality in Drunkenness Among Danish Adolescents, 1991 2 014. Journal of Studies on Alcohol and Drugs, 2018 , 79, 561-566	1.9	

3	BMI Among 7-14-Year-Old Children Following a Stay at a Residential Health Camp in Denmark Frontiers in Public Health, 2021 , 9, 733144	6
2	From questionnaire to practical application: A quality of life profile for populations with diverse disabilities. <i>Scandinavian Journal of Public Health</i> , 2021 , 1403494820981437	3
1	Brief Report: Trends in Social Inequality in Drunkenness Among Danish Adolescents, 1991-2014. Journal of Studies on Alcohol and Drugs, 2018 , 79, 561-566	1.9