

Maria A Alava

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12126340/publications.pdf>

Version: 2024-02-01

12
papers

722
citations

932766

10
h-index

1281420

11
g-index

12
all docs

12
docs citations

12
times ranked

909
citing authors

#	ARTICLE	IF	CITATIONS
1	Involvement of APO2 ligand/TRAIL in activation-induced death of Jurkat and human peripheral blood T cells. <i>European Journal of Immunology</i> , 1998, 28, 2714-2725.	1.6	179
2	The Porcine Acute Phase Response to Infection with <i>Actinobacillus pleuropneumoniae</i> . Haptoglobin, C-Reactive Protein, Major Acute Phase Protein and Serum Amyloid A Protein Are Sensitive Indicators of Infection. <i>Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology</i> , 1998, 119, 365-373.	0.7	169
3	The human melanoma cell line MelJuSo secretes bioactive FasL and APO2L/TRAIL on the surface of microvesicles. Possible contribution to tumor counterattack. <i>Experimental Cell Research</i> , 2004, 295, 315-329.	1.2	83
4	Pig α MAP/ITIH4 and haptoglobin are interleukin-6-dependent acute-phase plasma proteins in porcine primary cultured hepatocytes. <i>FEBS Journal</i> , 2000, 267, 1878-1885.	0.2	65
5	Proteomic characterization by 2-DE in bovine serum and whey from healthy and mastitis affected farm animals. <i>Journal of Proteomics</i> , 2012, 75, 3015-3030.	1.2	64
6	Resistance to apoptosis correlates with a highly proliferative phenotype and loss of Fas and CPP32 (caspase-3) expression in human leukemia cells. , 1998, 75, 473-481.		44
7	Tyrosine phosphorylation of the p85 subunit of phosphatidylinositol 3-kinase correlates with high proliferation rates in sublines derived from the Jurkat leukemia. <i>International Journal of Biochemistry and Cell Biology</i> , 2000, 32, 435-445.	1.2	31
8	CD59 cross-linking induces secretion of APO2 ligand in overactivated human T cells. <i>European Journal of Immunology</i> , 2000, 30, 1078-1087.	1.6	28
9	Role of oxidative damage and IL-1 β -converting enzyme-like proteases in Fas-based cytotoxicity exerted by effector T cells. <i>International Immunology</i> , 1996, 8, 1173-1183.	1.8	24
10	Development and validation of an ELISA for the quantification of pig Major Acute phase Protein (Pig-MAP). <i>Veterinary Immunology and Immunopathology</i> , 2009, 127, 228-234.	0.5	18
11	Acute-phase inter-alpha-trypsin inhibitor heavy chain 4 (ITIH4) levels in serum and milk of cows with subclinical mastitis caused by <i>Streptococcus</i> species and coagulase-negative <i>Staphylococcus</i> species. <i>Journal of Dairy Science</i> , 2019, 102, 539-546.	1.4	11
12	Development and validation of an ELISA for the quantification of bovine ITIH4 in serum and milk. <i>Veterinary Immunology and Immunopathology</i> , 2019, 217, 109922.	0.5	6