

Nancy K Lowe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12128168/publications.pdf>

Version: 2024-02-01

31
papers

3,583
citations

331670

21
h-index

434195

31
g-index

31
all docs

31
docs citations

31
times ranked

3569
citing authors

#	ARTICLE	IF	CITATIONS
1	A critical review of visual analogue scales in the measurement of clinical phenomena. <i>Research in Nursing and Health</i> , 1990, 13, 227-236.	1.6	1,962
2	The nature of labor pain. <i>American Journal of Obstetrics and Gynecology</i> , 2002, 186, S16-S24.	1.3	320
3	Maternal confidence for labor: Development of the childbirth self-efficacy inventory. <i>Research in Nursing and Health</i> , 1993, 16, 141-149.	1.6	156
4	“Active Labor” Duration and Dilation Rates Among Low-Risk, Nulliparous Women With Spontaneous Labor Onset: A Systematic Review. <i>Journal of Midwifery and Women's Health</i> , 2010, 55, 308-318.	1.3	129
5	Effectiveness of Nurses as Providers of Birth Labor Support in North American Hospitals<SUBTITLE>A Randomized Controlled Trial</SUBTITLE>. <i>JAMA - Journal of the American Medical Association</i> , 2002, 288, 1373.	7.4	125
6	Explaining the pain of active labor: The importance of maternal confidence. <i>Research in Nursing and Health</i> , 1989, 12, 237-245.	1.6	94
7	The Pain and Discomfort of Labor and Birth. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 1996, 25, 82-92.	0.5	76
8	Confirming the theoretical structure of the McGill pain questionnaire in acute clinical pain. <i>Pain</i> , 1991, 46, 53-60.	4.2	75
9	Accuracy of the Clinical Diagnosis of Vaginitis Compared With a DNA Probe Laboratory Standard. <i>Obstetrics and Gynecology</i> , 2009, 113, 89-95.	2.4	72
10	Outcomes of Nulliparous Women With Spontaneous Labor Onset Admitted to Hospitals in Preactive Versus Active Labor. <i>Journal of Midwifery and Women's Health</i> , 2014, 59, 28-34.	1.3	57
11	A Review of Factors Associated With Dystocia and Cesarean Section in Nulliparous Women. <i>Journal of Midwifery and Women's Health</i> , 2007, 52, 216-228.	1.3	49
12	Maternal Confidence in Coping with Labor. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 1991, 20, 457-463.	0.5	48
13	Proposed biological linkages between obesity, stress, and inefficient uterine contractility during labor in humans. <i>Medical Hypotheses</i> , 2011, 76, 755-760.	1.5	44
14	Childbirth Self-Efficacy Inventory and Childbirth Attitudes Questionnaire: psychometric properties of Thai language versions. <i>Journal of Advanced Nursing</i> , 2011, 67, 193-203.	3.3	41
15	Effect on birth outcomes of a formalised approach to care in hospital labour assessment units: international, randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2008, 337, a1021-a1021.	2.3	40
16	Individual variation in childbirth pain. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 1987, 7, 183-192.	2.1	38
17	Parity Pain During Parturition. <i>JOGNN - Journal of Obstetric, Gynecologic, and Neonatal Nursing</i> , 1987, 16, 340-346.	0.5	34
18	The convergence between in-labor report and postpartum recall of parturition pain. <i>Research in Nursing and Health</i> , 1988, 11, 11-21.	1.6	34

#	ARTICLE	IF	CITATIONS
19	Differences in inflammatory markers between nulliparous women admitted to hospitals in preactive vs active labor. <i>American Journal of Obstetrics and Gynecology</i> , 2015, 212, 68.e1-68.e8.	1.3	32
20	Physiologic partograph to improve birth safety and outcomes among low-risk, nulliparous women with spontaneous labor onset. <i>Medical Hypotheses</i> , 2012, 78, 319-326.	1.5	29
21	Accuracy of Vaginal Symptom Self-Diagnosis Algorithms for Deployed Military Women. <i>Nursing Research</i> , 2010, 59, 2-10.	1.7	22
22	Using the Robson 10â€œGroup Classification System to Compare Cesarean Birth Utilization Between US Centers With and Without Midwives. <i>Journal of Midwifery and Women's Health</i> , 2020, 65, 10-21.	1.3	17
23	A Clinical Test of Womenâ€™s Self-Diagnosis of Genitourinary Infections. <i>Clinical Nursing Research</i> , 2000, 9, 144-160.	1.6	15
24	Labor Dystocia: A Common Approach to Diagnosis. <i>Journal of Midwifery and Women's Health</i> , 2015, 60, 499-509.	1.3	15
25	Likelihood of cesarean delivery after applying leading active labor diagnostic guidelines. <i>Birth</i> , 2017, 44, 128-136.	2.2	15
26	Serum lactate dehydrogenase profile as a retrospective indicator of uterine preparedness for labor: a prospective, observational study. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 128.	2.4	12
27	SCIENCE AND MIDWIFERY: PARADIGMS AND PARADOXES. <i>Journal of Midwifery and Women's Health</i> , 2001, 46, 91-97.	1.3	10
28	Comparing Different Partograph Designs for Use in Standard Labor Care: A Pilot Randomized Trial. <i>Maternal and Child Health Journal</i> , 2018, 22, 355-363.	1.5	9
29	An Integrated Review of Uterine Activity Monitoring for Evaluating Labor Dystocia. <i>Journal of Midwifery and Women's Health</i> , 2020, 65, 323-334.	1.3	6
30	Applying a physiologic partograph to Consortium on Safe Labor data to identify opportunities for safely decreasing cesarean births among nulliparous women. <i>Birth</i> , 2018, 45, 358-367.	2.2	4
31	Likelihood of cesarean birth among parous women after applying leading active labor diagnostic guidelines. <i>Midwifery</i> , 2018, 67, 64-69.	2.3	3