Harry H S Fong

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12131655/publications.pdf

Version: 2024-02-01

50276 43889 9,723 92 46 91 citations h-index g-index papers 95 95 95 10480 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Anti-HIV diphyllin glycosides from Justicia gendarussa. Phytochemistry, 2017, 136, 94-100. | 2.9 | 51 |
| 2 | Potent Inhibitor of Drug-Resistant HIV-1 Strains Identified from the Medicinal Plant <i>Justicia gendarussa </i> Journal of Natural Products, 2017, 80, 1798-1807. | 3.0 | 71 |
| 3 | Discovery of Bioactive Compounds by the UIC-ICBG Drug Discovery Program in the 18 Years Since 1998. Molecules, 2016, 21, 1448. | 3.8 | 9 |
| 4 | <i>Litsea</i> Species as Potential Antiviral Plant Sources. The American Journal of Chinese Medicine, 2016, 44, 275-290. | 3.8 | 16 |
| 5 | Bioassayâ€Guided Isolation and Structural Modification of the Antiâ€ <scp>TB</scp> Resorcinols from <i>Ardisia gigantifolia</i> . Chemical Biology and Drug Design, 2016, 88, 293-301. | 3.2 | 10 |
| 6 | Bioactive Compounds from <i>Vitex leptobotrys</i> . Journal of Natural Products, 2014, 77, 663-667. | 3.0 | 32 |
| 7 | Modified Huo-Luo-Xiao-Ling Dan Suppresses Adjuvant Arthritis by Inhibiting Chemokines and Matrix-Degrading Enzymes. Evidence-based Complementary and Alternative Medicine, 2012, 2012, 1-8. | 1.2 | 11 |
| 8 | Antituberculosis Cycloartane Triterpenoids from <i>Radermachera boniana</i> . Journal of Natural Products, 2011, 74, 1318-1322. | 3.0 | 30 |
| 9 | Rubesanolides A and B: Diterpenoids from <i>Isodon rubescens</i> . Organic Letters, 2011, 13, 1406-1409. | 4.6 | 39 |
| 10 | Bioactive Compounds from the Fern <i>Lepisorus contortus</i> . Journal of Natural Products, 2011, 74, 129-136. | 3.0 | 34 |
| 11 | Analgesic effect of Coptis chinensis rhizomes (Coptidis Rhizoma) extract on rat model of irritable bowel syndrome. Journal of Ethnopharmacology, 2011, 135, 754-761. | 4.1 | 56 |
| 12 | Development of an Antiviral Screening Protocol: One-Stone-Two-birds. Journal of Antivirals & Antiretrovirals, 2011, 03, 8-10. | 0.1 | 20 |
| 13 | Phytoconstituents from Vitex agnus-castus fruits. Fìtoterapìâ, 2011, 82, 528-533. | 2.2 | 60 |
| 14 | Suppression of Ongoing Experimental Arthritis by a Chinese Herbal Formula (Huo-Luo-Xiao-Ling Dan) Involves Changes in Antigen-Induced Immunological and Biochemical Mediators of Inflammation. Evidence-based Complementary and Alternative Medicine, 2011, 2011, 1-10. | 1.2 | 24 |
| 15 | Isolation and evaluation of kaempferol glycosides from the fern Neocheiropteris palmatopedata. Phytochemistry, 2010, 71, 641-647. | 2.9 | 32 |
| 16 | Discovery of cyclooxygenase inhibitors from medicinal plants used to treat inflammation. Pharmacological Research, 2010, 61, 519-524. | 7.1 | 98 |
| 17 | Botanical Supplements for Aging. Annals of Traditional Chinese Medicine, 2010, , 55-92. | 0.1 | O |
| 18 | Neonatal maternal separation elevates thalamic corticotrophin releasing factor type 1 receptor expression response to colonic distension in rat. Neuroendocrinology Letters, 2010, 31, 215-20. | 0.2 | 22 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Extract of the Chinese herbal formula Huo Luo Xiao Ling Dan inhibited adjuvant arthritis in rats. Journal of Ethnopharmacology, 2009, 121, 366-371. | 4.1 | 77 |
| 20 | Huo-Luo-Xiao-Ling Dan modulates antigen-directed immune response in adjuvant-induced inflammation. Journal of Ethnopharmacology, 2009, 123, 40-44. | 4.1 | 20 |
| 21 | Lamiridosins, Hepatitis C Virus Entry Inhibitors from <i>Lamium album</i> . Journal of Natural Products, 2009, 72, 2158-2162. | 3.0 | 62 |
| 22 | Bioactive 5,6-Dihydro-α-pyrone Derivatives from Hyptis brevipes. Journal of Natural Products, 2009, 72, 1165-1169. | 3.0 | 49 |
| 23 | Study of Antimalarial Activity of Chemical Constituents from <i>Diospyros quaesita</i> . Chemistry and Biodiversity, 2008, 5, 2442-2448. | 2.1 | 36 |
| 24 | A first new antimalarial pregnane glycoside from. Asian Journal of Traditional Medicines, 2008, 3, 203-210. | 0.0 | 9 |
| 25 | Chlorination DiversifiesCimicifuga racemosaTriterpene Glycosides. Journal of Natural Products, 2007, 70, 1016-1023. | 3.0 | 14 |
| 26 | The Role of Quality Assurance and Standardization in the Safety of Botanical Dietary Supplements. Chemical Research in Toxicology, 2007, 20, 577-582. | 3.3 | 49 |
| 27 | Serotonergic Activity-Guided Phytochemical Investigation of the Roots of Angelica sinensis. Journal of Natural Products, 2006, 69, 536-541. | 3.0 | 127 |
| 28 | "Studies on Biodiversity of Vietnam and Laos―1998â^'2005: Examining the Impact#. Journal of Natural Products, 2006, 69, 473-481. | 3.0 | 22 |
| 29 | Antimalarial Compounds fromGrewia bilamellata⊥. Journal of Natural Products, 2006, 69, 346-350. | 3.0 | 59 |
| 30 | GABAergic phthalide dimers from Angelica sinensis (Oliv.) Diels. Phytochemical Analysis, 2006, 17, 398-405. | 2.4 | 25 |
| 31 | Beccaridiol, an unusual 28-nortriterpenoid from the leaves of Diplectria beccariana. Phytochemistry, 2006, 67, 1832-1837. | 2.9 | 16 |
| 32 | Rourinoside and rouremin, antimalarial constituents from Rourea minor. Phytochemistry, 2006, 67, 1378-1384. | 2.9 | 43 |
| 33 | Bioactive constituents from roots of Bursera tonkinensis. Phytochemistry, 2005, 66, 2745-2751. | 2.9 | 106 |
| 34 | Antimalarial Constituents from Nauclea orientalis (L.) L Chemistry and Biodiversity, 2005, 2, 1378-1386. | 2.1 | 47 |
| 35 | CCC Sample Cutting for Isolation of Prenylated Phenolics from Hops. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 1959-1969. | 1.0 | 12 |
| 36 | Synthesis of Cimiracemate B, A Phenylpropanoid found in Cimicifuga racemosa. Natural Product Research, 2005, 19, 287-290. | 1.8 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | CCC in the Phytochemical Analysis of Antiâ€Tuberculosis Ethnobotanicals. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 2017-2028. | 1.0 | 12 |
| 38 | Cimipronidine, a Cyclic Guanidine Alkaloid from Cimicifuga racemosa. Journal of Natural Products, 2005, 68, 1266-1270. | 3.0 | 50 |
| 39 | Limnophilaspiroketone, a Highly Oxygenated Phenolic Derivative fromLimnophilageoffrayi. Journal of Natural Products, 2005, 68, 1134-1136. | 3.0 | 6 |
| 40 | Extraâ€Column Volume in CCC. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 1799-1818. | 1.0 | 13 |
| 41 | Phenolic compounds obtained from stems ofcouepia ulei with the potential to induce quinone reductase. Archives of Pharmacal Research, 2004, 27, 169-172. | 6.3 | 6 |
| 42 | Potential cancer chemopreventive constituents of the leaves of Macaranga triloba. Phytochemistry, 2004, 65, 345-350. | 2.9 | 44 |
| 43 | Constituents of the stems of Macrococculus pomiferus and their inhibitory activities against cyclooxygenases-1 and -2. Phytochemistry, 2004, 65, 2861-2866. | 2.9 | 23 |
| 44 | Constituents of Asparagus officinalis Evaluated for Inhibitory Activity against Cyclooxygenase-2. Journal of Agricultural and Food Chemistry, 2004, 52, 2218-2222. | 5.2 | 75 |
| 45 | Estrogens and Congeners from Spent Hops (Humuluslupulus). Journal of Natural Products, 2004, 67, 2024-2032. | 3.0 | 116 |
| 46 | New 3-O-Acyl Betulinic Acids from Strychnos van prukii Craib. Journal of Natural Products, 2004, 67, 994-998. | 3.0 | 36 |
| 47 | Bioactive Constituents fromAsparagus cochinchinensis⊥. Journal of Natural Products, 2004, 67, 194-200. | 3.0 | 69 |
| 48 | New Sesquiterpenes fromLitseaverticillata. Journal of Natural Products, 2003, 66, 609-615. | 3.0 | 92 |
| 49 | Compounds obtained fromSida acuta with the potential to induce quinone reductase and to inhibit 7,12-dimethylbenz-[a]anthracene-induced preneoplastic lesions in a mouse mammary organ culture model. Archives of Pharmacal Research, 2003, 26, 585-590. | 6.3 | 37 |
| 50 | NMR study of fumarprotocetraric acid, a complex lichen depsidone derivative fromCladonia furcata. Magnetic Resonance in Chemistry, 2003, 41, 391-394. | 1.9 | 7 |
| 51 | Activity-guided isolation of the chemical constituents of Muntingia calabura using a quinone reductase induction assay. Phytochemistry, 2003, 63, 335-341. | 2.9 | 89 |
| 52 | Isolation and absolute stereochemistry of coussaric acid, a new bioactive triterpenoid from the stems of Coussarea brevicaulis. Phytochemistry, 2003, 64, 293-302. | 2.9 | 32 |
| 53 | Natural Anti-HIV Agents. Part IV. Anti-HIV Constituents fromVaticacinerea 1. Journal of Natural Products, 2003, 66, 263-268. | 3.0 | 69 |
| 54 | Activity-Guided Isolation of Novel Norwithanolides from Deprea subtriflora with Potential Cancer Chemopreventive Activity. Journal of Organic Chemistry, 2003, 68, 2350-2361. | 3.2 | 38 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Constituents of the Stem Bark ofPongamiapinnatawith the Potential to Induce Quinone Reductase. Journal of Natural Products, 2003, 66, 1197-1202. | 3.0 | 57 |
| 56 | Potential Cancer Chemopreventive Constituents of the Seeds of Dipteryxodorata (Tonka Bean). Journal of Natural Products, 2003, 66, 583-587. | 3.0 | 69 |
| 57 | Potential Cancer Chemopreventive Flavonoids from the Stems of Tephrosia toxicaria. Journal of Natural Products, 2003, 66, 1166-1170. | 3.0 | 48 |
| 58 | Antimalarial Agents from Plants. III. Trichothecenes from Ficus fistulosa and Rhaphidophora decursiva. Planta Medica, 2002, 68, 1088-1091. | 1.3 | 47 |
| 59 | Activity-Guided Fractionation of the Seeds of Ziziphus jujuba Using a Cyclooxygenase-2 Inhibitory Assay. Planta Medica, 2002, 68, 1125-1128. | 1.3 | 56 |
| 60 | Hawthorn. Journal of Cardiovascular Nursing, 2002, 16, 1-8. | 1.1 | 38 |
| 61 | DETERMINATION OF CATECHINS IN COMMERCIAL GRAPE SEED EXTRACT. Journal of Liquid Chromatography and Related Technologies, 2002, 25, 397-407. | 1.0 | 12 |
| 62 | Black Cohosh (Cimicifuga racemosa L.) Protects against Menadione-Induced DNA Damage through Scavenging of Reactive Oxygen Species:  Bioassay-Directed Isolation and Characterization of Active Principles. Journal of Agricultural and Food Chemistry, 2002, 50, 7022-7028. | 5.2 | 87 |
| 63 | Cimiracemosides lâ^P, New 9,19-Cyclolanostane Triterpene Glycosides from Cimicifuga racemosa. Journal of Natural Products, 2002, 65, 1391-1397. | 3.0 | 57 |
| 64 | Sesquiterpenoids from Tithonia diversifolia with Potential Cancer Chemopreventive Activity. Journal of Natural Products, 2002, 65, 532-536. | 3.0 | 96 |
| 65 | Constituents ofMusa×paradisiacaCultivar with the Potential To Induce the Phase II Enzyme, Quinone Reductase. Journal of Agricultural and Food Chemistry, 2002, 50, 6330-6334. | 5.2 | 39 |
| 66 | Constituents of the Bark and Twigs of Artocarpusdadahwith Cyclooxygenase Inhibitory Activity. Journal of Natural Products, 2002, 65, 163-169. | 3.0 | 116 |
| 67 | Activity-Guided Isolation of Constituents of Renealmia nicolaioides with the Potential to Induce the Phase II Enzyme Quinone Reductase. Journal of Natural Products, 2002, 65, 1616-1620. | 3.0 | 55 |
| 68 | New Chemical Constituents of Euphorbiaquinque costata and Absolute Configuration Assignment by a Convenient Mosher Ester Procedure Carried Out in NMR Tubes. Journal of Natural Products, 2002, 65, 1278-1282. | 3.0 | 208 |
| 69 | Integration of Herbal Medicine Into Modern Medical Practices: Issues and Prospects. Integrative Cancer Therapies, 2002, 1, 287-293. | 2.0 | 128 |
| 70 | Isolation, Structure Elucidation, and Absolute Configuration of 26-Deoxyactein fromCimicifugaracemosaand Clarification of Nomenclature Associated with 27-Deoxyactein. Journal of Natural Products, 2002, 65, 601-605. | 3.0 | 106 |
| 71 | Natural anti-HIV agentsâ€"part I: (+)-demethoxyepiexcelsin and verticillatol from Litsea verticillata. Phytochemistry, 2002, 59, 325-329. | 2.9 | 68 |
| 72 | Cimiracemates A–D, phenylpropanoid esters from the rhizomes of Cimicifuga racemosa. Phytochemistry, 2002, 61, 409-413. | 2.9 | 41 |

| # | Article | IF | Citations |
|----|---|--------------|-----------|
| 73 | Prenylated flavonoids of the leaves of Macaranga conifera with inhibitory activity against cyclooxygenase-2. Phytochemistry, 2002, 61, 867-872. | 2.9 | 80 |
| 74 | A Novel Cyclooxygenase-Inhibitory Stilbenolignan from the Seeds of Aiphanes aculeata. Organic Letters, 2001, 3, 2169-2171. | 4.6 | 81 |
| 75 | Aromatase Inhibitors fromBroussonetiapapyrifera. Journal of Natural Products, 2001, 64, 1286-1293. | 3.0 | 160 |
| 76 | Evaluation of Estrogenic Activity of Plant Extracts for the Potential Treatment of Menopausal Symptoms. Journal of Agricultural and Food Chemistry, 2001, 49, 2472-2479. | 5 . 2 | 382 |
| 77 | Antimalarial Compounds from Rhaphidophora decursiva. Journal of Natural Products, 2001, 64, 772-777. | 3.0 | 83 |
| 78 | Use of High-Performance Liquid Chromatographyâ^'Tandem Mass Spectrometry To DistinguishPanax ginsengC. A. Meyer (Asian Ginseng) andPanax quinquefoliusL. (North American Ginseng). Analytical Chemistry, 2000, 72, 5417-5422. | 6.5 | 194 |
| 79 | Activity-Guided Isolation of Antioxidative Constituents of Cotinus coggygria. Journal of Natural Products, 2000, 63, 1696-1698. | 3.0 | 99 |
| 80 | Rearranged Taxanes from the Bark of Taxus yunnanensis. Journal of Natural Products, 2000, 63, 1488-1491. | 3.0 | 19 |
| 81 | Computer-assisted structure elucidation: application of CISOC-SES to the resonance assignment and structure generation of betulinic acid. Magnetic Resonance in Chemistry, 1998, 36, 267-278. | 1.9 | 81 |
| 82 | Activity-Guided Isolation of Steroidal Alkaloid Antiestrogen-Binding Site Inhibitors fromPachysandra procumbens. Journal of Natural Products, 1998, 61, 1257-1262. | 3.0 | 46 |
| 83 | Antimutagenic Constituents of Casimiroa eduliswith Potential Cancer Chemopreventive Activity. Journal of Agricultural and Food Chemistry, 1998, 46, 3509-3516. | 5.2 | 52 |
| 84 | Antioxidant Flavonoid Glycosides from Daphniphyllum calycinum 1. Journal of Natural Products, 1998, 61, 706-708. | 3.0 | 103 |
| 85 | Crystal Structure of a 1:1 Complex of Natural Diterpenoids:Â Absolute Configurations and Unambiguous NMR Spectral Assignments of Neoangustifolin and Epinodosinol. Journal of Natural Products, 1997, 60, 203-206. | 3.0 | 28 |
| 86 | Cancer Chemopreventive Activity of Resveratrol, a Natural Product Derived from Grapes. Science, 1997, 275, 218-220. | 12.6 | 4,443 |
| 87 | Nigranoic Acid, a Triterpenoid fromSchisandra sphaerandraThat Inhibits HIV-1 Reverse Transcriptase. Journal of Natural Products, 1996, 59, 525-527. | 3.0 | 147 |
| 88 | Mechanistic Evaluation of New Plant-Derived Compounds That Inhibit HIV-1 Reverse Transcriptase. Journal of Natural Products, 1995, 58, 1024-1031. | 3.0 | 110 |
| 89 | Sesquiterpene lactones and other constituents from a cytotoxic extract of Michelia floribunda. Pharmaceutical Research, 1990, 07, 1269-1272. | 3.5 | 13 |
| 90 | Kmeriol and other aromatic constituents of Kmeria duperreana. Pharmaceutical Research, 1989, 06, 637-640. | 3.5 | 13 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 91 | Inhibition of LDHâ€X by Gossypol Optical Isomers. Journal of Andrology, 1985, 6, 344-347. | 2.0 | 11 |
| 92 | Effect of (+)â€Gossypol on Fertility in Male Hamsters. Journal of Andrology, 1983, 4, 276-279. | 2.0 | 43 |