

# Harry H S Fong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12131655/publications.pdf>

Version: 2024-02-01

92  
papers

9,723  
citations

50170

46  
h-index

43802

91  
g-index

95  
all docs

95  
docs citations

95  
times ranked

10480  
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-HIV diphyllin glycosides from <i>Justicia gendarussa</i> . <i>Phytochemistry</i> , 2017, 136, 94-100.	1.4	51
2	Potent Inhibitor of Drug-Resistant HIV-1 Strains Identified from the Medicinal Plant <i>Justicia gendarussa</i> . <i>Journal of Natural Products</i> , 2017, 80, 1798-1807.	1.5	71
3	Discovery of Bioactive Compounds by the UIC-ICBG Drug Discovery Program in the 18 Years Since 1998. <i>Molecules</i> , 2016, 21, 1448.	1.7	9
4	<i>Litsea</i> Species as Potential Antiviral Plant Sources. <i>The American Journal of Chinese Medicine</i> , 2016, 44, 275-290.	1.5	16
5	Bioassay-Guided Isolation and Structural Modification of the Anti-TB Resorcinols from <i>Ardisia gigantea</i> . <i>Chemical Biology and Drug Design</i> , 2016, 88, 293-301.	1.5	10
6	Bioactive Compounds from <i>Vitex leptobotrys</i> . <i>Journal of Natural Products</i> , 2014, 77, 663-667.	1.5	32
7	Modified Huo-Luo-Xiao-Ling Dan Suppresses Adjuvant Arthritis by Inhibiting Chemokines and Matrix-Degrading Enzymes. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-8.	0.5	11
8	Antituberculosis Cycloartane Triterpenoids from <i>Radermachera boniana</i> . <i>Journal of Natural Products</i> , 2011, 74, 1318-1322.	1.5	30
9	Rubesanolides A and B: Diterpenoids from <i>Isodon rubescens</i> . <i>Organic Letters</i> , 2011, 13, 1406-1409.	2.4	39
10	Bioactive Compounds from the Fern <i>Lepisorus contortus</i> . <i>Journal of Natural Products</i> , 2011, 74, 129-136.	1.5	34
11	Analgesic effect of <i>Coptis chinensis</i> rhizomes ( <i>Coptidis Rhizoma</i> ) extract on rat model of irritable bowel syndrome. <i>Journal of Ethnopharmacology</i> , 2011, 135, 754-761.	2.0	56
12	Development of an Antiviral Screening Protocol: One-Stone-Two-birds. <i>Journal of Antivirals &amp; Antiretrovirals</i> , 2011, 03, 8-10.	0.1	20
13	Phytoconstituents from <i>Vitex agnus-castus</i> fruits. <i>FÄ-toterapÄ-Äç</i> , 2011, 82, 528-533.	1.1	60
14	Suppression of Ongoing Experimental Arthritis by a Chinese Herbal Formula (Huo-Luo-Xiao-Ling Dan) Involves Changes in Antigen-Induced Immunological and Biochemical Mediators of Inflammation. <i>Evidence-based Complementary and Alternative Medicine</i> , 2011, 2011, 1-10.	0.5	24
15	Isolation and evaluation of kaempferol glycosides from the fern <i>Neocheropteris palmatopedata</i> . <i>Phytochemistry</i> , 2010, 71, 641-647.	1.4	32
16	Discovery of cyclooxygenase inhibitors from medicinal plants used to treat inflammation. <i>Pharmacological Research</i> , 2010, 61, 519-524.	3.1	98
17	Botanical Supplements for Aging. <i>Annals of Traditional Chinese Medicine</i> , 2010, , 55-92.	0.1	0
18	Neonatal maternal separation elevates thalamic corticotrophin releasing factor type 1 receptor expression response to colonic distension in rat. <i>Neuroendocrinology Letters</i> , 2010, 31, 215-20.	0.2	22

#	ARTICLE	IF	CITATIONS
19	Extract of the Chinese herbal formula Huo Luo Xiao Ling Dan inhibited adjuvant arthritis in rats. Journal of Ethnopharmacology, 2009, 121, 366-371.	2.0	77
20	Huo-Luo-Xiao-Ling Dan modulates antigen-directed immune response in adjuvant-induced inflammation. Journal of Ethnopharmacology, 2009, 123, 40-44.	2.0	20
21	Lamiridosins, Hepatitis C Virus Entry Inhibitors from <i>Lamium album</i> . Journal of Natural Products, 2009, 72, 2158-2162.	1.5	62
22	Bioactive 5,6-Dihydro- $\delta$ -pyrone Derivatives from <i>Hyptis brevipes</i> . Journal of Natural Products, 2009, 72, 1165-1169.	1.5	49
23	Study of Antimalarial Activity of Chemical Constituents from <i>Diospyros quaesita</i> . Chemistry and Biodiversity, 2008, 5, 2442-2448.	1.0	36
24	A first new antimalarial pregnane glycoside from. Asian Journal of Traditional Medicines, 2008, 3, 203-210.	0.0	9
25	Chlorination Diversifies <i>Cimicifuga racemosa</i> Triterpene Glycosides. Journal of Natural Products, 2007, 70, 1016-1023.	1.5	14
26	The Role of Quality Assurance and Standardization in the Safety of Botanical Dietary Supplements. Chemical Research in Toxicology, 2007, 20, 577-582.	1.7	49
27	Serotonergic Activity-Guided Phytochemical Investigation of the Roots of <i>Angelica sinensis</i> . Journal of Natural Products, 2006, 69, 536-541.	1.5	127
28	Studies on Biodiversity of Vietnam and Laos 1998-2005: Examining the Impact#. Journal of Natural Products, 2006, 69, 473-481.	1.5	22
29	Antimalarial Compounds from <i>Grewia bilamellata</i> . Journal of Natural Products, 2006, 69, 346-350.	1.5	59
30	GABAergic phthalide dimers from <i>Angelica sinensis</i> (Oliv.) Diels. Phytochemical Analysis, 2006, 17, 398-405.	1.2	25
31	Beccaridiol, an unusual 28-nortriterpenoid from the leaves of <i>Diplectria beccariana</i> . Phytochemistry, 2006, 67, 1832-1837.	1.4	16
32	Rourinoside and rouremin, antimalarial constituents from <i>Rourea minor</i> . Phytochemistry, 2006, 67, 1378-1384.	1.4	43
33	Bioactive constituents from roots of <i>Bursera tonkinensis</i> . Phytochemistry, 2005, 66, 2745-2751.	1.4	106
34	Antimalarial Constituents from <i>Nauclea orientalis</i> (L.) L.. Chemistry and Biodiversity, 2005, 2, 1378-1386.	1.0	47
35	CCC Sample Cutting for Isolation of Prenylated Phenolics from Hops. Journal of Liquid Chromatography and Related Technologies, 2005, 28, 1959-1969.	0.5	12
36	Synthesis of Cimircemate B, A Phenylpropanoid found in <i>Cimicifuga racemosa</i> . Natural Product Research, 2005, 19, 287-290.	1.0	5

#	ARTICLE	IF	CITATIONS
37	CCC in the Phytochemical Analysis of Anti-Tuberculosis Ethnobotanicals. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2005, 28, 2017-2028.	0.5	12
38	Cimipronidine, a Cyclic Guanidine Alkaloid from <i>Cimicifuga racemosa</i> . <i>Journal of Natural Products</i> , 2005, 68, 1266-1270.	1.5	50
39	Limnophilaspiroketone, a Highly Oxygenated Phenolic Derivative from <i>Limnophilageoffrayi</i> . <i>Journal of Natural Products</i> , 2005, 68, 1134-1136.	1.5	6
40	Extra-Column Volume in CCC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2005, 28, 1799-1818.	0.5	13
41	Phenolic compounds obtained from stems of <i>Couepia ulei</i> with the potential to induce quinone reductase. <i>Archives of Pharmacal Research</i> , 2004, 27, 169-172.	2.7	6
42	Potential cancer chemopreventive constituents of the leaves of <i>Macaranga triloba</i> . <i>Phytochemistry</i> , 2004, 65, 345-350.	1.4	44
43	Constituents of the stems of <i>Macrococculus pomiferus</i> and their inhibitory activities against cyclooxygenases-1 and -2. <i>Phytochemistry</i> , 2004, 65, 2861-2866.	1.4	23
44	Constituents of <i>Asparagus officinalis</i> Evaluated for Inhibitory Activity against Cyclooxygenase-2. <i>Journal of Agricultural and Food Chemistry</i> , 2004, 52, 2218-2222.	2.4	75
45	Estrogens and Congeners from Spent Hops ( <i>Humulus lupulus</i> ). <i>Journal of Natural Products</i> , 2004, 67, 2024-2032.	1.5	116
46	New 3-O-Acyl Betulinic Acids from <i>Strychnos vanprukii</i> Craib. <i>Journal of Natural Products</i> , 2004, 67, 994-998.	1.5	36
47	Bioactive Constituents from <i>Asparagus cochinchinensis</i> Š. <i>Journal of Natural Products</i> , 2004, 67, 194-200.	1.5	69
48	New Sesquiterpenes from <i>Litsea verticillata</i> . <i>Journal of Natural Products</i> , 2003, 66, 609-615.	1.5	92
49	Compounds obtained from <i>Sida acuta</i> with the potential to induce quinone reductase and to inhibit 7,12-dimethylbenz-[a]anthracene-induced preneoplastic lesions in a mouse mammary organ culture model. <i>Archives of Pharmacal Research</i> , 2003, 26, 585-590.	2.7	37
50	NMR study of fumarprotocetraric acid, a complex lichen depsidone derivative from <i>Cladonia furcata</i> . <i>Magnetic Resonance in Chemistry</i> , 2003, 41, 391-394.	1.1	7
51	Activity-guided isolation of the chemical constituents of <i>Muntingia calabura</i> using a quinone reductase induction assay. <i>Phytochemistry</i> , 2003, 63, 335-341.	1.4	89
52	Isolation and absolute stereochemistry of coussaric acid, a new bioactive triterpenoid from the stems of <i>Coussarea brevicaulis</i> . <i>Phytochemistry</i> , 2003, 64, 293-302.	1.4	32
53	Natural Anti-HIV Agents. Part IV. Anti-HIV Constituents from <i>Vaticacineria</i> 1. <i>Journal of Natural Products</i> , 2003, 66, 263-268.	1.5	69
54	Activity-Guided Isolation of Novel Norwithanolides from <i>Deprea subtriflora</i> with Potential Cancer Chemopreventive Activity. <i>Journal of Organic Chemistry</i> , 2003, 68, 2350-2361.	1.7	38

#	ARTICLE	IF	CITATIONS
55	Constituents of the Stem Bark of <i>Pongamia pinnata</i> with the Potential to Induce Quinone Reductase. <i>Journal of Natural Products</i> , 2003, 66, 1197-1202.	1.5	57
56	Potential Cancer Chemopreventive Constituents of the Seeds of <i>Dipteryx odorata</i> (Tonka Bean). <i>Journal of Natural Products</i> , 2003, 66, 583-587.	1.5	69
57	Potential Cancer Chemopreventive Flavonoids from the Stems of <i>Tephrosia toxicaria</i> . <i>Journal of Natural Products</i> , 2003, 66, 1166-1170.	1.5	48
58	Antimalarial Agents from Plants. III. Trichothecenes from <i>Ficus fistulosa</i> and <i>Rhaphidophora decursiva</i> . <i>Planta Medica</i> , 2002, 68, 1088-1091.	0.7	47
59	Activity-Guided Fractionation of the Seeds of <i>Ziziphus jujuba</i> Using a Cyclooxygenase-2 Inhibitory Assay. <i>Planta Medica</i> , 2002, 68, 1125-1128.	0.7	56
60	Hawthorn. <i>Journal of Cardiovascular Nursing</i> , 2002, 16, 1-8.	0.6	38
61	DETERMINATION OF CATECHINS IN COMMERCIAL GRAPE SEED EXTRACT. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2002, 25, 397-407.	0.5	12
62	Black Cohosh ( <i>Cimicifuga racemosa</i> L.) Protects against Menadione-Induced DNA Damage through Scavenging of Reactive Oxygen Species: A Bioassay-Directed Isolation and Characterization of Active Principles. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 7022-7028.	2.4	87
63	Cimiracemosides 13-P, New 9,19-Cyclolanostane Triterpene Glycosides from <i>Cimicifuga racemosa</i> . <i>Journal of Natural Products</i> , 2002, 65, 1391-1397.	1.5	57
64	Sesquiterpenoids from <i>Tithonia diversifolia</i> with Potential Cancer Chemopreventive Activity. <i>Journal of Natural Products</i> , 2002, 65, 532-536.	1.5	96
65	Constituents of <i>Musa paradisica</i> Cultivar with the Potential To Induce the Phase II Enzyme, Quinone Reductase. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 6330-6334.	2.4	39
66	Constituents of the Bark and Twigs of <i>Artocarpus dadah</i> with Cyclooxygenase Inhibitory Activity. <i>Journal of Natural Products</i> , 2002, 65, 163-169.	1.5	116
67	Activity-Guided Isolation of Constituents of <i>Renealmia nicolaioides</i> with the Potential to Induce the Phase II Enzyme Quinone Reductase. <i>Journal of Natural Products</i> , 2002, 65, 1616-1620.	1.5	55
68	New Chemical Constituents of <i>Euphorbia quinquecostata</i> and Absolute Configuration Assignment by a Convenient Mosher Ester Procedure Carried Out in NMR Tubes. <i>Journal of Natural Products</i> , 2002, 65, 1278-1282.	1.5	208
69	Integration of Herbal Medicine Into Modern Medical Practices: Issues and Prospects. <i>Integrative Cancer Therapies</i> , 2002, 1, 287-293.	0.8	128
70	Isolation, Structure Elucidation, and Absolute Configuration of 26-Deoxyactein from <i>Cimicifuga racemosa</i> and Clarification of Nomenclature Associated with 27-Deoxyactein. <i>Journal of Natural Products</i> , 2002, 65, 601-605.	1.5	106
71	Natural anti-HIV agents—part I: (+)-demethoxyepiexcelsin and verticillatol from <i>Litsea verticillata</i> . <i>Phytochemistry</i> , 2002, 59, 325-329.	1.4	68
72	Cimiracemates A-D, phenylpropanoid esters from the rhizomes of <i>Cimicifuga racemosa</i> . <i>Phytochemistry</i> , 2002, 61, 409-413.	1.4	41

#	ARTICLE	IF	CITATIONS
73	Prenylated flavonoids of the leaves of <i>Macaranga conifera</i> with inhibitory activity against cyclooxygenase-2. <i>Phytochemistry</i> , 2002, 61, 867-872.	1.4	80
74	A Novel Cyclooxygenase-Inhibitory Stilbenolignan from the Seeds of <i>Aiphanes aculeata</i> . <i>Organic Letters</i> , 2001, 3, 2169-2171.	2.4	81
75	Aromatase Inhibitors from <i>Broussonetia papyrifera</i> . <i>Journal of Natural Products</i> , 2001, 64, 1286-1293.	1.5	160
76	Evaluation of Estrogenic Activity of Plant Extracts for the Potential Treatment of Menopausal Symptoms. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 2472-2479.	2.4	382
77	Antimalarial Compounds from <i>Rhaphidophora decursiva</i> . <i>Journal of Natural Products</i> , 2001, 64, 772-777.	1.5	83
78	Use of High-Performance Liquid Chromatography-Tandem Mass Spectrometry To Distinguish <i>Panax ginseng</i> C. A. Meyer (Asian Ginseng) and <i>Panax quinquefolius</i> L. (North American Ginseng). <i>Analytical Chemistry</i> , 2000, 72, 5417-5422.	3.2	194
79	Activity-Guided Isolation of Antioxidative Constituents of <i>Cotinus coggygia</i> . <i>Journal of Natural Products</i> , 2000, 63, 1696-1698.	1.5	99
80	Rearranged Taxanes from the Bark of <i>Taxus yunnanensis</i> . <i>Journal of Natural Products</i> , 2000, 63, 1488-1491.	1.5	19
81	Computer-assisted structure elucidation: application of CISOC-SES to the resonance assignment and structure generation of betulinic acid. <i>Magnetic Resonance in Chemistry</i> , 1998, 36, 267-278.	1.1	81
82	Activity-Guided Isolation of Steroidal Alkaloid Antiestrogen-Binding Site Inhibitors from <i>Pachysandra procumbens</i> . <i>Journal of Natural Products</i> , 1998, 61, 1257-1262.	1.5	46
83	Antimutagenic Constituents of <i>Casimiroa edulis</i> with Potential Cancer Chemopreventive Activity. <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 3509-3516.	2.4	52
84	Antioxidant Flavonoid Glycosides from <i>Daphniphyllum calycinum</i> 1. <i>Journal of Natural Products</i> , 1998, 61, 706-708.	1.5	103
85	Crystal Structure of a 1:1 Complex of Natural Diterpenoids: Absolute Configurations and Unambiguous NMR Spectral Assignments of Neoangustifolin and Epinodosinol. <i>Journal of Natural Products</i> , 1997, 60, 203-206.	1.5	28
86	Cancer Chemopreventive Activity of Resveratrol, a Natural Product Derived from Grapes. <i>Science</i> , 1997, 275, 218-220.	6.0	4,443
87	Nigranoic Acid, a Triterpenoid from <i>Schisandra sphaerandra</i> That Inhibits HIV-1 Reverse Transcriptase. <i>Journal of Natural Products</i> , 1996, 59, 525-527.	1.5	147
88	Mechanistic Evaluation of New Plant-Derived Compounds That Inhibit HIV-1 Reverse Transcriptase. <i>Journal of Natural Products</i> , 1995, 58, 1024-1031.	1.5	110
89	Sesquiterpene lactones and other constituents from a cytotoxic extract of <i>Michelia floribunda</i> . <i>Pharmaceutical Research</i> , 1990, 07, 1269-1272.	1.7	13
90	Kmeriol and other aromatic constituents of <i>Kmeria duperreana</i> . <i>Pharmaceutical Research</i> , 1989, 06, 637-640.	1.7	13

#	ARTICLE	IF	CITATIONS
91	Inhibition of LDH $\alpha$ by Gossypol Optical Isomers. <i>Journal of Andrology</i> , 1985, 6, 344-347.	2.0	11
92	Effect of (+)-Gossypol on Fertility in Male Hamsters. <i>Journal of Andrology</i> , 1983, 4, 276-279.	2.0	43