

Vivekananda Gupta Sunkari

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12132422/publications.pdf>

Version: 2024-02-01

10
papers

783
citations

1040056

9
h-index

1474206

9
g-index

10
all docs

10
docs citations

10
times ranked

1634
citing authors

#	ARTICLE	IF	CITATIONS
1	Triggering of a Dll4–Notch1 loop impairs wound healing in diabetes. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 6985-6994.	7.1	58
2	Deficiency of liver-derived insulin-like growth factor-I (IGF-I) does not interfere with the skin wound healing rate. PLoS ONE, 2018, 13, e0193084.	2.5	15
3	Hyperbaric oxygen therapy activates hypoxia-inducible factor 1 (HIF-1), which contributes to improved wound healing in diabetic mice. Wound Repair and Regeneration, 2015, 23, 98-103.	3.0	109
4	Selective blockade of estrogen receptor beta improves wound healing in diabetes. Endocrine, 2014, 46, 347-350.	2.3	10
5	Impact of the Hypoxia-Inducible Factor-1 $\hat{\pm}$ (HIF1A) Pro582Ser Polymorphism on Diabetes Nephropathy. Diabetes Care, 2013, 36, 415-421.	8.6	56
6	Hypoxia and inflammation synergistically promote bone destruction. Annals of the Rheumatic Diseases, 2012, 71, A61.1-A61.	0.9	0
7	Carnosine enhances diabetic wound healing in the db/db mouse model of type 2 diabetes. Amino Acids, 2012, 43, 127-134.	2.7	70
8	Effects of a low-intensity electromagnetic field on fibroblast migration and proliferation. Electromagnetic Biology and Medicine, 2011, 30, 80-85.	1.4	28
9	Stability of mitochondrial DNA against reactive oxygen species (ROS) generated in diabetes. Diabetes/Metabolism Research and Reviews, 2011, 27, 470-479.	4.0	21
10	Stabilization of HIF-1 $\hat{\pm}$ is critical to improve wound healing in diabetic mice. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 19426-19431.	7.1	416