## **Christopher E Goldring**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12133719/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A MicroRNA Next-Generation-Sequencing Discovery Assay (miND) for Genome-Scale Analysis and Absolute Quantitation of Circulating MicroRNA Biomarkers. International Journal of Molecular Sciences, 2022, 23, 1226.	1.8	16
2	Gene Signatures Reduce the Stress of Preclinical Drug Hepatotoxicity Screening. Hepatology, 2021, 74, 513-515.	3.6	2
3	Pharmacological Activation of Nrf2 Enhances Functional Liver Regeneration. Hepatology, 2021, 74, 973-986.	3.6	29
4	Critical considerations for targeting colorectal liver metastases with nanotechnology. Wiley Interdisciplinary Reviews: Nanomedicine and Nanobiotechnology, 2020, 12, e1588.	3.3	14
5	Managing the challenge of drug-induced liver injury: a roadmap for the development and deployment of preclinical predictive models. Nature Reviews Drug Discovery, 2020, 19, 131-148.	21.5	153
6	Safety perspectives on presently considered drugs for the treatment of COVIDâ€19. British Journal of Pharmacology, 2020, 177, 4353-4374.	2.7	17
7	Application of porcine gastrointestinal organoid units as a potential in vitro tool for drug discovery and development. Journal of Applied Toxicology, 2019, 39, 4-15.	1.4	18
8	Development of an orthotopic syngeneic murine model of colorectal cancer for use in translational research. Laboratory Animals, 2019, 53, 598-609.	0.5	6
9	Characterisation of the NRF2 transcriptional network and its response to chemical insult in primary human hepatocytes: implications for prediction of drug-induced liver injury. Archives of Toxicology, 2019, 93, 385-399.	1.9	23
10	NRF2 regulates the glutamine transporter Slc38a3 (SNAT3) in kidney in response to metabolic acidosis. Scientific Reports, 2018, 8, 5629.	1.6	20
11	MiR-122 and other microRNAs as potential circulating biomarkers of drug-induced liver injury. Expert Review of Molecular Diagnostics, 2018, 18, 47-54.	1.5	52
12	The Nrf2 inhibitor brusatol is a potent antitumour agent in an orthotopic mouse model of colorectal cancer. Oncotarget, 2018, 9, 27104-27116.	0.8	40
13	Cellular Uptake of the Atypical Antipsychotic Clozapine Is a Carrier-Mediated Process. Molecular Pharmaceutics, 2018, 15, 3557-3572.	2.3	30
14	Model-based identification of TNFα-induced IKKβ-mediated and lκBα-mediated regulation of NFκB signal transduction as a tool to quantify the impact of drug-induced liver injury compounds. Npj Systems Biology and Applications, 2018, 4, 23.	1.4	19
15	Functionalized superparamagnetic iron oxide nanoparticles provide highly efficient iron-labeling in macrophages for magnetic resonance–based detection in vivo. Cytotherapy, 2017, 19, 555-569.	0.3	44
16	Characterization of Drug-Specific Signaling Between Primary Human Hepatocytes and Immune Cells. Toxicological Sciences, 2017, 158, 76-89.	1.4	37
17	A longitudinal assessment of miR-122 and GLDH as biomarkers of drug-induced liver injury in the rat. Biomarkers, 2017, 22, 461-469.	0.9	29
18	Circulating levels of miR-122 increase post-mortem, particularly following lethal dosing with pentobarbital sodium: implications for pre-clinical liver injury studies. Toxicology Research, 2017, 6, 406-411.	0.9	3

#	Article	IF	CITATIONS
19	Dynamic and accurate assessment of acetaminophen-induced hepatotoxicity by integrated photoacoustic imaging and mechanistic biomarkers in vivo. Toxicology and Applied Pharmacology, 2017, 332, 64-74.	1.3	20
20	Real-time in vivo imaging reveals localised Nrf2 stress responses associated with direct and metabolism-dependent drug toxicity. Scientific Reports, 2017, 7, 16084.	1.6	11
21	Massive rearrangements of cellular MicroRNA signatures are key drivers of hepatocyte dedifferentiation. Hepatology, 2016, 64, 1743-1756.	3.6	100
22	Design and Synthesis of Irreversible Analogues of Bardoxolone Methyl for the Identification of Pharmacologically Relevant Targets and Interaction Sites. Journal of Medicinal Chemistry, 2016, 59, 2396-2409.	2.9	37
23	Extracorporeal liver assist device to exchange albumin and remove endotoxin in acute liver failure: Results of a pivotal pre-clinical study. Journal of Hepatology, 2015, 63, 634-642.	1.8	56
24	Understanding the pathophysiological regulatory role of microRNAs in acute liver failure. Hepatology, 2015, 61, 1439-1440.	3.6	2
25	Integrated transcriptomic and proteomic analyses uncover regulatory roles of Nrf2 in the kidney. Kidney International, 2015, 88, 1261-1273.	2.6	41
26	Brusatol provokes a rapid and transient inhibition of Nrf2 signaling and sensitizes mammalian cells to chemical toxicity—implications for therapeutic targeting of Nrf2. Free Radical Biology and Medicine, 2015, 78, 202-212.	1.3	161
27	Chemical Tuning Enhances Both Potency Toward Nrf2 and In Vitro Therapeutic Index of Triterpenoids. Toxicological Sciences, 2014, 140, 462-469.	1.4	21
28	Early detection of paracetamol toxicity using circulating liver <scp>microRNA</scp> and markers of cell necrosis. British Journal of Clinical Pharmacology, 2014, 77, 904-905.	1.1	49
29	The Nrf2 cell defence pathway: Keap1-dependent and -independent mechanisms of regulation. Biochemical Pharmacology, 2013, 85, 705-717.	2.0	855
30	The S349T mutation of SQSTM1 links Keap1/Nrf2 signalling to Paget's disease of bone. Bone, 2013, 52, 699-706.	1.4	21
31	Nuclear Factor-erythroid 2 (NF-E2) p45-related Factor-2 (Nrf2) Modulates Dendritic Cell Immune Function through Regulation of p38 MAPK-cAMP-responsive Element Binding Protein/Activating Transcription Factor 1 Signaling. Journal of Biological Chemistry, 2013, 288, 22281-22288.	1.6	48
32	Mechanistic biomarkers provide early and sensitive detection of acetaminophenâ€induced acute liver injury at first presentation to hospital. Hepatology, 2013, 58, 777-787.	3.6	364
33	Loss of Transcription Factor Nuclear Factor-Erythroid 2 (NF-E2) p45-related Factor-2 (Nrf2) Leads to Dysregulation of Immune Functions, Redox Homeostasis, and Intracellular Signaling in Dendritic Cells. Journal of Biological Chemistry, 2012, 287, 10556-10564.	1.6	63
34	Differential effect of covalent protein modification and glutathione depletion on the transcriptional response of Nrf2 and NF-1°B. Biochemical Pharmacology, 2010, 80, 410-421.	2.0	32
35	The Keap1-Nrf2 Cellular Defense Pathway: Mechanisms of Regulation and Role in Protection Against Drug-Induced Toxicity. Handbook of Experimental Pharmacology, 2010, , 233-266.	0.9	82
36	Physical and Functional Interaction of Sequestosome 1 with Keap1 Regulates the Keap1-Nrf2 Cell Defense Pathway. Journal of Biological Chemistry, 2010, 285, 16782-16788.	1.6	222

#	Article	IF	CITATIONS
37	Role of protein haptenation in triggering maturation events in the dendritic cell surrogate cell line THP-1. Toxicology and Applied Pharmacology, 2009, 238, 120-132.	1.3	39
38	The hepatotoxic metabolite of acetaminophen directly activates the Keap1-Nrf2 cell defense system. Hepatology, 2008, 48, 1292-1301.	3.6	116
39	The Nrf2–Keap1 defence pathway: Role in protection against drug-induced toxicity. Toxicology, 2008, 246, 24-33.	2.0	304
40	In Vivo Footprinting of the Human 11β-Hydroxysteroid Dehydrogenase Type 2 Promoter. Journal of Biological Chemistry, 2002, 277, 14647-14656.	1.6	37
41	Improved Ligation-Mediated Polymerase Chain Reaction of GC-Rich Transcriptional Control Regions. Analytical Biochemistry, 1999, 272, 280-282.	1.1	2