

Manuel Gorostidi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12135570/publications.pdf>

Version: 2024-02-01

51
papers

3,528
citations

212478

28
h-index

190340

53
g-index

55
all docs

55
docs citations

55
times ranked

3666
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of ambulatory blood pressure on prediction of cardiovascular disease. A cohort study. Journal of Human Hypertension, 2023, 37, 279-285.	1.0	3
2	Non-dipping blood pressure pattern in pediatricians during on-duty. Nefrologia, 2023, 43, 616-621.	0.2	0
3	Antihypertensive therapy and short-term blood pressure variability. Journal of Hypertension, 2021, 39, 349-355.	0.3	10
4	Prevalence of office and ambulatory hypotension in treated hypertensive patients with coronary disease. Hypertension Research, 2020, 43, 696-704.	1.5	3
5	Prognostic Relevance of Short-Term Blood Pressure Variability. Hypertension, 2020, , HYPERTENSIONAHA11914508.	1.3	3
6	Association of clinic and ambulatory heart rate parameters with mortality in hypertension. Journal of Hypertension, 2020, 38, 2416-2426.	0.3	10
7	Frequency and Prognosis of Treated Hypertensive Patients According to Prior and New Blood Pressure Goals. Hypertension, 2019, 74, 130-136.	1.3	12
8	Blood pressure variability increases with advancing chronic kidney disease stage. Journal of Hypertension, 2018, 36, 1076-1085.	0.3	63
9	Relationship between Clinic and Ambulatory Blood-Pressure Measurements and Mortality. New England Journal of Medicine, 2018, 378, 1509-1520.	13.9	420
10	Prevalence of Masked Hypertension in Untreated and Treated Patients With Office Blood Pressure Below 130/80 mmHg. Circulation, 2018, 137, 2651-2653.	1.6	33
11	Antihypertensive drug use in resistant and nonresistant hypertension and in controlled and uncontrolled resistant hypertension. Journal of Hypertension, 2018, 36, 1563-1570.	0.3	4
12	Combination therapies for hypertension "why we need to look beyond RAS blockers. Expert Review of Clinical Pharmacology, 2018, 11, 841-853.	1.3	9
13	Magnitude of Hypotension Based on Office and Ambulatory Blood Pressure Monitoring: Results From a Cohort of 5066 Treated Hypertensive Patients Aged 80 Years and Older. Journal of the American Medical Directors Association, 2017, 18, 452.e1-452.e6.	1.2	33
14	24-h pulse pressure cutoff point definition by office pulse pressure in a population of Spanish older hypertensive patients. Journal of Hypertension, 2017, 35, 1011-1018.	0.3	5
15	Clinic Versus Daytime Ambulatory Blood Pressure Difference in Hypertensive Patients. Hypertension, 2017, 69, 211-219.	1.3	30
16	Prevalence and clinical characteristics of white-coat hypertension based on different definition criteria in untreated and treated patients. Journal of Hypertension, 2017, 35, 2388-2394.	0.3	43
17	Prevalence and Clinical Characteristics of Refractory Hypertension. Journal of the American Heart Association, 2017, 6, .	1.6	54
18	Hypotension based on office and ambulatory monitoring blood pressure. Prevalence and clinical profile among a cohort of 70,997 treated hypertensives. Journal of the American Society of Hypertension, 2016, 10, 714-723.	2.3	29

#	ARTICLE	IF	CITATIONS
19	Ambulatory blood pressure monitoring in daily clinical practice – the Spanish <sc>ABPM</sc> Registry experience. <i>European Journal of Clinical Investigation</i> , 2016, 46, 92-98.	1.7	35
20	Association Between High and Very High Albuminuria and Nighttime Blood Pressure: Influence of Diabetes and Chronic Kidney Disease. <i>Diabetes Care</i> , 2016, 39, 1729-1737.	4.3	26
21	Office and ambulatory blood pressure control in hypertensive patients treated with different two-drug and three-drug combinations. <i>Clinical and Experimental Hypertension</i> , 2016, 38, 409-414.	0.5	3
22	Ambulatory blood pressure in hypertensive patients with inclusion criteria for the SPRINT trial. <i>Journal of the American Society of Hypertension</i> , 2016, 10, 947-953.e5.	2.3	22
23	Short-Term and Long-Term Reproducibility of Hypertension Phenotypes Obtained by Office and Ambulatory Blood Pressure Measurements. <i>Journal of Clinical Hypertension</i> , 2016, 18, 927-933.	1.0	38
24	Ambulatory Blood Pressures in Hypertensive Patients Treated With One Antihypertensive Agent: Differences Among Drug Classes and Among Drugs Belonging to the Same Class. <i>Journal of Clinical Hypertension</i> , 2015, 17, 857-865.	1.0	11
25	Ambulatory and home blood pressure monitoring in people with chronic kidney disease. Time to abandon clinic blood pressure measurements?. <i>Current Opinion in Nephrology and Hypertension</i> , 2015, 24, 488-491.	1.0	5
26	Prevalencia de dislipemia aterogénica en hipertensos españoles y su relación con el control de la presión arterial y el daño orgánico silente. <i>Revista Española De Cardiología</i> , 2015, 68, 592-598.	0.6	5
27	Prevalence of Atherogenic Dyslipidemia in Spanish Hypertensive Patients and Its Relationship With Blood Pressure Control and Silent Organ Damage. <i>Revista Española De Cardiología (English Ed)</i> , 2015, 68, 592-598.	0.4	3
28	Effect of Olmesartan-Based Therapies on Therapeutic Indicators Obtained Through Out-of-Office Blood Pressure. <i>Cardiology and Therapy</i> , 2015, 4, 19-30.	1.1	1
29	Ethnic Differences in the Degree of Morning Blood Pressure Surge and in Its Determinants Between Japanese and European Hypertensive Subjects. <i>Hypertension</i> , 2015, 66, 750-756.	1.3	96
30	Prevalence of white-coat and masked hypertension in national and international registries. <i>Hypertension Research</i> , 2015, 38, 1-7.	1.5	100
31	Night-time heart rate cut-off point definition by resting office tachycardia in untreated hypertensive patients. <i>Journal of Hypertension</i> , 2014, 32, 1016-1024.	0.3	5
32	High prevalence of masked uncontrolled hypertension in people with treated hypertension. <i>European Heart Journal</i> , 2014, 35, 3304-3312.	1.0	186
33	Nocturnal Hypertension or Nondipping: Which Is Better Associated With the Cardiovascular Risk Profile?. <i>American Journal of Hypertension</i> , 2014, 27, 680-687.	1.0	106
34	Differences Between Office and 24-Hour Blood Pressure Control in Hypertensive Patients With CKD: A 5,693-Patient Cross-sectional Analysis From Spain. <i>American Journal of Kidney Diseases</i> , 2013, 62, 285-294.	2.1	88
35	Combination Therapy in Hypertension. <i>Advances in Therapy</i> , 2013, 30, 320-336.	1.3	25
36	Ambulatory blood pressure monitoring and development of cardiovascular events in high-risk patients included in the Spanish ABPM registry. <i>Journal of Hypertension</i> , 2012, 30, 713-719.	0.3	97

#	ARTICLE	IF	CITATIONS
37	Clinical differences between resistant hypertensives and patients treated and controlled with three or less drugs. <i>Journal of Hypertension</i> , 2012, 30, 1211-1216.	0.3	122
38	Clinical Features of 8295 Patients With Resistant Hypertension Classified on the Basis of Ambulatory Blood Pressure Monitoring. <i>Hypertension</i> , 2011, 57, 898-902.	1.3	696
39	Abnormalities in ambulatory blood pressure monitoring in hypertensive patients with diabetes. <i>Hypertension Research</i> , 2011, 34, 1185-1189.	1.5	45
40	Response to Bedtime Hypertension Treatment Increases Ambulatory Blood Pressure Control and Reduces Cardiovascular Risk in Resistant Hypertension. <i>Hypertension</i> , 2011, 58, .	1.3	1
41	Diurnal blood pressure variation, risk categories and antihypertensive treatment. <i>Hypertension Research</i> , 2010, 33, 767-771.	1.5	44
42	Isolated clinic hypertension: diagnostic criteria based on 24-h blood pressure definition. <i>Journal of Hypertension</i> , 2010, 28, 2407-2413.	0.3	9
43	Response to Timing of Antihypertensive Therapy and Circadian Blood Pressure Pattern. <i>Hypertension</i> , 2009, 53, .	1.3	1
44	Long-Term Antihypertensive Efficacy and Safety of the Oral Direct Renin Inhibitor Aliskiren. <i>Circulation</i> , 2009, 119, 417-425.	1.6	129
45	Prevalence and Factors Associated With Circadian Blood Pressure Patterns in Hypertensive Patients. <i>Hypertension</i> , 2009, 53, 466-472.	1.3	312
46	Response to Nondipping in Patients With Hypertension. <i>Hypertension</i> , 2009, 53, .	1.3	1
47	Aliskiren-based therapy lowers blood pressure more effectively than hydrochlorothiazide-based therapy in obese patients with hypertension: sub-analysis of a 52-week, randomized, double-blind trial. <i>Journal of Hypertension</i> , 2009, 27, 1493-1501.	0.3	43
48	Gender Differences in Office and Ambulatory Control of Hypertension. <i>American Journal of Medicine</i> , 2008, 121, 1078-1084.	0.6	31
49	Clinical characteristics of isolated clinic hypertension. <i>Journal of Hypertension</i> , 2008, 26, 438-445.	0.3	47
50	Effectiveness of Blood Pressure Control Outside the Medical Setting. <i>Hypertension</i> , 2007, 49, 62-68.	1.3	173
51	Ambulatory blood pressure monitoring in hypertensive patients with high cardiovascular risk: a cross-sectional analysis of a 20 000-patient database in Spain. <i>Journal of Hypertension</i> , 2007, 25, 977-984.	0.3	102