

Manuel Gorostidi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/12135570/manuel-gorostidi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

2,709
citations

25
h-index

52
g-index

55
ext. papers

3,246
ext. citations

5.5
avg, IF

4.67
L-index

#	Paper	IF	Citations
48	Antihypertensive therapy and short-term blood pressure variability. <i>Journal of Hypertension</i> , 2021 , 39, 349-355	1.9	1
47	Prevalence of office and ambulatory hypotension in treated hypertensive patients with coronary disease. <i>Hypertension Research</i> , 2020 , 43, 696-704	4.7	3
46	Prognostic Relevance of Short-Term Blood Pressure Variability: The Spanish ABPM Registry. <i>Hypertension</i> , 2020 , HYPERTENSIONAHA11914508	8.5	1
45	Association of clinic and ambulatory heart rate parameters with mortality in hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 2416-2426	1.9	6
44	Frequency and Prognosis of Treated Hypertensive Patients According to Prior and New Blood Pressure Goals. <i>Hypertension</i> , 2019 , 74, 130-136	8.5	9
43	Blood pressure variability increases with advancing chronic kidney disease stage: a cross-sectional analysis of 16 546 hypertensive patients. <i>Journal of Hypertension</i> , 2018 , 36, 1076-1085	1.9	41
42	Relationship between Clinic and Ambulatory Blood-Pressure Measurements and Mortality. <i>New England Journal of Medicine</i> , 2018 , 378, 1509-1520	59.2	327
41	Prevalence of Masked Hypertension in Untreated and Treated Patients With Office Blood Pressure Below 130/80 mm Hg. <i>Circulation</i> , 2018 , 137, 2651-2653	16.7	25
40	Antihypertensive drug use in resistant and nonresistant hypertension and in controlled and uncontrolled resistant hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 1563-1570	1.9	2
39	Combination therapies for hypertension - why we need to look beyond RAS blockers. <i>Expert Review of Clinical Pharmacology</i> , 2018 , 11, 841-853	3.8	4
38	Magnitude of Hypotension Based on Office and Ambulatory Blood Pressure Monitoring: Results From a Cohort of 5066 Treated Hypertensive Patients Aged 80 Years and Older. <i>Journal of the American Medical Directors Association</i> , 2017 , 18, 452.e1-452.e6	5.9	21
37	24-h pulse pressure cutoff point definition by office pulse pressure in a population of Spanish older hypertensive patients. <i>Journal of Hypertension</i> , 2017 , 35, 1011-1018	1.9	4
36	Clinic Versus Daytime Ambulatory Blood Pressure Difference in Hypertensive Patients: The Impact of Age and Clinic Blood Pressure. <i>Hypertension</i> , 2017 , 69, 211-219	8.5	20
35	Prevalence and clinical characteristics of white-coat hypertension based on different definition criteria in untreated and treated patients. <i>Journal of Hypertension</i> , 2017 , 35, 2388-2394	1.9	28
34	Prevalence and Clinical Characteristics of Refractory Hypertension. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	34
33	Association Between High and Very High Albuminuria and Nighttime Blood Pressure: Influence of Diabetes and Chronic Kidney Disease. <i>Diabetes Care</i> , 2016 , 39, 1729-37	14.6	17
32	Office and ambulatory blood pressure control in hypertensive patients treated with different two-drug and three-drug combinations. <i>Clinical and Experimental Hypertension</i> , 2016 , 38, 409-14	2.2	0

31	Ambulatory blood pressure in hypertensive patients with inclusion criteria for the SPRINT trial. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 947-953.e5		19
30	Short-Term and Long-Term Reproducibility of Hypertension Phenotypes Obtained by Office and Ambulatory Blood Pressure Measurements. <i>Journal of Clinical Hypertension</i> , 2016 , 18, 927-33	2.3	26
29	Hypotension based on office and ambulatory monitoring blood pressure. Prevalence and clinical profile among a cohort of 70,997 treated hypertensives. <i>Journal of the American Society of Hypertension</i> , 2016 , 10, 714-23		20
28	Ambulatory blood pressure monitoring in daily clinical practice - the Spanish ABPM Registry experience. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 92-8	4.6	24
27	Prevalencia de dislipemia aterogénica en hipertensos españoles y su relación con el control de la presión arterial y el daño orgánico silente. <i>Revista Española De Cardiología</i> , 2015 , 68, 592-598	1.5	2
26	Prevalence of Atherogenic Dyslipidemia in Spanish Hypertensive Patients and Its Relationship With Blood Pressure Control and Silent Organ Damage. <i>Revista Española De Cardiología (English Ed)</i> , 2015 , 68, 592-8	0.7	1
25	Effect of Olmesartan-Based Therapies on Therapeutic Indicators Obtained Through Out-of-Office Blood Pressure. <i>Cardiology and Therapy</i> , 2015 , 4, 19-30	2.8	1
24	Ethnic differences in the degree of morning blood pressure surge and in its determinants between Japanese and European hypertensive subjects: data from the ARTEMIS study. <i>Hypertension</i> , 2015 , 66, 750-6	8.5	69
23	Prevalence of white-coat and masked hypertension in national and international registries. <i>Hypertension Research</i> , 2015 , 38, 1-7	4.7	72
22	Ambulatory Blood Pressures in Hypertensive Patients Treated With One Antihypertensive Agent: Differences Among Drug Classes and Among Drugs Belonging to the Same Class. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 857-65	2.3	7
21	Ambulatory and home blood pressure monitoring in people with chronic kidney disease. Time to abandon clinic blood pressure measurements?. <i>Current Opinion in Nephrology and Hypertension</i> , 2015 , 24, 488-91	3.5	5
20	High prevalence of masked uncontrolled hypertension in people with treated hypertension. <i>European Heart Journal</i> , 2014 , 35, 3304-12	9.5	132
19	Nocturnal hypertension or nondipping: which is better associated with the cardiovascular risk profile?. <i>American Journal of Hypertension</i> , 2014 , 27, 680-7	2.3	78
18	Night-time heart rate cut-off point definition by resting office tachycardia in untreated hypertensive patients: data of the Spanish ABPM registry. <i>Journal of Hypertension</i> , 2014 , 32, 1016-24; discussion 1024	1.9	5
17	Differences between office and 24-hour blood pressure control in hypertensive patients with CKD: A 5,693-patient cross-sectional analysis from Spain. <i>American Journal of Kidney Diseases</i> , 2013 , 62, 285-94	7.4	72
16	Combination therapy in hypertension. <i>Advances in Therapy</i> , 2013 , 30, 320-36	4.1	16
15	Ambulatory blood pressure monitoring and development of cardiovascular events in high-risk patients included in the Spanish ABPM registry: the CARDIORISC Event study. <i>Journal of Hypertension</i> , 2012 , 30, 713-9	1.9	74
14	Clinical differences between resistant hypertensives and patients treated and controlled with three or less drugs. <i>Journal of Hypertension</i> , 2012 , 30, 1211-6	1.9	108

13	Clinical features of 8295 patients with resistant hypertension classified on the basis of ambulatory blood pressure monitoring. <i>Hypertension</i> , 2011 , 57, 898-902	8.5	547
12	Abnormalities in ambulatory blood pressure monitoring in hypertensive patients with diabetes. <i>Hypertension Research</i> , 2011 , 34, 1185-9	4.7	35
11	Diurnal blood pressure variation, risk categories and antihypertensive treatment. <i>Hypertension Research</i> , 2010 , 33, 767-71	4.7	38
10	Isolated clinic hypertension: diagnostic criteria based on 24-h blood pressure definition. <i>Journal of Hypertension</i> , 2010 , 28, 2407-13	1.9	8
9	Response to Timing of Antihypertensive Therapy and Circadian Blood Pressure Pattern. <i>Hypertension</i> , 2009 , 53,	8.5	1
8	Long-term antihypertensive efficacy and safety of the oral direct renin inhibitor aliskiren: a 12-month randomized, double-blind comparator trial with hydrochlorothiazide. <i>Circulation</i> , 2009 , 119, 417-25	16.7	116
7	Prevalence and factors associated with circadian blood pressure patterns in hypertensive patients. <i>Hypertension</i> , 2009 , 53, 466-72	8.5	270
6	Response to Nondipping in Patients With Hypertension. <i>Hypertension</i> , 2009 , 53,	8.5	1
5	Aliskiren-based therapy lowers blood pressure more effectively than hydrochlorothiazide-based therapy in obese patients with hypertension: sub-analysis of a 52-week, randomized, double-blind trial. <i>Journal of Hypertension</i> , 2009 , 27, 1493-501	1.9	34
4	Gender differences in office and ambulatory control of hypertension. <i>American Journal of Medicine</i> , 2008 , 121, 1078-84	2.4	26
3	Clinical characteristics of isolated clinic hypertension. <i>Journal of Hypertension</i> , 2008 , 26, 438-45	1.9	37
2	Effectiveness of blood pressure control outside the medical setting. <i>Hypertension</i> , 2007 , 49, 62-8	8.5	142
1	Ambulatory blood pressure monitoring in hypertensive patients with high cardiovascular risk: a cross-sectional analysis of a 20,000-patient database in Spain. <i>Journal of Hypertension</i> , 2007 , 25, 977-84	1.9	85