

# Judith G Regensteiner

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/12135599/judith-g-regensteiner-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131  
papers

9,578  
citations

49  
h-index

97  
g-index

138  
ext. papers

11,376  
ext. citations

6.1  
avg, IF

5.75  
L-index

#	Paper	IF	Citations
131	Exercise and type 2 diabetes: the American College of Sports Medicine and the American Diabetes Association: joint position statement. <i>Diabetes Care</i> , <b>2010</b> , 33, e147-67	14.6	839
130	2016 AHA/ACC Guideline on the Management of Patients With Lower Extremity Peripheral Artery Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Circulation</i> , <b>2017</b> , 135, e726-e779	16.7	396
129	Exercise training for claudication. <i>New England Journal of Medicine</i> , <b>2002</b> , 347, 1941-51	59.2	385
128	Exercise and type 2 diabetes: American College of Sports Medicine and the American Diabetes Association: joint position statement. Exercise and type 2 diabetes. <i>Medicine and Science in Sports and Exercise</i> , <b>2010</b> , 42, 2282-303	1.2	363
127	2016 AHA/ACC Guideline on the Management of Patients With Lower Extremity Peripheral Artery Disease: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Circulation</i> , <b>2017</b> , 135, e686-e725	16.7	355
126	Sex and gender: modifiers of health, disease, and medicine. <i>Lancet, The</i> , <b>2020</b> , 396, 565-582	40	347
125	Exercise training improves functional status in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , <b>1996</b> , 23, 104-15	3.5	337
124	2016 AHA/ACC Guideline on the Management of Patients With Lower Extremity Peripheral Artery Disease: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, 1465-1508	15.1	320
123	Supervised exercise versus primary stenting for claudication resulting from aortoiliac peripheral artery disease: six-month outcomes from the claudication: exercise versus endoluminal revascularization (CLEVER) study. <i>Circulation</i> , <b>2012</b> , 125, 130-9	16.7	313
122	2016 AHA/ACC Guideline on the Management of Patients With Lower Extremity Peripheral Artery Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Journal of the American College of Cardiology</i> , <b>2017</b> , 69, e71-e126	15.1	301
121	The impact of peripheral arterial disease on health-related quality of life in the Peripheral Arterial Disease Awareness, Risk, and Treatment: New Resources for Survival (PARTNERS) Program. <i>Vascular Medicine</i> , <b>2008</b> , 13, 15-24	3.3	217
120	Functional outcome in a contemporary series of major lower extremity amputations. <i>Journal of Vascular Surgery</i> , <b>2003</b> , 38, 7-14	3.5	213
119	Insulin resistance in adolescents with type 1 diabetes and its relationship to cardiovascular function. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 513-21	5.6	212
118	Clinical trials for claudication. Assessment of exercise performance, functional status, and clinical end points. Vascular Clinical Trialists. <i>Circulation</i> , <b>1995</b> , 92, 614-21	16.7	210
117	Diabetes and advanced glycoxidation end products. <i>Diabetes Care</i> , <b>2006</b> , 29, 1420-32	14.6	201
116	Effect of cilostazol on treadmill walking, community-based walking ability, and health-related quality of life in patients with intermittent claudication due to peripheral arterial disease: meta-analysis of six randomized controlled trials. <i>Journal of the American Geriatrics Society</i> , <b>2002</b> , 50, 1939-46	5.6	187
115	Hospital vs home-based exercise rehabilitation for patients with peripheral arterial occlusive disease. <i>Angiology</i> , <b>1997</b> , 48, 291-300	2.1	180

114	Abnormal oxygen uptake kinetic responses in women with type II diabetes mellitus. <i>Journal of Applied Physiology</i> , <b>1998</b> , 85, 310-7	3.7	177
113	Sex Differences in the Cardiovascular Consequences of Diabetes Mellitus: A Scientific Statement From the American Heart Association. <i>Circulation</i> , <b>2015</b> , 132, 2424-47	16.7	168
112	Supervised exercise, stent revascularization, or medical therapy for claudication due to aortoiliac peripheral artery disease: the CLEVER study. <i>Journal of the American College of Cardiology</i> , <b>2015</b> , 65, 999-1009	15.1	158
111	Skeletal muscle deoxygenation after the onset of moderate exercise suggests slowed microvascular blood flow kinetics in type 2 diabetes. <i>Diabetes Care</i> , <b>2007</b> , 30, 2880-5	14.6	146
110	Insulin resistance in adolescents with type 2 diabetes is associated with impaired exercise capacity. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2009</b> , 94, 3687-95	5.6	144
109	The Evaluation of Exercise Performance in Patients with Peripheral Vascular Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , <b>1988</b> , 8, 525-532		119
108	Current medical therapies for patients with peripheral arterial disease: a critical review. <i>American Journal of Medicine</i> , <b>2002</b> , 112, 49-57	2.4	109
107	Effects of non-insulin-dependent diabetes on oxygen consumption during treadmill exercise. <i>Medicine and Science in Sports and Exercise</i> , <b>1995</b> , 27, 661-667	1.2	107
106	2016 AHA/ACC Guideline on the Management of Patients with Lower Extremity Peripheral Artery Disease: Executive Summary. <i>Vascular Medicine</i> , <b>2017</b> , 22, NP1-NP43	3.3	103
105	Propionyl-L-carnitine improves exercise performance and functional status in patients with claudication. <i>American Journal of Medicine</i> , <b>2001</b> , 110, 616-22	2.4	97
104	A patient-derived perspective of health-related quality of life with peripheral arterial disease. <i>Journal of Nursing Scholarship</i> , <b>2002</b> , 34, 55-60	3.6	93
103	Type 2 diabetes mellitus and exercise impairment. <i>Reviews in Endocrine and Metabolic Disorders</i> , <b>2013</b> , 14, 77-86	10.5	89
102	Functional outcomes and quality of life in peripheral arterial disease: current status. <i>Vascular Medicine</i> , <b>2003</b> , 8, 115-26	3.3	89
101	Optimal Exercise Programs for Patients With Peripheral Artery Disease: A Scientific Statement From the American Heart Association. <i>Circulation</i> , <b>2019</b> , 139, e10-e33	16.7	87
100	Angiogenesis in skeletal muscle precede improvements in peak oxygen uptake in peripheral artery disease patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , <b>2011</b> , 31, 2742-8	9.4	84
99	Relationship between leg muscle capillary density and peak hyperemic blood flow with endurance capacity in peripheral artery disease. <i>Journal of Applied Physiology</i> , <b>2011</b> , 111, 81-6	3.7	83
98	Functional benefits of peripheral vascular bypass surgery for patients with intermittent claudication. <i>Angiology</i> , <b>1993</b> , 44, 1-10	2.1	83
97	Oral L-arginine and vitamins E and C improve endothelial function in women with type 2 diabetes. <i>Vascular Medicine</i> , <b>2003</b> , 8, 169-75	3.3	73

96	Sex differences in the burden of type 2 diabetes and cardiovascular risk across the life course. <i>Diabetologia</i> , <b>2019</b> , 62, 1761-1772	10.3	72
95	Oxygen uptake kinetics during exercise are slowed in patients with peripheral arterial disease. <i>Journal of Applied Physiology</i> , <b>1999</b> , 87, 809-16	3.7	72
94	Effects of non-insulin-dependent diabetes on oxygen consumption during treadmill exercise. <i>Medicine and Science in Sports and Exercise</i> , <b>1995</b> , 27, 875-881	1.2	71
93	Rosiglitazone improves exercise capacity in individuals with type 2 diabetes. <i>Diabetes Care</i> , <b>2005</b> , 28, 2877-83	14.6	70
92	Assessment of functional status and quality of life in claudication. <i>Journal of Vascular Surgery</i> , <b>2011</b> , 53, 1410-21	3.5	65
91	The Claudication: Exercise Vs. Endoluminal Revascularization (CLEVER) study: rationale and methods. <i>Journal of Vascular Surgery</i> , <b>2008</b> , 47, 1356-63	3.5	64
90	Physical activity in individuals at risk for diabetes: Diabetes Prevention Program. <i>Medicine and Science in Sports and Exercise</i> , <b>2006</b> , 38, 826-32	1.2	63
89	Cardiac dysfunction during exercise in uncomplicated type 2 diabetes. <i>Medicine and Science in Sports and Exercise</i> , <b>2009</b> , 41, 977-84	1.2	62
88	Delayed skeletal muscle mitochondrial ADP recovery in youth with type 1 diabetes relates to muscle insulin resistance. <i>Diabetes</i> , <b>2015</b> , 64, 383-92	0.9	59
87	Evaluating effects of method of administration on Walking Impairment Questionnaire. <i>Journal of Vascular Surgery</i> , <b>2003</b> , 38, 296-304	3.5	57
86	Increased levels of apoptosis in gastrocnemius skeletal muscle in patients with peripheral arterial disease. <i>Vascular Medicine</i> , <b>2007</b> , 12, 285-90	3.3	55
85	Progression of neuropathy in peripheral arterial disease. <i>Muscle and Nerve</i> , <b>1995</b> , 18, 380-7	3.4	51
84	Activity patterns of obese adults with type 2 diabetes in the look AHEAD study. <i>Medicine and Science in Sports and Exercise</i> , <b>2010</b> , 42, 1995-2005	1.2	50
83	Exercise in the treatment of claudication: assessment and treatment of functional impairment. <i>Vascular Medicine</i> , <b>1997</b> , 2, 238-42	3.3	50
82	Four-year change in cardiorespiratory fitness and influence on glycemic control in adults with type 2 diabetes in a randomized trial: the Look AHEAD Trial. <i>Diabetes Care</i> , <b>2013</b> , 36, 1297-303	14.6	49
81	Gait characteristics of patients with claudication. <i>Archives of Physical Medicine and Rehabilitation</i> , <b>1998</b> , 79, 529-31	2.8	48
80	Alteration in angiogenic and anti-angiogenic forms of vascular endothelial growth factor-A in skeletal muscle of patients with intermittent claudication following exercise training. <i>Vascular Medicine</i> , <b>2012</b> , 17, 94-100	3.3	46
79	2012 ACCF/AHA/ACR/SCAI/SIR/STS/SVM/SVN/SVS key data elements and definitions for peripheral atherosclerotic vascular disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Clinical Data Standards (Writing Committee to Develop Clinical Data Standards for Peripheral Atherosclerotic Vascular Disease). <i>Circulation</i> , <b>2012</b> , 125, 395-467	16.7	43

78	Exercise testing and exercise rehabilitation for patients with peripheral arterial disease: status in 1997. <i>Vascular Medicine</i> , <b>1997</b> , 2, 147-55	3.3	43
77	Proteinuria in a placebo-controlled study of basic fibroblast growth factor for intermittent claudication. <i>Vascular Medicine</i> , <b>2001</b> , 6, 235-9	3.3	43
76	2012 ACCF/AHA/ACR/SCAI/SIR/STS/SVM/SVN/SVS Key data elements and definitions for peripheral atherosclerotic vascular disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Clinical Data Standards (Writing Committee to develop Clinical Data Standards for peripheral atherosclerotic vascular disease). <i>Journal of the Women with type 2 diabetes perceive harder effort during exercise than nondiabetic women.</i>	15.1	42
75	<i>Applied Physiology, Nutrition and Metabolism</i> , <b>2009</b> , 34, 851-7	3	41
74	Exercise rehabilitation for the patient with intermittent claudication: a highly effective yet underutilized treatment. <i>Current Drug Targets Cardiovascular &amp; Haematological Disorders</i> , <b>2004</b> , 4, 233-9		41
73	The PADQOL: development and validation of a PAD-specific quality of life questionnaire. <i>Vascular Medicine</i> , <b>2012</b> , 17, 405-15	3.3	40
72	Exenatide improves diastolic function and attenuates arterial stiffness but does not alter exercise capacity in individuals with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 449-455	3.2	37
71	Sex differences in the effects of type 2 diabetes on exercise performance. <i>Medicine and Science in Sports and Exercise</i> , <b>2015</b> , 47, 58-65	1.2	37
70	Peripheral arterial disease rehabilitation: a review. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , <b>2003</b> , 23, 170-5		35
69	Cardiopulmonary Dysfunction and Adiponectin in Adolescents With Type 2 Diabetes. <i>Journal of the American Heart Association</i> , <b>2016</b> , 5, e002804	6	34
68	Type 2 diabetes mellitus and cardiovascular exercise performance. <i>Reviews in Endocrine and Metabolic Disorders</i> , <b>2004</b> , 5, 269-76	10.5	32
67	Community walking programs for treatment of peripheral artery disease. <i>Journal of Vascular Surgery</i> , <b>2013</b> , 58, 1678-87	3.5	29
66	Community-based walking exercise for peripheral artery disease: An exploratory pilot study. <i>Vascular Medicine</i> , <b>2015</b> , 20, 339-47	3.3	29
65	Effect of niacin ER/lovastatin on claudication symptoms in patients with peripheral artery disease. <i>Vascular Medicine</i> , <b>2010</b> , 15, 171-9	3.3	28
64	Youth with type 1 diabetes have worse strain and less pronounced sex differences in early echocardiographic markers of diabetic cardiomyopathy compared to their normoglycemic peers: A RESistance to InSulin in Type 1 ANd Type 2 diabetes (RESISTANT) Study. <i>Journal of Diabetes and Its Complications</i> , <b>2016</b> , 30, 1103-10	3.2	26
63	Implementation of Supervised Exercise Therapy for Patients With Symptomatic Peripheral Artery Disease: A Science Advisory From the American Heart Association. <i>Circulation</i> , <b>2019</b> , 140, e700-e710	16.7	25
62	Design of the multicenter standardized supervised exercise training intervention for the claudication: exercise vs endoluminal revascularization (CLEVER) study. <i>Vascular Medicine</i> , <b>2009</b> , 14, 313-21	3.3	25
61	Established and evolving medical therapies for claudication in patients with peripheral arterial disease. <i>Nature Clinical Practice Cardiovascular Medicine</i> , <b>2006</b> , 3, 604-10		25

60	Prevalence and predictors of abnormal cardiovascular responses to exercise testing among individuals with type 2 diabetes: the Look AHEAD (Action for Health in Diabetes) study. <i>Diabetes Care</i> , <b>2010</b> , 33, 901-7	14.6	24
59	Combined effects of female hormones and exercise on hypoxic ventilatory response. <i>Respiration Physiology</i> , <b>1990</b> , 82, 107-14		23
58	Cardiovascular control during exercise in type 2 diabetes mellitus. <i>Journal of Diabetes Research</i> , <b>2015</b> , 2015, 654204	3.9	22
57	Possible gender differences in the effect of exercise on hypoxic ventilatory response. <i>Respiration</i> , <b>1988</b> , 53, 158-65	3.7	22
56	Impact of diabetes and sex in heart failure with reduced ejection fraction patients from the ASIAN-HF registry. <i>European Journal of Heart Failure</i> , <b>2019</b> , 21, 297-307	12.3	22
55	Cost-effectiveness of supervised exercise, stenting, and optimal medical care for claudication: results from the Claudication: Exercise Versus Endoluminal Revascularization (CLEVER) trial. <i>Journal of the American Heart Association</i> , <b>2014</b> , 3, e001233	6	21
54	Mechanisms of Aerobic Exercise Impairment in Diabetes: A Narrative Review. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 181	5.7	19
53	Fear of injury with physical activity is greater in adults with diabetes than in adults without diabetes. <i>Diabetes Care</i> , <b>2011</b> , 34, 1717-22	14.6	19
52	Lack of relationship between gait parameters and physical function in peripheral arterial disease. <i>Journal of Vascular Surgery</i> , <b>2006</b> , 44, 782-8	3.5	19
51	Novel actions of thiazolidinediones on vascular function and exercise capacity. <i>American Journal of Medicine</i> , <b>2003</b> , 115 Suppl 8A, 69S-74S	2.4	19
50	High altitude and hypertension during pregnancy. <i>American Journal of Human Biology</i> , <b>1995</b> , 7, 183-193	2.7	19
49	Short-term effects of estrogen and progestin on blood pressure of normotensive postmenopausal women. <i>Journal of Clinical Pharmacology</i> , <b>1991</b> , 31, 543-8	2.9	18
48	How can clinical practices pragmatically increase physical activity for patients with type 2 diabetes? A systematic review. <i>Translational Behavioral Medicine</i> , <b>2017</b> , 7, 751-772	3.2	17
47	Identifying the Critical Gaps in Research on Sex Differences in Metabolism Across the Life Span. <i>Endocrinology</i> , <b>2018</b> , 159, 9-19	4.8	17
46	Renal function is associated with peak exercise capacity in adolescents with type 1 diabetes. <i>Diabetes Care</i> , <b>2015</b> , 38, 126-31	14.6	16
45	Supplemental Oxygen Improves In Vivo Mitochondrial Oxidative Phosphorylation Flux in Sedentary Obese Adults With Type 2 Diabetes. <i>Diabetes</i> , <b>2018</b> , 67, 1369-1379	0.9	14
44	An Innovative Program to Support Gender Equity and Success in Academic Medicine: Early Experiences From the Doris Duke Charitable Foundation® Fund to Retain Clinical Scientists. <i>Annals of Internal Medicine</i> , <b>2018</b> , 169, 128-130	8	14
43	Exercise therapy for claudication: latest advances. <i>Current Treatment Options in Cardiovascular Medicine</i> , <b>2013</b> , 15, 188-99	2.1	14

42	Method for controlled mitochondrial perturbation during phosphorus MRS in children. <i>Medicine and Science in Sports and Exercise</i> , <b>2014</b> , 46, 2030-6	1.2	14
41	Dissociation of local and global skeletal muscle oxygen transport metrics in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 1311-1317	3.2	13
40	Correlation of patient-reported symptom outcomes and treadmill test outcomes after treatment for aortoiliac claudication. <i>Journal of Vascular and Interventional Radiology</i> , <b>2013</b> , 24, 1427-35; quiz 1436	2.4	13
39	The effect of inhibition of acyl coenzyme A-cholesterol acyltransferase (ACAT) on exercise performance in patients with peripheral arterial disease. <i>Vascular Medicine</i> , <b>2004</b> , 9, 271-7	3.3	13
38	Claudication: exercise vs endoluminal revascularization (CLEVER) study update. <i>Journal of Vascular Surgery</i> , <b>2009</b> , 50, 942-945.e2	3.5	12
37	Targeting mitochondria to restore failed adaptation to exercise in diabetes. <i>Biochemical Society Transactions</i> , <b>2014</b> , 42, 231-8	5.1	10
36	Integrating sex and gender considerations in research: educating the scientific workforce. <i>Lancet Diabetes and Endocrinology</i> , <b>2019</b> , 7, 248-250	18.1	8
35	Cardiovascular risk in women with type 2 diabetes. <i>Medical Clinics of North America</i> , <b>2003</b> , 87, 955-69	7	8
34	Achieving ADA/ISPAD clinical guideline goals is associated with higher insulin sensitivity and cardiopulmonary fitness in adolescents with type 1 diabetes: Results from RESistance to INsulin in Type 1 ANd Type 2 diabetes (RESISTANT) and Effects of METformin on CardiovasculaR Function in AdoLescents with Type 1 Diabetes (EMERALD) Studies. <i>Pediatric Diabetes</i> , <b>2018</b> , 19, 436-442	3.6	8
33	Effects of single bout resistance exercise on glucose levels, insulin action, and cardiovascular risk in type 2 diabetes: A narrative review. <i>Journal of Diabetes and Its Complications</i> , <b>2020</b> , 34, 107610	3.2	7
32	Acute vitamin C improves cardiac function, not exercise capacity, in adults with type 2 diabetes. <i>Diabetology and Metabolic Syndrome</i> , <b>2018</b> , 10, 7	5.6	7
31	Organizational and training factors that promote team science: A qualitative analysis and application of theory to the National Institutes of Health's BIRCWH career development program. <i>Journal of Clinical and Translational Science</i> , <b>2017</b> , 1, 101-107	0.4	7
30	The Risk of Remaining Silent: Addressing the Current Threats to Women's Health. <i>Women's Health Issues</i> , <b>2017</b> , 27, 621-624	2.6	7
29	Impaired fibrinolysis in premenopausal women and age-matched men with Type 2 diabetes mellitus: a pilot study. <i>Journal of Investigative Medicine</i> , <b>2002</b> , 50, 110-5	2.9	7
28	Treatment of peripheral arterial disease. <i>Clinical Cornerstone</i> , <b>2002</b> , 4, 26-40		7
27	Diabetes pathogenesis and management: the endothelium comes of age. <i>Journal of Molecular Cell Biology</i> , <b>2021</b> , 13, 500-512	6.3	7
26	Leptin is associated with cardiopulmonary fitness independent of body-mass index and insulin sensitivity in adolescents with type 1 diabetes: a brief report from the EMERALD study. <i>Journal of Diabetes and Its Complications</i> , <b>2017</b> , 31, 850-853	3.2	5
25	Mentoring Underrepresented Minority Physician-Scientists to Success. <i>Academic Medicine</i> , <b>2021</b> ,	3.9	5

24	GLP-1 and insulin regulation of skeletal and cardiac muscle microvascular perfusion in type 2 diabetes. <i>Journal of Diabetes</i> , <b>2020</b> , 12, 488-498	3.8	4
23	Sitagliptin improves diastolic cardiac function but not cardiorespiratory fitness in adults with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , <b>2019</b> , 33, 561-566	3.2	3
22	Sex As a Biological Variable: The Importance of Curriculum Development in the 21st Century. <i>Journal of Women's Health</i> , <b>2020</b> , 29, 854-857	3	3
21	Educating the Scientific Workforce on Sex and Gender Considerations in Research: A National Scan of the Literature and Building Interdisciplinary Research Careers in Women's Health Programs. <i>Journal of Women's Health</i> , <b>2020</b> , 29, 876-885	3	2
20	Racial Heterogeneity in Treatment Effects in Peripheral Artery Disease: Insights From the CLEVER Trial (Claudication: Exercise Versus Endoluminal Revascularization). <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2018</b> , 11, e004157	5.8	2
19	Single-leg exercise training augments in vivo skeletal muscle oxidative flux and vascular content and function in adults with type 2 diabetes. <i>Journal of Physiology</i> , <b>2021</b> ,	3.9	2
18	Acute effects of sedentary breaks on vascular health in adults at risk for type 2 diabetes: A systematic review. <i>Vascular Medicine</i> , <b>2021</b> , 26, 448-458	3.3	2
17	Is Being Physically Active Enough to Be Metabolically Healthy? The Key Role of Sedentary Behavior. <i>Diabetes Care</i> , <b>2021</b> , 44, 17-19	14.6	2
16	Impact of Obesity on Measures of Cardiovascular and Kidney Health in Youth With Type 1 Diabetes as Compared With Youth With Type 2 Diabetes. <i>Diabetes Care</i> , <b>2021</b> , 44, 795-803	14.6	2
15	Sex Differences Across the Lifespan: A Focus on Cardiometabolism. <i>Journal of Women's Health</i> , <b>2020</b> , 29, 899-909	3	1
14	Exercise, Blood Flow, and the Skeletal Muscle Microcirculation in Diabetes Mellitus. <i>Contemporary Diabetes</i> , <b>2018</b> , 165-172	0	1
13	Exercise Performance Impairments and Benefits of Exercise Training in Diabetes. <i>Contemporary Diabetes</i> , <b>2018</b> , 83-108	0	1
12	Alice Mossie Brues (1913-2007). <i>American Anthropologist</i> , <b>2008</b> , 110, 157-160	1.5	1
11	Validity of Ratings of Perceived Exertion in Patients with Type 2 Diabetes <b>2014</b> , 1,		1
10	Effects of Exercise in Metabolic Syndrome and Diabetes: A Central Role for Insulin Sensitivity <b>2008</b> , 265-299		1
9	Exercise in Metabolic Syndrome and Diabetes: A Central Role for Insulin Sensitivity. <i>Contemporary Endocrinology</i> , <b>2020</b> , 293-323	0.3	1
8	Mechanistic Causes of Reduced Cardiorespiratory Fitness in Type 2 Diabetes. <i>Journal of the Endocrine Society</i> , <b>2020</b> , 4, bvaa063	0.4	1
7	Sex Differences in Cardiovascular Consequences of Hypertension, Obesity, and Diabetes: JACC Focus Seminar 4/7.. <i>Journal of the American College of Cardiology</i> , <b>2022</b> , 79, 1492-1505	15.1	1



6	Insights from an Intervention to Support Early Career Faculty with Extraprofessional Caregiving Responsibilities. <i>Women S Health Reports</i> , <b>2021</b> , 2, 355-368	0.5	o
5	Connecting the past to the present: A historical review of exercise training for peripheral artery disease.. <i>Vascular Medicine</i> , <b>2022</b> , 1358863X211073620	3.3	o
4	Diabetes Mellitus and Exercise Physiology in the Presence of Diabetic Comorbidities. <i>Contemporary Diabetes</i> , <b>2018</b> , 255-287	o	
3	Sex Differences in Exercise Performance and Exercise Training Among Persons with Type 2 Diabetes. <i>Contemporary Diabetes</i> , <b>2018</b> , 109-123	o	
2	Diabetes Mellitus and Exercise Physiology in the Presence of Diabetic Comorbidities <b>2009</b> , 163-183		
1	Quantifying meaningful change: Improving how we evaluate functional ability in peripheral artery disease. <i>Journal of Vascular Surgery</i> , <b>2021</b> , 73, 277-278	3.5	