

Judith G Regensteiner

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/12135599/judith-g-regensteiner-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

9,578
citations

49
h-index

97
g-index

138
ext. papers

11,376
ext. citations

6.1
avg, IF

5.75
L-index

#	Paper	IF	Citations
131	Connecting the past to the present: A historical review of exercise training for peripheral artery disease.. <i>Vascular Medicine</i> , 2022 , 1358863X211073620	3.3	0
130	Sex Differences in Cardiovascular Consequences of Hypertension, Obesity, and Diabetes: JACC Focus Seminar 4/7.. <i>Journal of the American College of Cardiology</i> , 2022 , 79, 1492-1505	15.1	1
129	Diabetes pathogenesis and management: the endothelium comes of age. <i>Journal of Molecular Cell Biology</i> , 2021 , 13, 500-512	6.3	7
128	Single-leg exercise training augments in vivo skeletal muscle oxidative flux and vascular content and function in adults with type 2 diabetes. <i>Journal of Physiology</i> , 2021 ,	3.9	2
127	Acute effects of sedentary breaks on vascular health in adults at risk for type 2 diabetes: A systematic review. <i>Vascular Medicine</i> , 2021 , 26, 448-458	3.3	2
126	Quantifying meaningful change: Improving how we evaluate functional ability in peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2021 , 73, 277-278	3.5	
125	Is Being Physically Active Enough to Be Metabolically Healthy? The Key Role of Sedentary Behavior. <i>Diabetes Care</i> , 2021 , 44, 17-19	14.6	2
124	Impact of Obesity on Measures of Cardiovascular and Kidney Health in Youth With Type 1 Diabetes as Compared With Youth With Type 2 Diabetes. <i>Diabetes Care</i> , 2021 , 44, 795-803	14.6	2
123	Insights from an Intervention to Support Early Career Faculty with Extraprofessional Caregiving Responsibilities. <i>Women S Health Reports</i> , 2021 , 2, 355-368	0.5	0
122	Mentoring Underrepresented Minority Physician-Scientists to Success. <i>Academic Medicine</i> , 2021 ,	3.9	5
121	Effects of single bout resistance exercise on glucose levels, insulin action, and cardiovascular risk in type 2 diabetes: A narrative review. <i>Journal of Diabetes and Its Complications</i> , 2020 , 34, 107610	3.2	7
120	Sex Differences Across the Lifespan: A Focus on Cardiometabolism. <i>Journal of Women's Health</i> , 2020 , 29, 899-909	3	1
119	Educating the Scientific Workforce on Sex and Gender Considerations in Research: A National Scan of the Literature and Building Interdisciplinary Research Careers in Women's Health Programs. <i>Journal of Women's Health</i> , 2020 , 29, 876-885	3	2
118	Sex As a Biological Variable: The Importance of Curriculum Development in the 21st Century. <i>Journal of Women's Health</i> , 2020 , 29, 854-857	3	3
117	GLP-1 and insulin regulation of skeletal and cardiac muscle microvascular perfusion in type 2 diabetes. <i>Journal of Diabetes</i> , 2020 , 12, 488-498	3.8	4
116	Exercise in Metabolic Syndrome and Diabetes: A Central Role for Insulin Sensitivity. <i>Contemporary Endocrinology</i> , 2020 , 293-323	0.3	1
115	Mechanistic Causes of Reduced Cardiorespiratory Fitness in Type 2 Diabetes. <i>Journal of the Endocrine Society</i> , 2020 , 4, bvaa063	0.4	1

114	Sex and gender: modifiers of health, disease, and medicine. <i>Lancet, The</i> , 2020 , 396, 565-582	40	347
113	Implementation of Supervised Exercise Therapy for Patients With Symptomatic Peripheral Artery Disease: A Science Advisory From the American Heart Association. <i>Circulation</i> , 2019 , 140, e700-e710	16.7	25
112	Sex differences in the burden of type 2 diabetes and cardiovascular risk across the life course. <i>Diabetologia</i> , 2019 , 62, 1761-1772	10.3	72
111	Sitagliptin improves diastolic cardiac function but not cardiorespiratory fitness in adults with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 561-566	3.2	3
110	Integrating sex and gender considerations in research: educating the scientific workforce. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 248-250	18.1	8
109	Optimal Exercise Programs for Patients With Peripheral Artery Disease: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2019 , 139, e10-e33	16.7	87
108	Impact of diabetes and sex in heart failure with reduced ejection fraction patients from the ASIAN-HF registry. <i>European Journal of Heart Failure</i> , 2019 , 21, 297-307	12.3	22
107	Supplemental Oxygen Improves In Vivo Mitochondrial Oxidative Phosphorylation Flux in Sedentary Obese Adults With Type 2 Diabetes. <i>Diabetes</i> , 2018 , 67, 1369-1379	0.9	14
106	Racial Heterogeneity in Treatment Effects in Peripheral Artery Disease: Insights From the CLEVER Trial (Claudication: Exercise Versus Endoluminal Revascularization). <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2018 , 11, e004157	5.8	2
105	Diabetes Mellitus and Exercise Physiology in the Presence of Diabetic Comorbidities. <i>Contemporary Diabetes</i> , 2018 , 255-287	0	
104	Exercise, Blood Flow, and the Skeletal Muscle Microcirculation in Diabetes Mellitus. <i>Contemporary Diabetes</i> , 2018 , 165-172	0	1
103	Exercise Performance Impairments and Benefits of Exercise Training in Diabetes. <i>Contemporary Diabetes</i> , 2018 , 83-108	0	1
102	Sex Differences in Exercise Performance and Exercise Training Among Persons with Type 2 Diabetes. <i>Contemporary Diabetes</i> , 2018 , 109-123	0	
101	An Innovative Program to Support Gender Equity and Success in Academic Medicine: Early Experiences From the Doris Duke Charitable Foundation® Fund to Retain Clinical Scientists. <i>Annals of Internal Medicine</i> , 2018 , 169, 128-130	8	14
100	Mechanisms of Aerobic Exercise Impairment in Diabetes: A Narrative Review. <i>Frontiers in Endocrinology</i> , 2018 , 9, 181	5.7	19
99	Acute vitamin C improves cardiac function, not exercise capacity, in adults with type 2 diabetes. <i>Diabetology and Metabolic Syndrome</i> , 2018 , 10, 7	5.6	7
98	Achieving ADA/ISPAD clinical guideline goals is associated with higher insulin sensitivity and cardiopulmonary fitness in adolescents with type 1 diabetes: Results from RESistance to InSulin in Type 1 ANd Type 2 diabetes (RESISTANT) and Effects of METformin on CardiovasculaR Function in AdoLescents with Type 1 Diabetes (EMERALD) Studies. <i>Pediatric Diabetes</i> , 2018 , 19, 436-442	3.6	8
97	Identifying the Critical Gaps in Research on Sex Differences in Metabolism Across the Life Span. <i>Endocrinology</i> , 2018 , 159, 9-19	4.8	17

96	2016 AHA/ACC Guideline on the Management of Patients with Lower Extremity Peripheral Artery Disease: Executive Summary. <i>Vascular Medicine</i> , 2017 , 22, NP1-NP43	3.3	103
95	Dissociation of local and global skeletal muscle oxygen transport metrics in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 1311-1317	3.2	13
94	How can clinical practices pragmatically increase physical activity for patients with type 2 diabetes? A systematic review. <i>Translational Behavioral Medicine</i> , 2017 , 7, 751-772	3.2	17
93	Leptin is associated with cardiopulmonary fitness independent of body-mass index and insulin sensitivity in adolescents with type 1 diabetes: a brief report from the EMERALD study. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 850-853	3.2	5
92	2016 AHA/ACC Guideline on the Management of Patients With Lower Extremity Peripheral Artery Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Journal of the American College of Cardiology</i> , 2017 , 69, e71-e126	15.1	301
91	2016 AHA/ACC Guideline on the Management of Patients With Lower Extremity Peripheral Artery Disease: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Circulation</i> , 2017 , 135, e686-e725	16.7	355
90	Organizational and training factors that promote team science: A qualitative analysis and application of theory to the National Institutes of Health's BIRCWH career development program. <i>Journal of Clinical and Translational Science</i> , 2017 , 1, 101-107	0.4	7
89	2016 AHA/ACC Guideline on the Management of Patients With Lower Extremity Peripheral Artery Disease: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Journal of the American College of Cardiology</i> , 2017 , 69, e71-e126	15.1	320
88	2016 AHA/ACC Guideline on the Management of Patients With Lower Extremity Peripheral Artery Disease: A Report of the American College of Cardiology/American Heart Association Task Force on Clinical Practice Guidelines. <i>Circulation</i> , 2017 , 135, e726-e779	16.7	396
87	Exenatide improves diastolic function and attenuates arterial stiffness but does not alter exercise capacity in individuals with type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 449-455	3.2	37
86	The Risk of Remaining Silent: Addressing the Current Threats to Women's Health. <i>Women's Health Issues</i> , 2017 , 27, 621-624	2.6	7
85	Cardiopulmonary Dysfunction and Adiponectin in Adolescents With Type 2 Diabetes. <i>Journal of the American Heart Association</i> , 2016 , 5, e002804	6	34
84	Youth with type 1 diabetes have worse strain and less pronounced sex differences in early echocardiographic markers of diabetic cardiomyopathy compared to their normoglycemic peers: A RESistance to InSulin in Type 1 ANd Type 2 diabetes (RESISTANT) Study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 1103-1110	3.2	26
83	Supervised exercise, stent revascularization, or medical therapy for claudication due to aortoiliac peripheral artery disease: the CLEVER study. <i>Journal of the American College of Cardiology</i> , 2015 , 65, 999-1009	15.1	158
82	Cardiovascular control during exercise in type 2 diabetes mellitus. <i>Journal of Diabetes Research</i> , 2015 , 2015, 654204	3.9	22
81	Community-based walking exercise for peripheral artery disease: An exploratory pilot study. <i>Vascular Medicine</i> , 2015 , 20, 339-47	3.3	29
80	Sex differences in the effects of type 2 diabetes on exercise performance. <i>Medicine and Science in Sports and Exercise</i> , 2015 , 47, 58-65	1.2	37
79	Sex Differences in the Cardiovascular Consequences of Diabetes Mellitus: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2015 , 132, 2424-47	16.7	168

78	Renal function is associated with peak exercise capacity in adolescents with type 1 diabetes. <i>Diabetes Care</i> , 2015 , 38, 126-31	14.6	16
77	Delayed skeletal muscle mitochondrial ADP recovery in youth with type 1 diabetes relates to muscle insulin resistance. <i>Diabetes</i> , 2015 , 64, 383-92	0.9	59
76	Targeting mitochondria to restore failed adaptation to exercise in diabetes. <i>Biochemical Society Transactions</i> , 2014 , 42, 231-8	5.1	10
75	Cost-effectiveness of supervised exercise, stenting, and optimal medical care for claudication: results from the Claudication: Exercise Versus Endoluminal Revascularization (CLEVER) trial. <i>Journal of the American Heart Association</i> , 2014 , 3, e001233	6	21
74	Method for controlled mitochondrial perturbation during phosphorus MRS in children. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 2030-6	1.2	14
73	Validity of Ratings of Perceived Exertion in Patients with Type 2 Diabetes 2014 , 1,		1
72	Exercise therapy for claudication: latest advances. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2013 , 15, 188-99	2.1	14
71	Correlation of patient-reported symptom outcomes and treadmill test outcomes after treatment for aortoiliac claudication. <i>Journal of Vascular and Interventional Radiology</i> , 2013 , 24, 1427-35; quiz 1436 ^{2.4}	2.4	13
70	Community walking programs for treatment of peripheral artery disease. <i>Journal of Vascular Surgery</i> , 2013 , 58, 1678-87	3.5	29
69	Type 2 diabetes mellitus and exercise impairment. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2013 , 14, 77-86	10.5	89
68	Four-year change in cardiorespiratory fitness and influence on glycemic control in adults with type 2 diabetes in a randomized trial: the Look AHEAD Trial. <i>Diabetes Care</i> , 2013 , 36, 1297-303	14.6	49
67	Alteration in angiogenic and anti-angiogenic forms of vascular endothelial growth factor-A in skeletal muscle of patients with intermittent claudication following exercise training. <i>Vascular Medicine</i> , 2012 , 17, 94-100	3.3	46
66	2012 ACCF/AHA/ACR/SCAI/SIR/STS/SVM/SVN/SVS Key data elements and definitions for peripheral atherosclerotic vascular disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Clinical Data Standards (Writing Committee	15.1	42
65	2012 ACCF/AHA/ACR/SCAI/SIR/STS/SVM/SVN/SVS key data elements and definitions for peripheral atherosclerotic vascular disease: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Clinical Data Standards (Writing Committee	16.7	43
64	Supervised exercise versus primary stenting for claudication resulting from aortoiliac peripheral artery disease: six-month outcomes from the claudication: exercise versus endoluminal revascularization (CLEVER) study. <i>Circulation</i> , 2012 , 125, 130-9	16.7	313
63	The PADQOL: development and validation of a PAD-specific quality of life questionnaire. <i>Vascular Medicine</i> , 2012 , 17, 405-15	3.3	40
62	Assessment of functional status and quality of life in claudication. <i>Journal of Vascular Surgery</i> , 2011 , 53, 1410-21	3.5	65
61	Relationship between leg muscle capillary density and peak hyperemic blood flow with endurance capacity in peripheral artery disease. <i>Journal of Applied Physiology</i> , 2011 , 111, 81-6	3.7	83

60	Angiogenesis in skeletal muscle precede improvements in peak oxygen uptake in peripheral artery disease patients. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011 , 31, 2742-8	9.4	84
59	Fear of injury with physical activity is greater in adults with diabetes than in adults without diabetes. <i>Diabetes Care</i> , 2011 , 34, 1717-22	14.6	19
58	Exercise and type 2 diabetes: American College of Sports Medicine and the American Diabetes Association: joint position statement. Exercise and type 2 diabetes. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 2282-303	1.2	363
57	Insulin resistance in adolescents with type 1 diabetes and its relationship to cardiovascular function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 513-21	5.6	212
56	Prevalence and predictors of abnormal cardiovascular responses to exercise testing among individuals with type 2 diabetes: the Look AHEAD (Action for Health in Diabetes) study. <i>Diabetes Care</i> , 2010 , 33, 901-7	14.6	24
55	Effect of niacin ER/lovastatin on claudication symptoms in patients with peripheral artery disease. <i>Vascular Medicine</i> , 2010 , 15, 171-9	3.3	28
54	Exercise and type 2 diabetes: the American College of Sports Medicine and the American Diabetes Association: joint position statement. <i>Diabetes Care</i> , 2010 , 33, e147-67	14.6	839
53	Activity patterns of obese adults with type 2 diabetes in the look AHEAD study. <i>Medicine and Science in Sports and Exercise</i> , 2010 , 42, 1995-2005	1.2	50
52	Design of the multicenter standardized supervised exercise training intervention for the claudication: exercise vs endoluminal revascularization (CLEVER) study. <i>Vascular Medicine</i> , 2009 , 14, 313-21	3.3	25
51	Claudication: exercise vs endoluminal revascularization (CLEVER) study update. <i>Journal of Vascular Surgery</i> , 2009 , 50, 942-945.e2	3.5	12
50	Insulin resistance in adolescents with type 2 diabetes is associated with impaired exercise capacity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 3687-95	5.6	144
49	Women with type 2 diabetes perceive harder effort during exercise than nondiabetic women. <i>Applied Physiology, Nutrition and Metabolism</i> , 2009 , 34, 851-7	3	41
48	Cardiac dysfunction during exercise in uncomplicated type 2 diabetes. <i>Medicine and Science in Sports and Exercise</i> , 2009 , 41, 977-84	1.2	62
47	Diabetes Mellitus and Exercise Physiology in the Presence of Diabetic Comorbidities 2009 , 163-183		
46	The Claudication: Exercise Vs. Endoluminal Revascularization (CLEVER) study: rationale and methods. <i>Journal of Vascular Surgery</i> , 2008 , 47, 1356-63	3.5	64
45	The impact of peripheral arterial disease on health-related quality of life in the Peripheral Arterial Disease Awareness, Risk, and Treatment: New Resources for Survival (PARTNERS) Program. <i>Vascular Medicine</i> , 2008 , 13, 15-24	3.3	217
44	Alice Mossie Brues (1913-2007). <i>American Anthropologist</i> , 2008 , 110, 157-160	1.5	1
43	Effects of Exercise in Metabolic Syndrome and Diabetes: A Central Role for Insulin Sensitivity 2008 , 265-299		1

42	Increased levels of apoptosis in gastrocnemius skeletal muscle in patients with peripheral arterial disease. <i>Vascular Medicine</i> , 2007 , 12, 285-90	3.3	55
41	Skeletal muscle deoxygenation after the onset of moderate exercise suggests slowed microvascular blood flow kinetics in type 2 diabetes. <i>Diabetes Care</i> , 2007 , 30, 2880-5	14.6	146
40	Diabetes and advanced glycoxidation end products. <i>Diabetes Care</i> , 2006 , 29, 1420-32	14.6	201
39	Established and evolving medical therapies for claudication in patients with peripheral arterial disease. <i>Nature Clinical Practice Cardiovascular Medicine</i> , 2006 , 3, 604-10		25
38	Lack of relationship between gait parameters and physical function in peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 2006 , 44, 782-8	3.5	19
37	Physical activity in individuals at risk for diabetes: Diabetes Prevention Program. <i>Medicine and Science in Sports and Exercise</i> , 2006 , 38, 826-32	1.2	63
36	Rosiglitazone improves exercise capacity in individuals with type 2 diabetes. <i>Diabetes Care</i> , 2005 , 28, 2877-83	14.6	70
35	The effect of inhibition of acyl coenzyme A-cholesterol acyltransferase (ACAT) on exercise performance in patients with peripheral arterial disease. <i>Vascular Medicine</i> , 2004 , 9, 271-7	3.3	13
34	Type 2 diabetes mellitus and cardiovascular exercise performance. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2004 , 5, 269-76	10.5	32
33	Exercise rehabilitation for the patient with intermittent claudication: a highly effective yet underutilized treatment. <i>Current Drug Targets Cardiovascular & Haematological Disorders</i> , 2004 , 4, 233-9		41
32	Peripheral arterial disease rehabilitation: a review. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2003 , 23, 170-5		35
31	Functional outcome in a contemporary series of major lower extremity amputations. <i>Journal of Vascular Surgery</i> , 2003 , 38, 7-14	3.5	213
30	Cardiovascular risk in women with type 2 diabetes. <i>Medical Clinics of North America</i> , 2003 , 87, 955-69	7	8
29	Novel actions of thiazolidinediones on vascular function and exercise capacity. <i>American Journal of Medicine</i> , 2003 , 115 Suppl 8A, 69S-74S	2.4	19
28	Evaluating effects of method of administration on Walking Impairment Questionnaire. <i>Journal of Vascular Surgery</i> , 2003 , 38, 296-304	3.5	57
27	Oral L-arginine and vitamins E and C improve endothelial function in women with type 2 diabetes. <i>Vascular Medicine</i> , 2003 , 8, 169-75	3.3	73
26	Functional outcomes and quality of life in peripheral arterial disease: current status. <i>Vascular Medicine</i> , 2003 , 8, 115-26	3.3	89
25	Impaired fibrinolysis in premenopausal women and age-matched men with Type 2 diabetes mellitus: a pilot study. <i>Journal of Investigative Medicine</i> , 2002 , 50, 110-5	2.9	7

24	Treatment of peripheral arterial disease. <i>Clinical Cornerstone</i> , 2002 , 4, 26-40		7
23	Effect of cilostazol on treadmill walking, community-based walking ability, and health-related quality of life in patients with intermittent claudication due to peripheral arterial disease: meta-analysis of six randomized controlled trials. <i>Journal of the American Geriatrics Society</i> , 2002 , 50, 1939-46	5.6	187
22	A patient-derived perspective of health-related quality of life with peripheral arterial disease. <i>Journal of Nursing Scholarship</i> , 2002 , 34, 55-60	3.6	93
21	Current medical therapies for patients with peripheral arterial disease: a critical review. <i>American Journal of Medicine</i> , 2002 , 112, 49-57	2.4	109
20	Exercise training for claudication. <i>New England Journal of Medicine</i> , 2002 , 347, 1941-51	59.2	385
19	Proteinuria in a placebo-controlled study of basic fibroblast growth factor for intermittent claudication. <i>Vascular Medicine</i> , 2001 , 6, 235-9	3.3	43
18	Propionyl-L-carnitine improves exercise performance and functional status in patients with claudication. <i>American Journal of Medicine</i> , 2001 , 110, 616-22	2.4	97
17	Oxygen uptake kinetics during exercise are slowed in patients with peripheral arterial disease. <i>Journal of Applied Physiology</i> , 1999 , 87, 809-16	3.7	72
16	Gait characteristics of patients with claudication. <i>Archives of Physical Medicine and Rehabilitation</i> , 1998 , 79, 529-31	2.8	48
15	Abnormal oxygen uptake kinetic responses in women with type II diabetes mellitus. <i>Journal of Applied Physiology</i> , 1998 , 85, 310-7	3.7	177
14	Hospital vs home-based exercise rehabilitation for patients with peripheral arterial occlusive disease. <i>Angiology</i> , 1997 , 48, 291-300	2.1	180
13	Exercise in the treatment of claudication: assessment and treatment of functional impairment. <i>Vascular Medicine</i> , 1997 , 2, 238-42	3.3	50
12	Exercise testing and exercise rehabilitation for patients with peripheral arterial disease: status in 1997. <i>Vascular Medicine</i> , 1997 , 2, 147-55	3.3	43
11	Exercise training improves functional status in patients with peripheral arterial disease. <i>Journal of Vascular Surgery</i> , 1996 , 23, 104-15	3.5	337
10	Effects of non-insulin-dependent diabetes on oxygen consumption during treadmill exercise. <i>Medicine and Science in Sports and Exercise</i> , 1995 , 27, 661-667	1.2	107
9	Effects of non-insulin-dependent diabetes on oxygen consumption during treadmill exercise. <i>Medicine and Science in Sports and Exercise</i> , 1995 , 27, 875-881	1.2	71
8	High altitude and hypertension during pregnancy. <i>American Journal of Human Biology</i> , 1995 , 7, 183-193	2.7	19
7	Progression of neuropathy in peripheral arterial disease. <i>Muscle and Nerve</i> , 1995 , 18, 380-7	3.4	51

6	Clinical trials for claudication. Assessment of exercise performance, functional status, and clinical end points. Vascular Clinical Trialists. <i>Circulation</i> , 1995 , 92, 614-21	16.7	210
5	Functional benefits of peripheral vascular bypass surgery for patients with intermittent claudication. <i>Angiology</i> , 1993 , 44, 1-10	2.1	83
4	Short-term effects of estrogen and progestin on blood pressure of normotensive postmenopausal women. <i>Journal of Clinical Pharmacology</i> , 1991 , 31, 543-8	2.9	18
3	Combined effects of female hormones and exercise on hypoxic ventilatory response. <i>Respiration Physiology</i> , 1990 , 82, 107-14		23
2	The Evaluation of Exercise Performance in Patients with Peripheral Vascular Disease. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1988 , 8, 525-532		119
1	Possible gender differences in the effect of exercise on hypoxic ventilatory response. <i>Respiration</i> , 1988 , 53, 158-65	3.7	22