

Marc Fisher

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/12137626/marc-fisher-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

15,966
citations

64
h-index

125
g-index

178
ext. papers

17,666
ext. citations

7.2
avg, IF

6.34
L-index

#	Paper	IF	Citations
164	The Challenge of Designing Stroke Trials That Change Practice: MCID vs. Sample Size and Pragmatism.. <i>Journal of Stroke</i> , 2022 , 24, 49-56	5.6	0
163	Top Priorities for Cerebroprotective Studies-A Paradigm Shift: Report From STAIR XI. <i>Stroke</i> , 2021 , 52, 3063-3071	6.7	18
162	The Past Decade at : Important Advances and Overcoming Challenges. <i>Stroke</i> , 2020 , 51, 1032-1035	6.7	
161	Neuroprotective Effects of Selective Inhibition of Histone Deacetylase 3 in Experimental Stroke. <i>Translational Stroke Research</i> , 2020 , 11, 1052-1063	7.8	11
160	Challenging the Ischemic Core Concept in Acute Ischemic Stroke Imaging. <i>Stroke</i> , 2020 , 51, 3147-3155	6.7	47
159	Transfemoral Approach to Induce Transient Middle Cerebral Artery Occlusion in Rats: The Use of Commercially Available Endovascular Wires. <i>Neurocritical Care</i> , 2020 , 32, 575-585	3.3	1
158	Non-cardioembolic stroke/transient ischaemic attack in Asians and non-Asians: A post-hoc analysis of the PERFORM study. <i>European Stroke Journal</i> , 2019 , 4, 65-74	5.6	4
157	Stroke Treatment Academic Industry Roundtable X: Brain Cytoprotection Therapies in the Reperfusion Era. <i>Stroke</i> , 2019 , 50, 1026-1031	6.7	53
156	Acute Ischemic Stroke Therapy Overview. <i>Circulation Research</i> , 2017 , 120, 541-558	15.7	179
155	Reconsidering Neuroprotection in the Reperfusion Era. <i>Stroke</i> , 2017 , 48, 3413-3419	6.7	79
154	Paracetamol, Ibuprofen, and Recurrent Major Cardiovascular and Major Bleeding Events in 19 120 Patients With Recent Ischemic Stroke. <i>Stroke</i> , 2016 , 47, 1045-52	6.7	6
153	Extending the Time Window for Endovascular and Pharmacological Reperfusion. <i>Translational Stroke Research</i> , 2016 , 7, 284-93	7.8	47
152	Methodological Quality of Experimental Stroke Studies Published in the Stroke Journal: Time Trends and Effect of the Basic Science Checklist. <i>Stroke</i> , 2016 , 47, 267-72	6.7	25
151	Translational Stroke Research: Where Have We Been and Where are We Going? Interviewing Dr. Marc Fisher (editor of Stroke). <i>Canadian Journal of Neurological Sciences</i> , 2015 , 42, 2-6	1	
150	Guidelines for the prevention of stroke in patients with stroke and transient ischemic attack: a guideline for healthcare professionals from the American Heart Association/American Stroke Association. <i>Stroke</i> , 2014 , 45, 2160-236	6.7	2808
149	Editorial Correspondence. <i>Stroke</i> , 2014 , 45, 5-5	6.7	2
148	Clot injection technique affects thrombolytic efficacy in a rat embolic stroke model: implications for translaboratory collaborations. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2014 , 34, 677-82	7.3	10

147	Atherogenic dyslipidemia and residual cardiovascular risk in statin-treated patients. <i>Stroke</i> , 2014 , 45, 1429-36	6.7	48
146	Pre and Post-stroke Use of Statins Improves Stroke Outcome. <i>Indian Journal of Community Medicine</i> , 2014 , 39, 214-7	0.8	4
145	Enhancement in cognitive function recovery by granulocyte-colony stimulating factor in a rodent model of traumatic brain injury. <i>Behavioural Brain Research</i> , 2014 , 259, 354-6	3.4	9
144	The Interface Between Technology and Acute Ischemic Therapy Development. <i>Cardiovascular Engineering and Technology</i> , 2013 , 4, 287-290	2.2	
143	Heart rate is a prognostic risk factor for myocardial infarction: a post hoc analysis in the PERFORM (Prevention of cerebrovascular and cardiovascular Events of ischemic origin with teRutroban in patients with a history of ischemic stroke or transient ischemic attack) study population. <i>International Journal of Cardiology</i> , 2013 , 168, 3500-5	3.2	30
142	Advanced imaging to extend the therapeutic time window of acute ischemic stroke. <i>Annals of Neurology</i> , 2013 , 73, 4-9	9.4	77
141	Prevention and Treatment of Stroke 2013 , 372-385		
140	The spectrum of translational stroke research. <i>Neurological Research</i> , 2013 , 35, 443-7	2.7	4
139	A concerted appeal for international cooperation in preclinical stroke research. <i>Stroke</i> , 2013 , 44, 1754-60	6.7	81
138	Granulocyte colony-stimulating factor in patients with acute ischemic stroke: results of the AX200 for Ischemic Stroke trial. <i>Stroke</i> , 2013 , 44, 2681-7	6.7	117
137	Development, expansion, and use of a stroke clinical trials resource for novel exploratory analyses. <i>International Journal of Stroke</i> , 2012 , 7, 133-8	6.3	70
136	A call for transparent reporting to optimize the predictive value of preclinical research. <i>Nature</i> , 2012 , 490, 187-91	50.4	795
135	Imaging of experimental stroke models. <i>Translational Stroke Research</i> , 2012 , 3, 16-21	7.8	3
134	Neuroprotective effects of statins: evidence from preclinical and clinical studies. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2012 , 14, 252-9	2.1	13
133	Terutroban versus aspirin in patients with cerebral ischaemic events (PERFORM): a randomised, double-blind, parallel-group trial. <i>Lancet, The</i> , 2011 , 377, 2013-22	40	159
132	MRI of stroke using hyperpolarized ¹²⁹ Xe. <i>NMR in Biomedicine</i> , 2011 , 24, 170-5	4.4	40
131	Neuroprotection by freezing ischemic penumbra evolution without cerebral blood flow augmentation with a postsynaptic density-95 protein inhibitor. <i>Stroke</i> , 2011 , 42, 3265-70	6.7	60
130	New approaches to neuroprotective drug development. <i>Stroke</i> , 2011 , 42, S24-7	6.7	138

129	Neuroimaging in Acute Ischemic Stroke 2011 , 293-308		0
128	Characterization of gadolinium-based dynamic susceptibility contrast perfusion measurements in permanent and transient MCAO models with volumetric based validation by CASL. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010 , 30, 336-42	7.3	12
127	Stroke: working toward a prioritized world agenda. <i>Cerebrovascular Diseases</i> , 2010 , 30, 127-47	3.2	19
126	AXIS: a trial of intravenous granulocyte colony-stimulating factor in acute ischemic stroke. <i>Stroke</i> , 2010 , 41, 2545-51	6.7	108
125	Stroke: working toward a prioritized world agenda. <i>Stroke</i> , 2010 , 41, 1084-99	6.7	98
124	Acute ischemic stroke therapy. <i>Expert Review of Cardiovascular Therapy</i> , 2010 , 8, 1389-98	2.5	11
123	A New Era Begins. <i>Stroke</i> , 2010 , 41, 1312-1313	6.7	
122	Methodological quality of animal studies of neuroprotective agents currently in phase II/III acute ischemic stroke trials. <i>Stroke</i> , 2009 , 40, 577-81	6.7	111
121	Reprint: Good laboratory practice: preventing introduction of bias at the bench. <i>Stroke</i> , 2009 , 29, 221-3	6.7	236
120	Emerging drugs for acute ischemic stroke. <i>Expert Opinion on Emerging Drugs</i> , 2009 , 14, 33-42	3.7	4
119	Granulocyte-colony stimulating factor delays PWI/DWI mismatch evolution and reduces final infarct volume in permanent-suture and embolic focal cerebral ischemia models in the rat. <i>Stroke</i> , 2009 , 40, 3102-6	6.7	24
118	Ischemic lesion volume determination on diffusion weighted images vs. apparent diffusion coefficient maps. <i>Brain Research</i> , 2009 , 1279, 182-8	3.7	20
117	Reprint: Good Laboratory Practice: Preventing Introduction of Bias at the Bench. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 221-223	7.3	50
116	Normobaric hyperoxia and delayed tPA treatment in a rat embolic stroke model. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 119-29	7.3	55
115	Reprint: Good laboratory practice: preventing introduction of bias at the bench. <i>International Journal of Stroke</i> , 2009 , 4, 3-5	6.3	23
114	Update of the stroke therapy academic industry roundtable preclinical recommendations. <i>Stroke</i> , 2009 , 40, 2244-50	6.7	948
113	Laser Doppler flowmetry predicts occlusion but not tPA-mediated reperfusion success after rat embolic stroke. <i>Experimental Neurology</i> , 2009 , 215, 290-7	5.7	23
112	Animal models of focal brain ischemia. <i>Experimental & Translational Stroke Medicine</i> , 2009 , 1, 7		60

111	Effectiveness and safety of transcranial laser therapy for acute ischemic stroke. <i>Stroke</i> , 2009 , 40, 1359-64.	6.7	200
110	Does the combination of warfarin and aspirin have a place in secondary stroke prevention? No. <i>Stroke</i> , 2009 , 40, 1944-5	6.7	3
109	Stroke. <i>Lancet, The</i> , 2008 , 371, 1612-23	40	1852
108	Pulse inhibition of histone deacetylases induces complete resistance to oxidative death in cortical neurons without toxicity and reveals a role for cytoplasmic p21(waf1/cip1) in cell cycle-independent neuroprotection. <i>Journal of Neuroscience</i> , 2008 , 28, 163-76	6.6	129
107	Acute ischemic coronary artery disease and ischemic stroke: similarities and differences. <i>American Journal of Therapeutics</i> , 2008 , 15, 137-49	1	16
106	Stroke and TIA: epidemiology, risk factors, and the need for early intervention. <i>American Journal of Managed Care</i> , 2008 , 14, S204-11	2.1	34
105	Future of neuroprotection for acute stroke: in the aftermath of the SAINT trials. <i>Annals of Neurology</i> , 2007 , 61, 396-402	9.4	213
104	Normobaric hyperoxia delays perfusion/diffusion mismatch evolution, reduces infarct volume, and differentially affects neuronal cell death pathways after suture middle cerebral artery occlusion in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 1632-42	7.3	96
103	Spectacular shrinking deficit: insights from multimodal magnetic resonance imaging after embolic middle cerebral artery occlusion in Sprague-Dawley rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2007 , 27, 1756-63	7.3	10
102	Translational research in stroke: taking advances in the pathophysiology and treatment of stroke from the experimental setting to clinical trials. <i>Current Neurology and Neuroscience Reports</i> , 2007 , 7, 35-41	6.6	17
101	Characterizing tissue fate after transient cerebral ischemia of varying duration using quantitative diffusion and perfusion imaging. <i>Stroke</i> , 2007 , 38, 1336-44	6.7	43
100	The Virtual International Stroke Trials Archive. <i>Stroke</i> , 2007 , 38, 1905-10	6.7	97
99	Infrared laser therapy for ischemic stroke: a new treatment strategy: results of the NeuroThera Effectiveness and Safety Trial-1 (NEST-1). <i>Stroke</i> , 2007 , 38, 1843-9	6.7	274
98	Prophylactic neuroprotection. <i>Current Drug Targets</i> , 2007 , 8, 846-9	3	13
97	Shift analysis versus dichotomization of the modified Rankin scale outcome scores in the NINDS and ECASS-II trials. <i>Stroke</i> , 2007 , 38, 3205-12	6.7	94
96	Comparison between coated vs. uncoated suture middle cerebral artery occlusion in the rat as assessed by perfusion/diffusion weighted imaging. <i>Neuroscience Letters</i> , 2007 , 412, 185-90	3.3	37
95	Comparison of ischemic lesion evolution in embolic versus mechanical middle cerebral artery occlusion in Sprague Dawley rats using diffusion and perfusion imaging. <i>Stroke</i> , 2006 , 37, 1283-7	6.7	36
94	Long-term changes of functional MRI-based brain function, behavioral status, and histopathology after transient focal cerebral ischemia in rats. <i>Stroke</i> , 2006 , 37, 2593-600	6.7	65

93	The ischemic penumbra: a new opportunity for neuroprotection. <i>Cerebrovascular Diseases</i> , 2006 , 21 Suppl 2, 64-70	3.2	50
92	Normobaric hyperoxia - a promising approach to expand the time window for acute stroke treatment. <i>Cerebrovascular Diseases</i> , 2006 , 21, 134-6	3.2	19
91	Role of heparin and low-molecular-weight heparins in the management of acute ischemic stroke. <i>Expert Review of Cardiovascular Therapy</i> , 2006 , 4, 405-15	2.5	3
90	Toward a multimodal neuroprotective treatment of stroke. <i>Stroke</i> , 2006 , 37, 1129-36	6.7	83
89	The proteasome inhibitor VELCADE reduces infarction in rat models of focal cerebral ischemia. <i>Neuroscience Letters</i> , 2006 , 398, 300-5	3.3	37
88	New pathways for evaluating potential acute stroke therapies. <i>International Journal of Stroke</i> , 2006 , 1, 52-8	6.3	11
87	Differential recovery of multimodal MRI and behavior after transient focal cerebral ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2006 , 26, 1451-62	7.3	29
86	Devices, drugs, and the Food and Drug Administration: increasing implications for ischemic stroke. <i>Stroke</i> , 2005 , 36, 398-9	6.7	18
85	HMG-CoA reductase inhibitors improve acute ischemic stroke outcome. <i>Stroke</i> , 2005 , 36, 1298-300	6.7	118
84	Approaches to Neuroprotection and Recovery Enhancement After Acute Stroke 2005 , 331-340		
83	Effects of intravenous dimethyl sulfoxide on ischemia evolution in a rat permanent occlusion model. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 968-77	7.3	37
82	Statistical prediction of tissue fate in acute ischemic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 1336-45	7.3	44
81	Functional, perfusion and diffusion MRI of acute focal ischemic brain injury. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, 1265-79	7.3	100
80	Perfusion and diffusion imaging in acute focal cerebral ischemia: temporal vs. spatial resolution. <i>Brain Research</i> , 2005 , 1043, 155-62	3.7	28
79	Developing and implementing future stroke therapies: the potential of telemedicine. <i>Annals of Neurology</i> , 2005 , 58, 666-71	9.4	34
78	Visualization of cortical spreading depression using manganese-enhanced magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2005 , 53, 851-7	4.4	24
77	Differences in ischemic lesion evolution in different rat strains using diffusion and perfusion imaging. <i>Stroke</i> , 2005 , 36, 2000-5	6.7	81
76	Thrombolytic therapy for acute ischemic stroke: 3 h and beyond. <i>Expert Review of Neurotherapeutics</i> , 2005 , 5, 223-33	4.3	4

75	Complications and pitfalls in rat stroke models for middle cerebral artery occlusion: a comparison between the suture and the macrosphere model using magnetic resonance angiography. <i>Stroke</i> , 2004 , 35, 2372-7	6.7	84
74	Effects of reperfusion on ADC and CBF pixel-by-pixel dynamics in stroke: characterizing tissue fates using quantitative diffusion and perfusion imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 280-90	7.3	63
73	Dynamic tracking of acute ischemic tissue fates using improved unsupervised ISODATA analysis of high-resolution quantitative perfusion and diffusion data. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2004 , 24, 887-97	7.3	55
72	Applications of diffusion/perfusion magnetic resonance imaging in experimental and clinical aspects of stroke. <i>Current Atherosclerosis Reports</i> , 2004 , 6, 267-73	6	11
71	Characterizing the diffusion/perfusion mismatch in experimental focal cerebral ischemia. <i>Annals of Neurology</i> , 2004 , 55, 207-12	9.4	127
70	Partial-volume effect on ischemic tissue-fate delineation using quantitative perfusion and diffusion imaging on a rat stroke model. <i>Magnetic Resonance in Medicine</i> , 2004 , 52, 1328-35	4.4	6
69	Investigation of techniques to quantify in vivo lesion volume based on comparison of water apparent diffusion coefficient (ADC) maps with histology in focal cerebral ischemia of rats. <i>Magnetic Resonance Imaging</i> , 2004 , 22, 653-9	3.3	13
68	Middle cerebral artery occlusion during MR-imaging: investigation of the hyperacute phase of stroke using a new in-bore occlusion model in rats. <i>Brain Research Protocols</i> , 2004 , 12, 137-43		41
67	Using diffusion-perfusion MRI in animal models for drug development 2003 , 113-120		
66	MRI in transient ischemic attacks: clinical utility and insights into pathophysiology 2003 , 135-146		2
65	New MR techniques to select patients for thrombolysis in acute stroke 2003 , 207-222		
64	Neuroprotective effects of a new synthetic peptide, CMX-9236, in in vitro and in vivo models of cerebral ischemia. <i>Brain Research</i> , 2003 , 963, 214-23	3.7	10
63	New perspectives on developing acute stroke therapy. <i>Annals of Neurology</i> , 2003 , 53, 10-20	9.4	82
62	The macrosphere model: evaluation of a new stroke model for permanent middle cerebral artery occlusion in rats. <i>Journal of Neuroscience Methods</i> , 2003 , 122, 201-11	3	95
61	Pixel-by-pixel spatiotemporal progression of focal ischemia derived using quantitative perfusion and diffusion imaging. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2003 , 23, 1479-88	7.3	116
60	Recommendations for advancing development of acute stroke therapies: Stroke Therapy Academic Industry Roundtable 3. <i>Stroke</i> , 2003 , 34, 1539-46	6.7	162
59	Combination therapies, restorative therapies and future directions 2003 , 309-316		
58	Considering the role of heparin and low-molecular-weight heparins in acute ischemic stroke. <i>Stroke</i> , 2002 , 33, 1927-33	6.7	30

57	Separating changes in the intra- and extracellular water apparent diffusion coefficient following focal cerebral ischemia in the rat brain. <i>Magnetic Resonance in Medicine</i> , 2002 , 48, 826-37	4.4	88
56	Acute postischemic renormalization of the apparent diffusion coefficient of water is not associated with reversal of astrocytic swelling and neuronal shrinkage in rats. <i>American Journal of Neuroradiology</i> , 2002 , 23, 180-8	4.4	45
55	Regional variations in the apparent diffusion coefficient and the intracellular distribution of water in rat brain during acute focal ischemia. <i>Stroke</i> , 2001 , 32, 1897-905	6.7	76
54	The Ischemic Penumbra and the Therapeutic Time Window 2001 , 35-43		
53	Transient and permanent resolution of ischemic lesions on diffusion-weighted imaging after brief periods of focal ischemia in rats : correlation with histopathology. <i>Stroke</i> , 2000 , 31, 946-54	6.7	202
52	Inapparent hemodynamic insufficiency exacerbates ischemic damage in a rat microembolic stroke model. <i>Stroke</i> , 2000 , 31, 2494-9	6.7	33
51	The N-methyl-D-aspartate antagonist CNS 1102 protects cerebral gray and white matter from ischemic injury following temporary focal ischemia in rats. <i>Stroke</i> , 2000 , 31, 1709-14	6.7	61
50	Multispectral analysis of the temporal evolution of cerebral ischemia in the rat brain. <i>Journal of Magnetic Resonance Imaging</i> , 2000 , 12, 842-58	5.6	70
49	Secondary decline in apparent diffusion coefficient and neurological outcomes after a short period of focal brain ischemia in rats. <i>Annals of Neurology</i> , 2000 , 48, 236-244	9.4	85
48	Patients with acute stroke: recent developments in neuroimaging. <i>Current Atherosclerosis Reports</i> , 2000 , 2, 136-43	6	1
47	An overview of acute stroke therapy: past, present, and future. <i>Archives of Internal Medicine</i> , 2000 , 160, 3196-206		89
46	Temporal evolution of average apparent diffusion coefficient threshold to define ischemic abnormalities in a rat permanent occlusion model. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2000 , 9, 1-7	2.8	9
45	Broad-spectrum cation channel inhibition by LOE 908 MS reduces infarct volume in vivo and postmortem in focal cerebral ischemia in the rat. <i>Journal of the Neurological Sciences</i> , 2000 , 178, 107-13	3.2	15
44	Synergistic effects of a combination of low-dose basic fibroblast growth factor and citicoline after temporary experimental focal ischemia. <i>Stroke</i> , 1999 , 30, 427-31; discussion 431-2	6.7	109
43	Reversal of acute apparent diffusion coefficient abnormalities and delayed neuronal death following transient focal cerebral ischemia in rats. <i>Annals of Neurology</i> , 1999 , 46, 333-42	9.4	127
42	Neuroprotective effects of a novel broad-spectrum cation channel blocker, LOE 908 MS, on experimental focal ischemia: a multispectral study. <i>Journal of Magnetic Resonance Imaging</i> , 1999 , 10, 138-45	5.6	13
41	Neuroprotection of Acute Ischemic Stroke: Where are We?. <i>Neuroscientist</i> , 1999 , 5, 392-401	7.6	15
40	Spontaneous hyperthermia and its mechanism in the intraluminal suture middle cerebral artery occlusion model of rats. <i>Stroke</i> , 1999 , 30, 2464-70; discussion 2470-1	6.7	122

39	Pharmacological approaches to stroke recovery. <i>Cerebrovascular Diseases</i> , 1999 , 9 Suppl 5, 29-32	3.2	25
38	Applications of diffusion-perfusion magnetic resonance imaging in acute ischemic stroke. <i>Neurology</i> , 1999 , 52, 1750-6	6.5	113
37	Determination of focal ischemic lesion volume in the rat brain using multispectral analysis. <i>Journal of Magnetic Resonance Imaging</i> , 1998 , 8, 1266-78	5.6	26
36	Further evolution toward effective therapy for acute ischemic stroke. <i>JAMA - Journal of the American Medical Association</i> , 1998 , 279, 1298-303	27.4	65
35	A new method to improve in-bore middle cerebral artery occlusion in rats: demonstration with diffusion- and perfusion-weighted imaging. <i>Stroke</i> , 1998 , 29, 1715-9; discussion 1719-20	6.7	53
34	Delayed treatment with an adenosine kinase inhibitor, GP683, attenuates infarct size in rats with temporary middle cerebral artery occlusion. <i>Stroke</i> , 1998 , 29, 1952-8	6.7	76
33	A novel endothelin antagonist, A-127722, attenuates ischemic lesion size in rats with temporary middle cerebral artery occlusion: a diffusion and perfusion MRI study. <i>Stroke</i> , 1998 , 29, 850-7; discussion 857-8	6.7	142
32	Reproducibility and reliability of middle cerebral artery occlusion using a silicone-coated suture (Koizumi) in rats. <i>Journal of the Neurological Sciences</i> , 1997 , 153, 8-11	3.2	80
31	Delayed triphenyltetrazolium chloride staining remains useful for evaluating cerebral infarct volume in a rat stroke model. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 1132-5	7.3	69
30	Characterizing the target of acute stroke therapy. <i>Stroke</i> , 1997 , 28, 866-72	6.7	131
29	Synergistic effects of citicoline and MK-801 in temporary experimental focal ischemia in rats. <i>Stroke</i> , 1997 , 28, 1060-5	6.7	68
28	Glycine site antagonist attenuates infarct size in experimental focal ischemia. Postmortem and diffusion mapping studies. <i>Stroke</i> , 1997 , 28, 1255-62; discussion 1263	6.7	45
27	The effects of prolonged treatment with citicoline in temporary experimental focal ischemia. <i>Journal of the Neurological Sciences</i> , 1996 , 138, 21-5	3.2	85
26	Medical therapy for ischemic stroke. <i>Clinical Neuropharmacology</i> , 1996 , 19, 101-28	1.4	36
25	The role of spreading depression in focal ischemia evaluated by diffusion mapping. <i>Annals of Neurology</i> , 1996 , 39, 308-18	9.4	211
24	Effect of basic fibroblast growth factor on experimental focal ischemia studied by diffusion-weighted and perfusion imaging. <i>Stroke</i> , 1996 , 27, 2292-7; discussion 2298	6.7	27
23	Severe transient hypoglycemia causes reversible change in the apparent diffusion coefficient of water. <i>Stroke</i> , 1996 , 27, 1648-55; discussion 1655-6	6.7	86
22	Delayed treatment with intravenous basic fibroblast growth factor reduces infarct size following permanent focal cerebral ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 953-9	7.3	160

21	Spreading waves of a reduced diffusion coefficient of water in normal and ischemic rat brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1995 , 15, 179-87	7.3	102
20	New Magnetic Resonance Techniques for Acute Ischemic Stroke. <i>JAMA - Journal of the American Medical Association</i> , 1995 , 274, 908	27.4	62
19	Diffusion and perfusion imaging for acute stroke. <i>World Neurosurgery</i> , 1995 , 43, 606-9		13
18	Diffusion weighted imaging for acute cerebral infarction. <i>Neurological Research</i> , 1995 , 17, 270-4	2.7	32
17	Diffusion-Weighted Magnetic Resonance Imaging for Acute Ischaemic Stroke. <i>Vascular Medicine Review</i> , 1994 , vmr-5, 307-317		1
16	Spreading waves of decreased diffusion coefficient after cortical stimulation in the rat brain. <i>Magnetic Resonance in Medicine</i> , 1994 , 32, 189-98	4.4	131
15	Temperature dependent change of apparent diffusion coefficient of water in normal and ischemic brain of rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1994 , 14, 383-90	7.3	81
14	Delayed Treatment with a Noncompetitive NMDA Antagonist, CNS-1102, Reduces Infarct Size in Rats. <i>Cerebrovascular Diseases</i> , 1994 , 4, 26-31	3.2	27
13	Evolving Toward Effective Therapy for Acute Ischemic Stroke. <i>JAMA - Journal of the American Medical Association</i> , 1993 , 270, 360	27.4	22
12	MK-801 Reduces Extensive Infarction after Suture Middle Cerebral Artery Occlusion in Rats. <i>Cerebrovascular Diseases</i> , 1993 , 3, 99-104	3.2	22
11	Apparent diffusion coefficient mapping of experimental focal cerebral ischemia using diffusion-weighted echo-planar imaging. <i>Magnetic Resonance in Medicine</i> , 1993 , 30, 318-25	4.4	156
10	Assessment of the therapeutic use of n-3 fatty acids in vascular disease and thrombosis. <i>Chest</i> , 1992 , 102, 374S-384S	5.3	21
9	Cellular Basis of Atherosclerosis 1991 , 19-36		
8	n-3 Fatty Acids and Cellular Aspects of Atherosclerosis. <i>Archives of Internal Medicine</i> , 1989 , 149, 1726		12
7	Atherosclerosis: current concepts on pathogenesis and interventional therapies. <i>Annals of Neurology</i> , 1989 , 26, 3-12	9.4	37
6	Assessment of the therapeutic use of dietary fish oil in atherosclerotic vascular disease and thrombosis. <i>Chest</i> , 1989 , 95, 19S-25S	5.3	27
5	Effects of dietary fish oil supplementation on polymorphonuclear leukocyte inflammatory potential. <i>Inflammation</i> , 1986 , 10, 387-92	5.1	111
4	Inhibition of atherosclerosis by cod-liver oil in a hyperlipidemic swine model. <i>New England Journal of Medicine</i> , 1986 , 315, 841-6	59.2	359

- 3 The Effect of Vegetarian Diets on Plasma Lipid and Platelet Levels. *Archives of Internal Medicine*,
1986, 146, 1193 25
- 2 Imaging in experimental neurology132-146
- 1 Focal brain ischemia models in rodents311-328 2