

Ye Tao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12138638/publications.pdf>

Version: 2024-02-01

72
papers

1,755
citations

257101

24
h-index

344852

36
g-index

75
all docs

75
docs citations

75
times ranked

1471
citing authors

#	ARTICLE	IF	CITATIONS
1	Induced-charge electroosmotic trapping of particles. <i>Lab on A Chip</i> , 2015, 15, 2181-2191.	3.1	82
2	High-Throughput Separation, Trapping, and Manipulation of Single Cells and Particles by Combined Dielectrophoresis at a Bipolar Electrode Array. <i>Analytical Chemistry</i> , 2018, 90, 11461-11469.	3.2	76
3	A Simplified Microfluidic Device for Particle Separation with Two Consecutive Steps: Induced Charge Electro-osmotic Prefocusing and Dielectrophoretic Separation. <i>Analytical Chemistry</i> , 2017, 89, 9583-9592.	3.2	72
4	Continuous microfluidic mixing and the highly controlled nanoparticle synthesis using direct current-induced thermal buoyancy convection. <i>Microfluidics and Nanofluidics</i> , 2020, 24, 1.	1.0	58
5	Rapid, targeted and culture-free viral infectivity assay in drop-based microfluidics. <i>Lab on A Chip</i> , 2015, 15, 3934-3940.	3.1	53
6	A novel micromixer based on the alternating current-flow field effect transistor. <i>Lab on A Chip</i> , 2017, 17, 186-197.	3.1	53
7	AC Electrothermal Circulatory Pumping Chip for Cell Culture. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 26792-26801.	4.0	52
8	Electrically controlled rapid release of actives encapsulated in double-emulsion droplets. <i>Lab on A Chip</i> , 2018, 18, 1121-1129.	3.1	47
9	Scaled particle focusing in a microfluidic device with asymmetric electrodes utilizing induced-charge electroosmosis. <i>Lab on A Chip</i> , 2016, 16, 2803-2812.	3.1	46
10	Evolution on the Biophysical Fitness Landscape of an RNA Virus. <i>Molecular Biology and Evolution</i> , 2018, 35, 2390-2400.	3.5	45
11	Large-Scale Single Particle and Cell Trapping based on Rotating Electric Field Induced-Charge Electroosmosis. <i>Analytical Chemistry</i> , 2016, 88, 11791-11798.	3.2	44
12	Control of two-phase flow in microfluidics using out-of-phase electroconvective streaming. <i>Physics of Fluids</i> , 2017, 29, .	1.6	44
13	A universal design of field-effect-tunable microfluidic ion diode based on a gating cation-exchange nanoporous membrane. <i>Physics of Fluids</i> , 2017, 29, .	1.6	42
14	Electrocoalescence of paired droplets encapsulated in double-emulsion drops. <i>Lab on A Chip</i> , 2016, 16, 4313-4318.	3.1	37
15	Continuous Particle Trapping, Switching, and Sorting Utilizing a Combination of Dielectrophoresis and Alternating Current Electrothermal Flow. <i>Analytical Chemistry</i> , 2019, 91, 5729-5738.	3.2	37
16	In-plane microvortices micromixer-based AC electrothermal for testing drug induced death of tumor cells. <i>Biomicrofluidics</i> , 2016, 10, 064102.	1.2	35
17	Trapping and chaining self-assembly of colloidal polystyrene particles over a floating electrode by using combined induced-charge electroosmosis and attractive dipole-dipole interactions. <i>Soft Matter</i> , 2015, 11, 8105-8112.	1.2	33
18	On AC-Field-Induced Nonlinear Electroosmosis next to the Sharp Corner-Field-Singularity of Leaky Dielectric Blocks and Its Application in on-Chip Micro-Mixing. <i>Micromachines</i> , 2018, 9, 102.	1.4	33

#	ARTICLE	IF	CITATIONS
19	Isolation and Analysis of Rare Norovirus Recombinants from Coinfected Mice Using Drop-Based Microfluidics. <i>Journal of Virology</i> , 2015, 89, 7722-7734.	1.5	32
20	Dielectrophoretic separation with a floating-electrode array embedded in microfabricated fluidic networks. <i>Physics of Fluids</i> , 2018, 30, .	1.6	32
21	On utilizing alternating current-flow field effect transistor for flexibly manipulating particles in microfluidics and nanofluidics. <i>Biomicrofluidics</i> , 2016, 10, 034105.	1.2	30
22	Artifact-free Quantification and Sequencing of Rare Recombinant Viruses by Using Drop-Based Microfluidics. <i>ChemBioChem</i> , 2015, 16, 2167-2171.	1.3	28
23	A high-throughput drop microfluidic system for virus culture and analysis. <i>Journal of Virological Methods</i> , 2015, 213, 111-117.	1.0	28
24	A dual-core double emulsion platform for osmolarity-controlled microreactor triggered by coalescence of encapsulated droplets. <i>Biomicrofluidics</i> , 2016, 10, 034111.	1.2	28
25	Induced-charge electrokinetics in rotating electric fields: A linear asymptotic analysis. <i>Physics of Fluids</i> , 2018, 30, .	1.6	28
26	A microscopic physical description of electrothermal-induced flow for control of ion current transport in microfluidics interfacing nanofluidics. <i>Electrophoresis</i> , 2019, 40, 2683-2698.	1.3	28
27	Label-free single-cell protein quantification using a drop-based mix-and-read system. <i>Scientific Reports</i> , 2015, 5, 12756.	1.6	26
28	Enhanced particle trapping performance of induced charge electroosmosis. <i>Electrophoresis</i> , 2016, 37, 1326-1336.	1.3	25
29	Fluid pumping and cells separation by DC-biased traveling wave electroosmosis and dielectrophoresis. <i>Microfluidics and Nanofluidics</i> , 2017, 21, 1.	1.0	24
30	Tri-fluid mixing in a microchannel for nanoparticle synthesis. <i>Lab on A Chip</i> , 2019, 19, 2936-2946.	3.1	24
31	Continuous-flow Nanoparticle Trapping Driven by Hybrid Electrokinetics in Microfluidics. <i>Electrophoresis</i> , 2021, 42, 939-949.	1.3	24
32	Particle rotational trapping on a floating electrode by rotating induced-charge electroosmosis. <i>Biomicrofluidics</i> , 2016, 10, 054103.	1.2	22
33	Self-powered AC electrokinetic microfluidic system based on triboelectric nanogenerator. <i>Nano Energy</i> , 2021, 89, 106451.	8.2	22
34	Multiple frequency electrothermal induced flow: theory and microfluidic applications. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 175304.	1.3	21
35	Fluid pumping by liquid metal droplet utilizing ac electric field. <i>Physical Review E</i> , 2022, 105, 025102.	0.8	21
36	Efficient particle and droplet manipulation utilizing the combined thermal buoyancy convection and temperature-enhanced rotating induced-charge electroosmotic flow. <i>Analytica Chimica Acta</i> , 2020, 1096, 108-119.	2.6	20

#	ARTICLE	IF	CITATIONS
37	Three-Fluid Sequential Micromixing-Assisted Nanoparticle Synthesis Utilizing Alternating Current Electrothermal Flow. <i>Industrial & Engineering Chemistry Research</i> , 2020, 59, 12514-12524.	1.8	20
38	Fluid Flow and Mixing Induced by AC Continuous Electrowetting of Liquid Metal Droplet. <i>Micromachines</i> , 2017, 8, 119.	1.4	19
39	Flexible Continuous Particle Beam Switching via External-Field-Reconfigurable Asymmetric Induced-Charge Electroosmosis. <i>Analytical Chemistry</i> , 2018, 90, 11376-11384.	3.2	19
40	A simple microfluidic method for one-step encapsulation of reagents with varying concentrations in double emulsion drops for nanoliter-scale reactions and analyses. <i>Analytical Methods</i> , 2017, 9, 2511-2516.	1.3	18
41	Efficient Micro/Nanoparticle Concentration using Direct Current-Induced Thermal Buoyancy Convection for Multiple Liquid Media. <i>Analytical Chemistry</i> , 2019, 91, 4457-4465.	3.2	18
42	Flexible particle flowâ€focusing in microchannel driven by dropletâ€directed inducedâ€charge electroosmosis. <i>Electrophoresis</i> , 2018, 39, 597-607.	1.3	17
43	Simulation analysis of rectifying microfluidic mixing with fieldâ€effectâ€tunable electrothermal induced flow. <i>Electrophoresis</i> , 2018, 39, 779-793.	1.3	16
44	Controllable rotating behavior of individual dielectric microrod in a rotating electric field. <i>Electrophoresis</i> , 2017, 38, 1427-1433.	1.3	15
45	On controlling the flow behavior driven by induction electrohydrodynamics in microfluidic channels. <i>Electrophoresis</i> , 2017, 38, 983-995.	1.3	15
46	Osmolarity-controlled swelling behaviors of dual-cored double-emulsion drops. <i>Microfluidics and Nanofluidics</i> , 2017, 21, 1.	1.0	15
47	Simulation Analysis of Improving Microfluidic Heterogeneous Immunoassay Using Induced Charge Electroosmosis on a Floating Gate. <i>Micromachines</i> , 2017, 8, 212.	1.4	14
48	A High-Throughput Electrokinetic Micromixer via AC Field-Effect Nonlinear Electroosmosis Control in 3D Electrode Configurations. <i>Micromachines</i> , 2018, 9, 432.	1.4	14
49	Combined alternating current electrothermal and dielectrophoresis-induced tunable patterning to actuate on-chip microreactions and switching at a floating electrode. <i>Sensors and Actuators B: Chemical</i> , 2020, 304, 127397.	4.0	14
50	Pumping of electrolyte with mobile liquid metal droplets driven by continuous electrowetting: A fullâ€scaled simulation study considering surfaceâ€coupled electrocapillary twoâ€phase flow. <i>Electrophoresis</i> , 2021, 42, 950-966.	1.3	14
51	A mix-and-read drop-based in vitro two-hybrid method for screening high-affinity peptide binders. <i>Scientific Reports</i> , 2016, 6, 22575.	1.6	12
52	On traveling-wave field-effect flow control for simultaneous induced-charge electroosmotic pumping and mixing in microfluidics: physical perspectives and theoretical analysis. <i>Journal of Micromechanics and Microengineering</i> , 2018, 28, 055004.	1.5	12
53	Small universal mechanical module driven by a liquid metal droplet. <i>Lab on A Chip</i> , 2021, 21, 2771-2780.	3.1	11
54	DC electric field-driven heartbeat phenomenon of gallium-based liquid metal on a floating electrode. <i>Soft Matter</i> , 2022, 18, 609-616.	1.2	11

#	ARTICLE	IF	CITATIONS
55	Electrode Cooling Effect on Out-Of-Phase Electrothermal Streaming in Rotating Electric Fields. <i>Micromachines</i> , 2017, 8, 327.	1.4	10
56	Microwire formation based on dielectrophoresis of electroless gold plated polystyrene microspheres. <i>Chinese Physics B</i> , 2011, 20, 057701.	0.7	9
57	Continuous separation of multiple size microparticles using alternating current dielectrophoresis in microfluidic device with acupuncture needle electrodes. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2016, 29, 325-331.	1.9	9
58	On Developing Field-Effect-Tunable Nanofluidic Ion Diodes with Bipolar, Induced-Charge Electrokinetics. <i>Micromachines</i> , 2018, 9, 179.	1.4	9
59	A micro-needle induced strategy for preparation of monodisperse liquid metal droplets in glass capillary microfluidics. <i>Microfluidics and Nanofluidics</i> , 2019, 23, 1.	1.0	9
60	Buoyancy-Free Janus Microcylinders as Mobile Microelectrode Arrays for Continuous Microfluidic Biomolecule Collection within a Wide Frequency Range: A Numerical Simulation Study. <i>Micromachines</i> , 2020, 11, 289.	1.4	9
61	A tripodal wheeled mobile robot driven by a liquid metal motor. <i>Lab on A Chip</i> , 2022, 22, 1943-1950.	3.1	9
62	Liquid metal droplet-enabled electrocapillary flow in biased alternating electric fields: a theoretical analysis from the perspective of induced-charge electrokinetics. <i>Journal of Micromechanics and Microengineering</i> , 2020, 30, 085007.	1.5	8
63	A visual portable microfluidic experimental device with multiple electric field regulation functions. <i>Lab on A Chip</i> , 2022, 22, 1556-1564.	3.1	8
64	Desktop-level small automatic guided vehicle driven by a liquid metal droplet. <i>Lab on A Chip</i> , 2022, 22, 826-835.	3.1	7
65	Dielectrophoretic medium exchange around droplets for on-chip fabrication of layer-by-layer microcapsules. <i>Lab on A Chip</i> , 2021, 21, 3352-3360.	3.1	6
66	Flexible online in-droplet cell/synthetic particle concentration utilizing alternating current electrothermal-flow field-effect transistor. <i>Lab on A Chip</i> , 2021, 21, 1987-1997.	3.1	6
67	A multifunctional resealable perfusion chip for cell culture and tissue engineering. <i>RSC Advances</i> , 2016, 6, 27183-27190.	1.7	5
68	Manipulation of gold coated microspheres using electrorotation. <i>Science China Technological Sciences</i> , 2011, 54, 643-649.	2.0	4
69	Multifrequency Induced-Charge Electroosmosis. <i>Micromachines</i> , 2019, 10, 447.	1.4	4
70	Numerical characterization of inter-core coalescence by AC dielectrophoresis in double-emulsion droplets. <i>Electrophoresis</i> , 2022, 43, 2141-2155.	1.3	4
71	An Experimental Study of 3D Electrode-Facilitated Particle Traffic Flow-Focusing Driven by Induced-Charge Electroosmosis. <i>Micromachines</i> , 2019, 10, 135.	1.4	3
72	DNAzyme-powered nucleic acid release from solid supports. <i>Chemical Communications</i> , 2020, 56, 647-650.	2.2	3