

Ye Tao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/12138638/ye-tao-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

69

papers

1,136

citations

22

h-index

29

g-index

75

ext. papers

1,453

ext. citations

4.8

avg, IF

4.61

L-index

#	Paper	IF	Citations
69	Induced-charge electroosmotic trapping of particles. <i>Lab on A Chip</i> , 2015 , 15, 2181-91	7.2	70
68	A Simplified Microfluidic Device for Particle Separation with Two Consecutive Steps: Induced Charge Electro-osmotic Prefocusing and Dielectrophoretic Separation. <i>Analytical Chemistry</i> , 2017 , 89, 9583-9592	7.8	51
67	Rapid, targeted and culture-free viral infectivity assay in drop-based microfluidics. <i>Lab on A Chip</i> , 2015 , 15, 3934-40	7.2	43
66	High-Throughput Separation, Trapping, and Manipulation of Single Cells and Particles by Combined Dielectrophoresis at a Bipolar Electrode Array. <i>Analytical Chemistry</i> , 2018 , 90, 11461-11469	7.8	42
65	AC Electrothermal Circulatory Pumping Chip for Cell Culture. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 26792-801	9.5	40
64	Scaled particle focusing in a microfluidic device with asymmetric electrodes utilizing induced-charge electroosmosis. <i>Lab on A Chip</i> , 2016 , 16, 2803-12	7.2	37
63	Electrically controlled rapid release of actives encapsulated in double-emulsion droplets. <i>Lab on A Chip</i> , 2018 , 18, 1121-1129	7.2	34
62	A novel micromixer based on the alternating current-flow field effect transistor. <i>Lab on A Chip</i> , 2016 , 17, 186-197	7.2	30
61	Trapping and chaining self-assembly of colloidal polystyrene particles over a floating electrode by using combined induced-charge electroosmosis and attractive dipole-dipole interactions. <i>Soft Matter</i> , 2015 , 11, 8105-12	3.6	30
60	In-plane microvortices micromixer-based AC electrothermal for testing drug induced death of tumor cells. <i>Biomicrofluidics</i> , 2016 , 10, 064102	3.2	29
59	Large-Scale Single Particle and Cell Trapping based on Rotating Electric Field Induced-Charge Electroosmosis. <i>Analytical Chemistry</i> , 2016 , 88, 11791-11798	7.8	28
58	Continuous microfluidic mixing and the highly controlled nanoparticle synthesis using direct current-induced thermal buoyancy convection. <i>Microfluidics and Nanofluidics</i> , 2020 , 24, 1	2.8	28
57	Electrocoalescence of paired droplets encapsulated in double-emulsion drops. <i>Lab on A Chip</i> , 2016 , 16, 4313-4318	7.2	28
56	Control of two-phase flow in microfluidics using out-of-phase electroconvective streaming. <i>Physics of Fluids</i> , 2017 , 29, 112002	4.4	27
55	A universal design of field-effect-tunable microfluidic ion diode based on a gating cation-exchange nanoporous membrane. <i>Physics of Fluids</i> , 2017 , 29, 112001	4.4	27
54	On utilizing alternating current-flow field effect transistor for flexibly manipulating particles in microfluidics and nanofluidics. <i>Biomicrofluidics</i> , 2016 , 10, 034105	3.2	27
53	Continuous Particle Trapping, Switching, and Sorting Utilizing a Combination of Dielectrophoresis and Alternating Current Electrothermal Flow. <i>Analytical Chemistry</i> , 2019 , 91, 5729-5738	7.8	25

52	Isolation and Analysis of Rare Norovirus Recombinants from Coinfected Mice Using Drop-Based Microfluidics. <i>Journal of Virology</i> , 2015 , 89, 7722-34	6.6	25
51	A microscopic physical description of electrothermal-induced flow for control of ion current transport in microfluidics interfacing nanofluidics. <i>Electrophoresis</i> , 2019 , 40, 2683-2698	3.6	24
50	On AC-Field-Induced Nonlinear Electroosmosis next to the Sharp Corner-Field-Singularity of Leaky Dielectric Blocks and Its Application in on-Chip Micro-Mixing. <i>Micromachines</i> , 2018 , 9,	3.3	24
49	Label-free single-cell protein quantification using a drop-based mix-and-read system. <i>Scientific Reports</i> , 2015 , 5, 12756	4.9	22
48	Induced-charge electrokinetics in rotating electric fields: A linear asymptotic analysis. <i>Physics of Fluids</i> , 2018 , 30, 062006	4.4	22
47	A dual-core double emulsion platform for osmolarity-controlled microreactor triggered by coalescence of encapsulated droplets. <i>Biomicrofluidics</i> , 2016 , 10, 034111	3.2	20
46	A high-throughput drop microfluidic system for virus culture and analysis. <i>Journal of Virological Methods</i> , 2015 , 213, 111-7	2.6	19
45	Enhanced particle trapping performance of induced charge electroosmosis. <i>Electrophoresis</i> , 2016 , 37, 1326-36	3.6	19
44	Particle rotational trapping on a floating electrode by rotating induced-charge electroosmosis. <i>Biomicrofluidics</i> , 2016 , 10, 054103	3.2	18
43	Artifact-Free Quantification and Sequencing of Rare Recombinant Viruses by Using Drop-Based Microfluidics. <i>ChemBioChem</i> , 2015 , 16, 2167-71	3.8	18
42	Dielectrophoretic separation with a floating-electrode array embedded in microfabricated fluidic networks. <i>Physics of Fluids</i> , 2018 , 30, 112003	4.4	18
41	Controllable rotating behavior of individual dielectric microrod in a rotating electric field. <i>Electrophoresis</i> , 2017 , 38, 1427-1433	3.6	15
40	Flexible particle flow-focusing in microchannel driven by droplet-directed induced-charge electroosmosis. <i>Electrophoresis</i> , 2018 , 39, 597-607	3.6	15
39	Flexible Continuous Particle Beam Switching via External-Field-Reconfigurable Asymmetric Induced-Charge Electroosmosis. <i>Analytical Chemistry</i> , 2018 , 90, 11376-11384	7.8	15
38	Fluid Flow and Mixing Induced by AC Continuous Electrowetting of Liquid Metal Droplet. <i>Micromachines</i> , 2017 , 8, 119	3.3	14
37	Tri-fluid mixing in a microchannel for nanoparticle synthesis. <i>Lab on A Chip</i> , 2019 , 19, 2936-2946	7.2	13
36	Evolution on the Biophysical Fitness Landscape of an RNA Virus. <i>Molecular Biology and Evolution</i> , 2018 , 35, 2390-2400	8.3	13
35	On controlling the flow behavior driven by induction electrohydrodynamics in microfluidic channels. <i>Electrophoresis</i> , 2017 , 38, 983-995	3.6	12

34	A simple microfluidic method for one-step encapsulation of reagents with varying concentrations in double emulsion drops for nanoliter-scale reactions and analyses. <i>Analytical Methods</i> , 2017 , 9, 2511-2516	3.2	12
33	Osmolarity-controlled swelling behaviors of dual-cored double-emulsion drops. <i>Microfluidics and Nanofluidics</i> , 2017 , 21, 1	2.8	12
32	Efficient Micro/Nanoparticle Concentration using Direct Current-Induced Thermal Buoyancy Convection for Multiple Liquid Media. <i>Analytical Chemistry</i> , 2019 , 91, 4457-4465	7.8	12
31	Simulation analysis of rectifying microfluidic mixing with field-effect-tunable electrothermal induced flow. <i>Electrophoresis</i> , 2018 , 39, 779-793	3.6	12
30	A High-Throughput Electrokinetic Micromixer via AC Field-Effect Nonlinear Electroosmosis Control in 3D Electrode Configurations. <i>Micromachines</i> , 2018 , 9,	3.3	12
29	Fluid pumping and cells separation by DC-biased traveling wave electroosmosis and dielectrophoresis. <i>Microfluidics and Nanofluidics</i> , 2017 , 21, 1	2.8	11
28	Efficient particle and droplet manipulation utilizing the combined thermal buoyancy convection and temperature-enhanced rotating induced-charge electroosmotic flow. <i>Analytica Chimica Acta</i> , 2020 , 1096, 108-119	6.6	11
27	On traveling-wave field-effect flow control for simultaneous induced-charge electroosmotic pumping and mixing in microfluidics: physical perspectives and theoretical analysis. <i>Journal of Micromechanics and Microengineering</i> , 2018 , 28, 055004	2	10
26	Simulation Analysis of Improving Microfluidic Heterogeneous Immunoassay Using Induced Charge Electroosmosis on a Floating Gate. <i>Micromachines</i> , 2017 , 8,	3.3	9
25	Continuous separation of multiple size microparticles using alternating current dielectrophoresis in microfluidic device with acupuncture needle electrodes. <i>Chinese Journal of Mechanical Engineering (English Edition)</i> , 2016 , 29, 325-331	2.5	8
24	Electrode Cooling Effect on Out-Of-Phase Electrothermal Streaming in Rotating Electric Fields. <i>Micromachines</i> , 2017 , 8,	3.3	8
23	Microwire formation based on dielectrophoresis of electroless gold plated polystyrene microspheres. <i>Chinese Physics B</i> , 2011 , 20, 057701	1.2	8
22	Multiple frequency electrothermal induced flow: theory and microfluidic applications. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 175304	3	8
21	A mix-and-read drop-based in vitro two-hybrid method for screening high-affinity peptide binders. <i>Scientific Reports</i> , 2016 , 6, 22575	4.9	8
20	Continuous-Flow Nanoparticle Trapping Driven by Hybrid Electrokinetics in Microfluidics. <i>Electrophoresis</i> , 2021 , 42, 939-949	3.6	8
19	Pumping of electrolyte with mobile liquid metal droplets driven by continuous electrowetting: A full-scaled simulation study considering surface-coupled electrocapillary two-phase flow. <i>Electrophoresis</i> , 2021 , 42, 950-966	3.6	7
18	A micro-needle induced strategy for preparation of monodisperse liquid metal droplets in glass capillary microfluidics. <i>Microfluidics and Nanofluidics</i> , 2019 , 23, 1	2.8	6
17	Buoyancy-Free Janus Microcylinders as Mobile Microelectrode Arrays for Continuous Microfluidic Biomolecule Collection within a Wide Frequency Range: A Numerical Simulation Study. <i>Micromachines</i> , 2020 , 11,	3.3	5

16	A multifunctional resealable perfusion chip for cell culture and tissue engineering. <i>RSC Advances</i> , 2016 , 6, 27183-27190	3.7	5
15	On Developing Field-Effect-Tunable Nanofluidic Ion Diodes with Bipolar, Induced-Charge Electrokinetics. <i>Micromachines</i> , 2018 , 9,	3.3	5
14	Manipulation of gold coated microspheres using electrorotation. <i>Science China Technological Sciences</i> , 2011 , 54, 643-649	3.5	4
13	Combined alternating current electrothermal and dielectrophoresis-induced tunable patterning to actuate on-chip microreactions and switching at a floating electrode. <i>Sensors and Actuators B: Chemical</i> , 2020 , 304, 127397	8.5	4
12	Self-powered AC electrokinetic microfluidic system based on triboelectric nanogenerator. <i>Nano Energy</i> , 2021 , 89, 106451	17.1	4
11	Three-Fluid Sequential Micromixing-Assisted Nanoparticle Synthesis Utilizing Alternating Current Electrothermal Flow. <i>Industrial & Engineering Chemistry Research</i> , 2020 , 59, 12514-12524	3.9	3
10	Liquid metal droplet-enabled electrocapillary flow in biased alternating electric fields: a theoretical analysis from the perspective of induced-charge electrokinetics. <i>Journal of Micromechanics and Microengineering</i> , 2020 , 30, 085007	2	3
9	DNAzyme-powered nucleic acid release from solid supports. <i>Chemical Communications</i> , 2020 , 56, 647-659	9.8	3
8	Fluid pumping by liquid metal droplet utilizing ac electric field.. <i>Physical Review E</i> , 2022 , 105, 025102	2.4	2
7	Dielectrophoretic medium exchange around droplets for on-chip fabrication of layer-by-layer microcapsules. <i>Lab on A Chip</i> , 2021 , 21, 3352-3360	7.2	2
6	Flexible online in-droplet cell/synthetic particle concentration utilizing alternating current electrothermal-flow field-effect transistor. <i>Lab on A Chip</i> , 2021 , 21, 1987-1997	7.2	2
5	Small universal mechanical module driven by a liquid metal droplet. <i>Lab on A Chip</i> , 2021 , 21, 2771-2780	7.2	2
4	A visual portable microfluidic experimental device with multiple electric field regulation functions.. <i>Lab on A Chip</i> , 2022 ,	7.2	2
3	Multifrequency Induced-Charge Electroosmosis. <i>Micromachines</i> , 2019 , 10,	3.3	1
2	Tuning the course of evolution on the biophysical fitness landscape of an RNA virus		1
1	An Experimental Study of 3D Electrode-Facilitated Particle Traffic Flow-Focusing Driven by Induced-Charge Electroosmosis. <i>Micromachines</i> , 2019 , 10,	3.3	1