

Abdullah AtlÄ±

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12141971/publications.pdf>

Version: 2024-02-01

20
papers

552
citations

840776

11
h-index

839539

18
g-index

20
all docs

20
docs citations

20
times ranked

912
citing authors

#	ARTICLE	IF	CITATIONS
1	ASSOCIATIONS BETWEEN CHRONOTYPE, SLEEP QUALITY, SUICIDALITY, AND DEPRESSIVE SYMPTOMS IN PATIENTS WITH MAJOR DEPRESSION AND HEALTHY CONTROLS. <i>Chronobiology International</i> , 2010, 27, 1813-1828.	2.0	154
2	Neutrophil–lymphocyte ratio in patients with major depressive disorder undergoing no pharmacological therapy. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 2253.	2.2	92
3	Chronotype Differences in Suicidal Behavior and Impulsivity Among Suicide Attempters. <i>Chronobiology International</i> , 2011, 28, 170-175.	2.0	90
4	Altered lipid peroxidation markers are related to post-traumatic stress disorder (PTSD) and not trauma itself in earthquake survivors. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2016, 266, 329-336.	3.2	36
5	Case Reports Presentations. <i>Journal of Theoretical Social Psychology</i> , 2018, 28, 114-270.	1.9	34
6	Mood and metabolic consequences of sleep deprivation as a potential endophenotypeâ€™ in bipolar disorder. <i>Journal of Affective Disorders</i> , 2013, 150, 284-294.	4.1	31
7	Evaluation of Paraoxonase, Arylesterase and Malondialdehyde Levels in Schizophrenia Patients Taking Typical, Atypical and Combined Antipsychotic Treatment. <i>Clinical Psychopharmacology and Neuroscience</i> , 2016, 14, 345-350.	2.0	21
8	Diagnostic performance of increased prolidase activity in schizophrenia. <i>Neuroscience Letters</i> , 2016, 613, 36-40.	2.1	21
9	Family History in Patients with Bipolar Disorder. <i>Noropsikiyatri Arsivi</i> , 2016, 53, 276-279.	0.7	14
10	Oxidative metabolism may be associated with negative symptoms in schizophrenia. <i>Journal of Theoretical Social Psychology</i> , 2017, 27, 54-61.	1.9	12
11	The investigation of factors related to suicide attempts in Southeastern Turkey. <i>Neuropsychiatric Disease and Treatment</i> , 2016, 12, 407.	2.2	11
12	Latent class analysis of obsessiveâ€™ compulsive symptoms in a clinical sample. <i>Comprehensive Psychiatry</i> , 2014, 55, 604-612.	3.1	10
13	Magnetic Resonance Imaging in Children under Anesthesia: The Relationship between the Degree of Information Provided to Parents and Parentsâ€™ Anxiety Scores. <i>BioMed Research International</i> , 2014, 1-5.	1.9	8
14	Decreased Prolidase Activity in Patients with Posttraumatic Stress Disorder. <i>Psychiatry Investigation</i> , 2016, 13, 420.	1.6	5
15	Serum levels of carcinoembryonic antigen (CEA) in patients with bipolar disorder. <i>Acta Neuropsychiatrica</i> , 2015, 27, 177-181.	2.1	4
16	Serum total oxidant and antioxidant status in earthquake survivors with post-traumatic stress disorder. <i>Acta Neuropsychiatrica</i> , 2015, 27, 153-158.	2.1	4
17	Relations between mood characteristics, circadian preferences, and functionality in multiple sclerosis. <i>International Journal of Psychiatry in Clinical Practice</i> , 2015, 19, 148-154.	2.4	3
18	Acute Unilateral Myopia Induced by Add-On Aripiprazole: A Case Report. <i>Journal of Microbiology and Biotechnology</i> , 2016, 26, 68-71.	2.1	2

#	ARTICLE	IF	CITATIONS
19	Comparison of Clinical Characteristics of Patients on whom Electroconvulsive Therapy was Applied as Inpatient and Outpatient. Journal of Microbiology and Biotechnology, 2016, 26, 32-38.	2.1	0
20	Bipolar bozukluk tip I hastalarÄ±nÄ±n tedavisinde uzun etkili antipsikotiklerin klinik kullanÄ±mÄ±. Cukurova Medical Journal, 2022, 47, 844-851.	0.2	0