
Roberto Cusano

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12142051/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Overexpression of the Cytokine BAFF and Autoimmunity Risk. New England Journal of Medicine, 2017, 376, 1615-1626.	27.0	301
2	Genetic Variants Regulating Immune Cell Levels in Health and Disease. Cell, 2013, 155, 242-256.	28.9	295
3	MYH9-Related Disease. Medicine (United States), 2003, 82, 203-215.	1.0	255
4	Gut microbiota markers associated with obesity and overweight in Italian adults. Scientific Reports, 2021, 11, 5532.	3.3	169
5	Gut Microbiota and Metabolome Alterations Associated with Parkinson's Disease. MSystems, 2020, 5, .	3.8	161
6	Genetic Mapping to 10q23.3-q24.2, in a Large Italian Pedigree, of a New Syndrome Showing Bilateral Cataracts, Gastroesophageal Reflux, and Spastic Paraparesis with Amyotrophy. American Journal of Human Genetics, 1999, 64, 586-593.	6.2	108
7	Epstein syndrome: another renal disorder with mutations in the nonmuscle myosin heavy chainÂ9 gene. Human Genetics, 2002, 110, 182-186.	3.8	45
8	<i>ALDH18A1</i> gene mutations cause dominant spastic paraplegia SPG9: loss of function effect and plausibility of a dominant negative mechanism. Brain, 2016, 139, e3-e3.	7.6	42
9	Population- and individual-specific regulatory variation in Sardinia. Nature Genetics, 2017, 49, 700-707.	21.4	38
10	Impact of a Moderately Hypocaloric Mediterranean Diet on the Gut Microbiota Composition of Italian Obese Patients. Nutrients, 2020, 12, 2707.	4.1	33
11	Clinical Phenotypes of Parkinson's Disease Associate with Distinct Gut Microbiota and Metabolome Enterotypes. Biomolecules, 2021, 11, 144.	4.0	33
12	Title is missing!. Medicine (United States), 2003, 82, 203-215.	1.0	30
13	Genetic variants of TAS2R38 bitter taste receptor associate with distinct gut microbiota traits in Parkinson's disease: A pilot study. International Journal of Biological Macromolecules, 2020, 165, 665-674.	7.5	23
14	Gut microbiota and metabolome distinctive features in Parkinson disease: Focus on levodopa and levodopaâ€carbidopa intrajejunal gel. European Journal of Neurology, 2021, 28, 1198-1209.	3.3	20
15	Interstitial and large chromosome 1p deletion occurs in localized and disseminated neuroblastomas and predicts an unfavourable outcome. Cancer Letters, 1998, 130, 83-92.	7.2	19
16	Gut Microbiota Markers and Dietary Habits Associated with Extreme Longevity in Healthy Sardinian Centenarians. Nutrients, 2022, 14, 2436.	4.1	18
17	A refined physical and transcriptional map of the SPG9 locus on 10q23.3–q24.2. European Journal of Human Genetics, 2000, 8, 777-782.	2.8	17
18	Linkage Analysis in Families with Recurrent Neuroblastoma. Annals of the New York Academy of Sciences, 2002, 963, 74-84.	3.8	17

ROBERTO CUSANO

#	Article	IF	CITATIONS
19	Neuroblastoma in Two Siblings Supports the Role of 1p36 Deletion in Tumor Development. Cancer Genetics and Cytogenetics, 1999, 109, 126-130.	1.0	13
20	Complete genome sequence of chloroplast DNA (cpDNA) of <i>Chlorella sorokiniana</i> . Mitochondrial DNA, 2016, 27, 838-839.	0.6	12
21	Genetic heterogeneity in inherited spastic paraplegia associated with epilepsy. , 2003, 117A, 116-121.		7
22	Complete sequence and characterization of mitochondrial and chloroplast genome of <i>Chlorella variabilis</i> NC64A. Mitochondrial DNA Part A: DNA Mapping, Sequencing, and Analysis, 2016, 27, 3128-3130.	0.7	7
23	Complete genome sequence of mitochondrial DNA (mtDNA) ofChlorella sorokiniana. Mitochondrial DNA, 2016, 27, 1539-1541.	0.6	5
24	Deep genomic analysis of the Chlorella sorokiniana SAG 211-8k chloroplast. European Journal of Phycology, 2017, 52, 320-329.	2.0	3