

# Francois Houle

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/12143243/francois-houle-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

26  
papers

3,408  
citations

24  
h-index

26  
g-index

26  
ext. papers

3,585  
ext. citations

6  
avg, IF

4.64  
L-index

#	Paper	IF	Citations
26	Localized translation regulates cell adhesion and transendothelial migration. <i>Journal of Cell Science</i> , <b>2016</b> , 129, 4105-4117	5.3	10
25	Regulation of endothelial permeability and transendothelial migration of cancer cells by tropomyosin-1 phosphorylation. <i>Vascular Cell</i> , <b>2012</b> , 4, 18	1	22
24	miR-20a represses endothelial cell migration by targeting MKK3 and inhibiting p38 MAP kinase activation in response to VEGF. <i>Angiogenesis</i> , <b>2012</b> , 15, 593-608	10.6	45
23	Annexin-1-mediated endothelial cell migration and angiogenesis are regulated by vascular endothelial growth factor (VEGF)-induced inhibition of miR-196a expression. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 30541-51	5.4	54
22	Survival advantages conferred to colon cancer cells by E-selectin-induced activation of the PI3K-NFB survival axis downstream of Death receptor-3. <i>BMC Cancer</i> , <b>2011</b> , 11, 285	4.8	27
21	Regulation of vascular endothelial growth factor-induced endothelial cell migration by LIM kinase 1-mediated phosphorylation of annexin 1. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 8013-21	5.4	35
20	IL-17 promotes p38 MAPK-dependent endothelial activation enhancing neutrophil recruitment to sites of inflammation. <i>Journal of Immunology</i> , <b>2010</b> , 184, 4531-7	5.3	190
19	DAP kinase mediates the phosphorylation of tropomyosin-1 downstream of the ERK pathway, which regulates the formation of stress fibers in response to oxidative stress. <i>Journal of Cell Science</i> , <b>2007</b> , 120, 3666-77	5.3	70
18	Dysregulation of the endothelial cellular response to oxidative stress in cancer. <i>Molecular Carcinogenesis</i> , <b>2006</b> , 45, 362-7	5	37
17	Death receptor-3, a new E-Selectin counter-receptor that confers migration and survival advantages to colon carcinoma cells by triggering p38 and ERK MAPK activation. <i>Cancer Research</i> , <b>2006</b> , 66, 9117-24	10.1	78
16	Phosphorylation of focal adhesion kinase (FAK) on Ser732 is induced by rho-dependent kinase and is essential for proline-rich tyrosine kinase-2-mediated phosphorylation of FAK on Tyr407 in response to vascular endothelial growth factor. <i>Molecular Biology of the Cell</i> , <b>2006</b> , 17, 3508-20	3.5	49
15	Phosphorylation of Tyr1214 within VEGFR-2 triggers the recruitment of Nck and activation of Fyn leading to SAPK2/p38 activation and endothelial cell migration in response to VEGF. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 34009-20	5.4	114
14	Regulation of vascular endothelial growth factor receptor 2-mediated phosphorylation of focal adhesion kinase by heat shock protein 90 and Src kinase activities. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 39175-85	5.4	114
13	Phosphorylation of tyrosine 1214 on VEGFR2 is required for VEGF-induced activation of Cdc42 upstream of SAPK2/p38. <i>Oncogene</i> , <b>2004</b> , 23, 434-45	9.2	168
12	Adhesion of HT-29 colon carcinoma cells to endothelial cells requires sequential events involving E-selectin and integrin beta4. <i>Clinical and Experimental Metastasis</i> , <b>2004</b> , 21, 257-64	4.7	44
11	Extracellular signal-regulated kinase mediates phosphorylation of tropomyosin-1 to promote cytoskeleton remodeling in response to oxidative stress: impact on membrane blebbing. <i>Molecular Biology of the Cell</i> , <b>2003</b> , 14, 1418-32	3.5	101
10	Integrin alphavbeta3, requirement for VEGFR2-mediated activation of SAPK2/p38 and for Hsp90-dependent phosphorylation of focal adhesion kinase in endothelial cells activated by VEGF. <i>Cell Stress and Chaperones</i> , <b>2003</b> , 8, 37-52	4	92

9	Regulation of the metastatic process by E-selectin and stress-activated protein kinase-2/p38. <i>Annals of the New York Academy of Sciences</i> , <b>2002</b> , 973, 562-72	6.5	53
8	Transendothelial migration of colon carcinoma cells requires expression of E-selectin by endothelial cells and activation of stress-activated protein kinase-2 (SAPK2/p38) in the tumor cells. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 33762-72	5.4	84
7	Integrating the VEGF signals leading to actin-based motility in vascular endothelial cells. <i>Trends in Cardiovascular Medicine</i> , <b>2000</b> , 10, 321-7	6.9	106
6	p38 MAP kinase pathway regulates angiotensin II-induced contraction of rat vascular smooth muscle. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , <b>2000</b> , 279, H741-51	5.2	93
5	Vascular endothelial growth factor (VEGF)-driven actin-based motility is mediated by VEGFR2 and requires concerted activation of stress-activated protein kinase 2 (SAPK2/p38) and geldanamycin-sensitive phosphorylation of focal adhesion kinase. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 10661-72	5.4	241
4	SAPK2/p38-dependent F-actin reorganization regulates early membrane blebbing during stress-induced apoptosis. <i>Journal of Cell Biology</i> , <b>1998</b> , 143, 1361-73	7.3	257
3	p38 MAP kinase activation by vascular endothelial growth factor mediates actin reorganization and cell migration in human endothelial cells. <i>Oncogene</i> , <b>1997</b> , 15, 2169-77	9.2	711
2	Oxidative stress-induced actin reorganization mediated by the p38 mitogen-activated protein kinase/heat shock protein 27 pathway in vascular endothelial cells. <i>Circulation Research</i> , <b>1997</b> , 80, 383-92	15.7	452
1	Characterization of 45-kDa/54-kDa HSP27 kinase, a stress-sensitive kinase which may activate the phosphorylation-dependent protective function of mammalian 27-kDa heat-shock protein HSP27. <i>FEBS Journal</i> , <b>1995</b> , 227, 416-27		161