

# Cindy L K Lam

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1214636/publications.pdf>

Version: 2024-02-01

174  
papers

4,570  
citations

147566

31  
h-index

143772

57  
g-index

177  
all docs

177  
docs citations

177  
times ranked

5906  
citing authors

#	ARTICLE	IF	CITATIONS
1	Is the standard SF-12 Health Survey valid and equivalent for a Chinese population?. <i>Quality of Life Research</i> , 2005, 14, 539-547.	1.5	451
2	Prevalence, clinical spectrum and health care utilization of gastro-oesophageal reflux disease in a Chinese population: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2003, 18, 595-604.	1.9	238
3	The SF-36 summary scales were valid, reliable, and equivalent in a Chinese population. <i>Journal of Clinical Epidemiology</i> , 2005, 58, 815-822.	2.4	219
4	Anxiety but not depression determines health care-seeking behaviour in Chinese patients with dyspepsia and irritable bowel syndrome: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2002, 16, 2081-2088.	1.9	171
5	Is the SF-12 version 2 Health Survey a valid and equivalent substitute for the SF-36 version 2 Health Survey for the Chinese?. <i>Journal of Evaluation in Clinical Practice</i> , 2013, 19, 200-208.	0.9	150
6	Valuation of the SF-6D Health States Is Feasible, Acceptable, Reliable, and Valid in a Chinese Population. <i>Value in Health</i> , 2008, 11, 295-303.	0.1	111
7	Population based study of noncardiac chest pain in southern Chinese: Prevalence, psychosocial factors and health care utilization. <i>World Journal of Gastroenterology</i> , 2004, 10, 707.	1.4	86
8	A validated symptoms questionnaire (Chinese GERDQ) for the diagnosis of gastro-oesophageal reflux disease in the Chinese population. <i>Alimentary Pharmacology and Therapeutics</i> , 2003, 17, 1407-1413.	1.9	85
9	Five-Year Effectiveness of the Multidisciplinary Risk Assessment and Management Programme "Diabetes Mellitus (RAMP-DM) on Diabetes-Related Complications and Health Service Uses" A Population-Based and Propensity-Matched Cohort Study. <i>Diabetes Care</i> , 2018, 41, 49-59.	4.3	82
10	The effect of health-related quality of life (HRQOL) on health service utilisation of a Chinese population. <i>Social Science and Medicine</i> , 2002, 55, 1635-1646.	1.8	69
11	Cost effectiveness of mammography screening for Chinese women. <i>Cancer</i> , 2007, 110, 885-895.	2.0	65
12	Effects of Patient Empowerment Programme (PEP) on Clinical Outcomes and Health Service Utilization in Type 2 Diabetes Mellitus in Primary Care: An Observational Matched Cohort Study. <i>PLoS ONE</i> , 2014, 9, e95328.	1.1	65
13	Psychometric validation of the EuroQoL 5-Dimension 5-Level (EQ-5D-5L) in Chinese patients with adolescent idiopathic scoliosis. <i>Scoliosis and Spinal Disorders</i> , 2016, 11, 19.	2.3	64
14	A systematic review of quality of thyroid-specific health-related quality-of-life instruments recommends ThyPRO for patients with benign thyroid diseases. <i>Journal of Clinical Epidemiology</i> , 2016, 78, 63-72.	2.4	64
15	A short message service (SMS) intervention to prevent diabetes in Chinese professional drivers with pre-diabetes: A pilot single-blinded randomized controlled trial. <i>Diabetes Research and Clinical Practice</i> , 2013, 102, 158-166.	1.1	59
16	Impact of Untreated Psychosis on Quality of Life in Patients with First-episode Schizophrenia. <i>Quality of Life Research</i> , 2005, 14, 1803-1811.	1.5	54
17	A pilot study on the validity and reliability of the Patient Enablement Instrument (PEI) in a Chinese population. <i>Family Practice</i> , 2010, 27, 395-403.	0.8	54
18	Systematic screening for diabetic retinopathy (DR) in Hong Kong: prevalence of DR and visual impairment among diabetic population. <i>British Journal of Ophthalmology</i> , 2016, 100, 151-155.	2.1	53

#	ARTICLE	IF	CITATIONS
19	The Hong Kong index of dyspepsia: A validated symptom severity questionnaire for patients with dyspepsia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2002, 17, 545-551.	1.4	48
20	Evaluation of the internal and external responsiveness of the Pressure Ulcer Scale for Healing (<scp>PUSH</scp>) tool for assessing acute and chronic wounds. <i>Journal of Advanced Nursing</i> , 2016, 72, 1134-1143.	1.5	47
21	Association of variability in hemoglobin A1c with cardiovascular diseases and mortality in Chinese patients with type 2 diabetes mellitus â€” A retrospective population-based cohort study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1240-1247.	1.2	46
22	Association of Visit-to-Visit Variability of Systolic Blood Pressure With Cardiovascular Disease and Mortality in Primary Care Chinese Patients With Type 2 Diabetesâ€”A Retrospective Population-Based Cohort Study. <i>Diabetes Care</i> , 2017, 40, 270-279.	4.3	42
23	Five-Year Cost-effectiveness of the Multidisciplinary Risk Assessment and Management Programmeâ€”Diabetes Mellitus (RAMP-DM). <i>Diabetes Care</i> , 2018, 41, 250-257.	4.3	42
24	Help-seeking intentions and subsequent 12-month mental health service use in Chinese primary care patients with depressive symptoms. <i>BMJ Open</i> , 2015, 5, e006730-e006730.	0.8	41
25	Long-term effects of the multidisciplinary risk assessment and management program for patients with diabetes mellitus (RAMP-DM): a population-based cohort study. <i>Cardiovascular Diabetology</i> , 2015, 14, 105.	2.7	38
26	Effect of Multifactorial Treatment Targets and Relative Importance of Hemoglobin A1c, Blood Pressure, and Lowâ€”Density Lipoproteinâ€”Cholesterol on Cardiovascular Diseases in Chinese Primary Care Patients With Type 2 Diabetes Mellitus: A Populationâ€”Based Retrospective Cohort Study. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	37
27	Positive association between gastroâ€”esophageal reflux disease and irritable bowel syndrome in a Chinese population. <i>Alimentary Pharmacology and Therapeutics</i> , 2007, 25, 1099-1104.	1.9	35
28	Systematic review recommends the European Organization for Research and Treatment of Cancer colorectal cancerâ€”specific module for measuring quality of life in colorectal cancer patients. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 266-278.	2.4	34
29	Quality-adjusted life years: population-specific measurement of the quality component. <i>Hong Kong Medical Journal</i> , 2011, 17 Suppl 6, 17-21.	0.1	34
30	Bridging the Gaps Between Patients and Primary Care in China: A Nationwide Representative Survey. <i>Annals of Family Medicine</i> , 2017, 15, 237-245.	0.9	33
31	Prediction of new onset of end stage renal disease in Chinese patients with type 2 diabetes mellitus â€” a population-based retrospective cohort study. <i>BMC Nephrology</i> , 2017, 18, 257.	0.8	33
32	Onset and disappearance of reflux symptoms in a Chinese population: a 1-year follow-up study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 20, 803-812.	1.9	32
33	Direct medical costs of care for Chinese patients with colorectal neoplasia: a health care service provider perspective. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 1203-1210.	0.9	31
34	Measuring body constitution: Validation of the Body Constitution Questionnaire (BCQ) in Hong Kong. <i>Complementary Therapies in Medicine</i> , 2014, 22, 670-682.	1.3	31
35	A Chinese version of the Sleep Apnea Quality of Life Index was evaluated for reliability, validity, and responsiveness. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 470-478.	2.4	30
36	SF-6D population norms for the Hong Kong Chinese general population. <i>Quality of Life Research</i> , 2018, 27, 2349-2359.	1.5	29

#	ARTICLE	IF	CITATIONS
37	Systematic review on the cost-effectiveness of self-management education programme for type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , 2017, 127, 21-34.	1.1	28
38	The Health-Related Quality of Life of Chinese Patients on Hemodialysis and Peritoneal Dialysis. <i>Patient</i> , 2017, 10, 799-808.	1.1	28
39	Direct and indirect costs of end-stage renal disease patients in the first and second years after initiation of nocturnal home haemodialysis, hospital haemodialysis and peritoneal dialysis. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1565-1576.	0.4	28
40	An instrument to assess mental patients' capacity to appraise and report subjective quality of life. <i>Quality of Life Research</i> , 2005, 14, 687-694.	1.5	27
41	Traditional growing rod versus magnetically controlled growing rod for treatment of early onset scoliosis: Cost analysis from implantation till skeletal maturity. <i>Journal of Orthopaedic Surgery</i> , 2017, 25, 230949901770502.	0.4	27
42	Association of estimated glomerular filtration rate and urine albumin-to-creatinine ratio with incidence of cardiovascular diseases and mortality in chinese patients with type 2 diabetes mellitus – a population-based retrospective cohort study. <i>BMC Nephrology</i> , 2017, 18, 47.	0.8	27
43	Mapping the SRS-22r questionnaire onto the EQ-5D-5L utility score in patients with adolescent idiopathic scoliosis. <i>PLoS ONE</i> , 2017, 12, e0175847.	1.1	27
44	Association of Blood Pressure and Risk of Cardiovascular and Chronic Kidney Disease in Hong Kong Hypertensive Patients. <i>Hypertension</i> , 2019, 74, 331-340.	1.3	27
45	The mediating role of sleep quality in the association between nocturia and health-related quality of life. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 181.	1.0	27
46	Greater variability in lipid measurements associated with cardiovascular disease and mortality: A 10-year diabetes cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1777-1788.	2.2	27
47	Validation of the Disease-Specific Components of the Kidney Disease Quality of Life-36 (KDQOL-36) in Chinese Patients Undergoing Maintenance Dialysis. <i>PLoS ONE</i> , 2016, 11, e0155188.	1.1	27
48	Development of a cardiovascular diseases risk prediction model and tools for Chinese patients with type 2 diabetes mellitus: a population-based retrospective cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 309-318.	2.2	26
49	Cost-effectiveness simulation and analysis of colorectal cancer screening in Hong Kong Chinese population: comparison amongst colonoscopy, guaiac and immunologic fecal occult blood testing. <i>BMC Cancer</i> , 2015, 15, 705.	1.1	25
50	Cost-Effectiveness of a Short Message Service Intervention to Prevent Type 2 Diabetes from Impaired Glucose Tolerance. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-8.	1.0	25
51	Mental Health Mediating the Relationship Between Symptom Severity and Health-Related Quality of Life in Patients with Lower Urinary Tract Symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2016, 8, 141-149.	0.6	25
52	Poverty and health-related quality of life of people living in Hong Kong: comparison of individuals from low-income families and the general population. <i>Journal of Public Health</i> , 2017, 39, fdw046.	1.0	25
53	Effect of Achieved Systolic Blood Pressure on Cardiovascular Outcomes in Patients With Type 2 Diabetes: A Population-Based Retrospective Cohort Study. <i>Diabetes Care</i> , 2018, 41, 1134-1141.	4.3	25
54	PBL curriculum improves medical students' participation in small-group tutorials. <i>Medical Teacher</i> , 2007, 29, e198-e203.	1.0	24

#	ARTICLE	IF	CITATIONS
55	Effectiveness of the multidisciplinary Risk Assessment and Management Program for Patients with Diabetes Mellitus (RAMP-DM) for diabetic microvascular complications: A population-based cohort study. <i>Diabetes and Metabolism</i> , 2016, 42, 424-432.	1.4	24
56	The Impact of Cardiovascular Disease and Chronic Kidney Disease on Life Expectancy and Direct Medical Cost in a 10-Year Diabetes Cohort Study. <i>Diabetes Care</i> , 2020, 43, 1750-1758.	4.3	24
57	Patterns of health-related quality of life and associated factors in Chinese patients undergoing haemodialysis. <i>Health and Quality of Life Outcomes</i> , 2015, 13, 108.	1.0	23
58	Effect of a structured diabetes education programme in primary care on hospitalizations and emergency department visits among people with Type 2 diabetes mellitus: results from the Patient Empowerment Programme. <i>Diabetic Medicine</i> , 2016, 33, 1427-1436.	1.2	23
59	Health-related quality of life and health preference of Chinese patients with diabetes mellitus managed in primary care and secondary care setting: decrements associated with individual complication and number of complications. <i>Health and Quality of Life Outcomes</i> , 2017, 15, 125.	1.0	23
60	Awareness of diabetic retinopathy and its association with attendance for systematic screening at the public primary care setting: a cross-sectional study in Hong Kong. <i>BMJ Open</i> , 2018, 8, e019989.	0.8	23
61	Patient Empowerment Programme (PEP) and Risk of Microvascular Diseases Among Patients With Type 2 Diabetes in Primary Care: A Population-Based Propensity-Matched Cohort Study. <i>Diabetes Care</i> , 2015, 38, e116-e117.	4.3	22
62	Increased number of structured diabetes education attendance was not associated with the improvement in patient-reported health-related quality of life: results from Patient Empowerment Programme (PEP). <i>Health and Quality of Life Outcomes</i> , 2015, 13, 126.	1.0	22
63	Annual direct medical costs associated with diabetes-related complications in the event year and in subsequent years in Hong Kong. <i>Diabetic Medicine</i> , 2017, 34, 1276-1283.	1.2	22
64	Generative adversarial networks for imputing missing data for big data clinical research. <i>BMC Medical Research Methodology</i> , 2021, 21, 78.	1.4	22
65	Macrovascular and microvascular disease in obese patients with type 2 diabetes attending structured diabetes education program: a population-based propensity-matched cohort analysis of Patient Empowerment Programme (PEP). <i>Endocrine</i> , 2016, 53, 412-422.	1.1	21
66	How Does the Family Influence Adolescent Eating Habits in Terms of Knowledge, Attitudes and Practices? A Global Systematic Review of Qualitative Studies. <i>Nutrients</i> , 2021, 13, 3717.	1.7	21
67	Five-year change of clinical and complications profile of diabetic patients under primary care: a population-based longitudinal study on 127,977 diabetic patients. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, 79.	1.2	20
68	Development of a Health Empowerment Programme to improve the health of working poor families: protocol for a prospective cohort study in Hong Kong. <i>BMJ Open</i> , 2016, 6, e010015.	0.8	20
69	Development and pilot evaluation of a mobile app on parent-child exercises to improve physical activity and psychosocial outcomes of Hong Kong Chinese children. <i>BMC Public Health</i> , 2020, 20, 1544.	1.2	20
70	Outcomes of Graves' Disease Patients Following Antithyroid Drugs, Radioactive Iodine, or Thyroidectomy as the First-line Treatment. <i>Annals of Surgery</i> , 2021, 273, 1197-1206.	2.1	20
71	Impact of sleep duration, physical activity, and screen time on health-related quality of life in children and adolescents. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 145.	1.0	20
72	Main predictors in health-related quality of life in Chinese patients with type 2 diabetes mellitus. <i>Quality of Life Research</i> , 2016, 25, 2957-2965.	1.5	19

#	ARTICLE	IF	CITATIONS
73	The 12-Month Incidence and Predictors of PHQ-9-Screened Depressive Symptoms in Chinese Primary Care Patients. <i>Annals of Family Medicine</i> , 2016, 14, 47-53.	0.9	19
74	Prediction of five-year all-cause mortality in Chinese patients with type 2 diabetes mellitus – A population-based retrospective cohort study. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 939-944.	1.2	19
75	Double-blind, randomized controlled study to assess the effects of lansoprazole 30 mg and lansoprazole 15 mg on 24-h oesophageal and intragastric pH in Chinese subjects with gastro-oesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 19, 455-462.	1.9	18
76	Psychometric Validation of the Traditional Chinese Version of the Early Onset Scoliosis-24 Item Questionnaire (EOSQ-24). <i>Spine</i> , 2016, 41, E1460-E1469.	1.0	18
77	Cost-effectiveness analysis of vaccinations and decision makings on vaccination programmes in Hong Kong: A systematic review. <i>Vaccine</i> , 2017, 35, 3153-3161.	1.7	18
78	The 21st Century: The Age of Family Medicine Research?. <i>Annals of Family Medicine</i> , 2004, 2, S50-S54.	0.9	17
79	Brief problem-solving treatment in primary care (pstpc) was not more effective than placebo for elderly patients screened positive of psychological problems. <i>International Journal of Geriatric Psychiatry</i> , 2010, 25, 968-980.	1.3	17
80	Evaluation of the Effectiveness of Nurse-Led Continence Care Treatments for Chinese Primary Care Patients with Lower Urinary Tract Symptoms. <i>PLoS ONE</i> , 2015, 10, e0129875.	1.1	17
81	Incidence and predictors for cardiovascular disease in Chinese patients with type 2 diabetes mellitus – a population-based retrospective cohort study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 444-450.	1.2	17
82	Primary care workforce and continuous medical education in China: lessons to learn from a nationwide cross-sectional survey. <i>BMJ Open</i> , 2017, 7, e015145.	0.8	17
83	Comparative Risks of Nonsteroidal Anti-Inflammatory Drugs on CKD. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 898-907.	2.2	17
84	Responsiveness was similar between direct and mapped SF-6D in colorectal cancer patients who declined. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 219-227.	2.4	16
85	Simple non-laboratory and laboratory-based risk assessment algorithms and nomogram for detecting undiagnosed diabetes mellitus. <i>Journal of Diabetes</i> , 2016, 8, 414-421.	0.8	16
86	Mental health of Chinese primary care patients with lower urinary tract symptoms. <i>Psychology, Health and Medicine</i> , 2016, 21, 113-127.	1.3	16
87	Morbidity pattern of traditional Chinese medicine primary care in the Hong Kong population. <i>Scientific Reports</i> , 2017, 7, 7513.	1.6	15
88	Spillover Effects of Maternal Chronic Disease on Children's Quality of Life and Behaviors Among Low-Income Families. <i>Patient</i> , 2018, 11, 625-635.	1.1	15
89	Health-related quality of life and health utility of Chinese patients undergoing nocturnal home haemodialysis in comparison with other modes of dialysis. <i>Nephrology</i> , 2019, 24, 630-637.	0.7	15
90	Age-specific associations of glycated haemoglobin variability with cardiovascular disease and mortality in patients with type 2 diabetes mellitus: A 10-year cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1316-1327.	2.2	15



#	ARTICLE	IF	CITATIONS
91	Successful Pulmonary Vein Isolation Using Transvenous Catheter Cryoablation Improves Quality-of-Life in Patients with Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2005, 28, 421-424.	0.5	14
92	Unrecognised psychological problems impair quality of life and increase consultation rates in Chinese elderly patients. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 979-989.	1.3	14
93	Can HbA1c replace OGTT for the diagnosis of diabetes mellitus among Chinese patients with impaired fasting glucose?. <i>Family Practice</i> , 2015, 32, cmv077.	0.8	14
94	Maternal mental quality of life mediates the associations between intimate partner abuse against mothers and their children's behaviours and quality of life in low-income Chinese families. <i>Quality of Life Research</i> , 2017, 26, 3297-3306.	1.5	14
95	Direct medical costs of diabetes mellitus in the year of mortality and year preceding the year of mortality. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1470-1478.	2.2	14
96	Five-year effectiveness of bariatric surgery on disease remission, weight loss, and changes of metabolic parameters in obese patients with type 2 diabetes: A population-based propensity score-matched cohort study. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3236.	1.7	14
97	Utilisation patterns of primary health care services in Hong Kong: does having a family doctor make any difference?. <i>Hong Kong Medical Journal</i> , 2011, 17, 28-32.	0.1	14
98	Bariatric surgery is expensive but improves co-morbidity: 5-year assessment of patients with obesity and type 2 diabetes. <i>British Journal of Surgery</i> , 2021, 108, 554-565.	0.1	14
99	Health-related quality of life mediates associations between multi-morbidity and depressive symptoms in Chinese primary care patients. <i>Family Practice</i> , 2016, 33, 61-68.	0.8	13
100	Long-term cost-effectiveness of a Patient Empowerment Programme for type 2 diabetes mellitus in primary care. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 73-83.	2.2	13
101	Association of visit-to-visit variability of systolic blood pressure with cardiovascular disease, chronic kidney disease and mortality in patients with hypertension. <i>Journal of Hypertension</i> , 2020, 38, 943-953.	0.3	13
102	Lifetime cost-effectiveness analysis of first-line dialysis modalities for patients with end-stage renal disease under peritoneal dialysis first policy. <i>BMC Nephrology</i> , 2020, 21, 42.	0.8	13
103	Do We Need a Patient-Centered Target for Systolic Blood Pressure in Hypertensive Patients With Type 2 Diabetes Mellitus?. <i>Hypertension</i> , 2017, 70, 1273-1282.	1.3	12
104	Statin use reduces cardiovascular events and all-cause mortality amongst Chinese patients with type 2 diabetes mellitus: a 5-year cohort study. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 166.	0.7	12
105	A prospective cohort study to investigate parental stress and child health in low-income Chinese families: protocol paper. <i>BMJ Open</i> , 2018, 8, e018792.	0.8	12
106	Effects of bariatric surgery on kidney diseases, cardiovascular diseases, mortality and severe hypoglycaemia among patients with Type 2 diabetes mellitus. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 1440-1451.	0.4	12
107	The Spill-Over Impact of the Novel Coronavirus-19 Pandemic on Medical Care and Disease Outcomes in Non-communicable Diseases: A Narrative Review. <i>Public Health Reviews</i> , 2022, 43, 1604121.	1.3	12
108	The responsiveness of the International Prostate Symptom Score, Incontinence Impact Questionnaire and Depression, Anxiety and Stress Scale-21 in patients with lower urinary tract symptoms. <i>Journal of Advanced Nursing</i> , 2015, 71, 1857-1870.	1.5	11

#	ARTICLE	IF	CITATIONS
109	Five-year cost-effectiveness of the Patient Empowerment Programme (<scp>PEP</scp>) for type 2 diabetes mellitus in primary care. <i>Diabetes, Obesity and Metabolism</i> , 2017, 19, 1312-1316.	2.2	11
110	Nonrestorative sleep scale: reliable and valid for the Chinese population. <i>Quality of Life Research</i> , 2019, 28, 1685-1692.	1.5	11
111	Prediction models and nomograms for 10-year risk of end-stage renal disease in Chinese type 2 diabetes mellitus patients in primary care. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 897-909.	2.2	11
112	Having a Family Doctor is Associated with Some Better Patient-Reported Outcomes of Primary Care Consultations. <i>Frontiers in Medicine</i> , 2014, 1, 29.	1.2	10
113	A Mobile App for Identifying Individuals With Undiagnosed Diabetes and Prediabetes and for Promoting Behavior Change: 2-Year Prospective Study. <i>JMIR MHealth and UHealth</i> , 2018, 6, e10662.	1.8	10
114	Awareness of osteoporosis among physicians in China. <i>Osteoporosis International</i> , 2004, 15, 329-334.	1.3	9
115	Evaluation of patient-reported outcomes data in structured diabetes education intervention: 2-year follow-up data of patient empowerment programme. <i>Endocrine</i> , 2016, 54, 422-432.	1.1	9
116	A curvilinear association of body mass index with cardiovascular diseases in Chinese patients with type 2 diabetes mellitus – A population-based retrospective cohort study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1261-1268.	1.2	9
117	The impact of a co-payment on the cost-effectiveness of screening for diabetic retinopathy. <i>Journal of Public Health</i> , 2016, 38, 782-792.	1.0	9
118	EQ-5D-5L and SF-6D Utility Measures in Symptomatic benign Thyroid Nodules: Acceptability and Psychometric Evaluation. <i>Patient</i> , 2017, 10, 447-454.	1.1	9
119	Effectiveness of a multidisciplinary risk assessment and management programme – diabetes mellitus (RAMP-DM) on patient-reported outcomes. <i>Endocrine</i> , 2017, 55, 416-426.	1.1	9
120	Cultural adaptation and psychometric properties of the Chinese Burden of Treatment Questionnaire (C-TBQ) in primary care patients with multi-morbidity. <i>Family Practice</i> , 2019, 36, 657-665.	0.8	9
121	Intensification with dipeptidyl peptidase-4 inhibitor, insulin, or thiazolidinediones and risks of all-cause mortality, cardiovascular diseases, and severe hypoglycemia in patients on metformin-sulfonylurea dual therapy: A retrospective cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002999.	3.9	9
122	The test-retest reliability of the <scp>I</scp>ncontinence <scp>Q</scp>uestionnaire – <scp>U</scp>rinary <scp>I</scp>ncontinence <scp>S</scp>hort <scp>F</scp>orm (<scp>ICIQ</scp> – <scp>UI SF</scp>) for assessing type of urinary incontinence in males and females. <i>Journal of Clinical Nursing</i> , 2015, 24, 3742-3744.	1.4	8
123	Evaluation of the quality of care of a haemodialysis public-private partnership programme for patients with end-stage renal disease. <i>BMC Nephrology</i> , 2016, 17, 79.	0.8	8
124	Evaluation of the internal and external responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in patients with type 2 diabetes mellitus. <i>Quality of Life Research</i> , 2018, 27, 2459-2469.	1.5	8
125	Evaluation of the responsiveness of Short Form-12 Health Survey version 2 (SF-12v2) in Chinese patients with hypertension in primary care. <i>Quality of Life Research</i> , 2019, 28, 2851-2857.	1.5	8
126	Greater variability in lipid measurements associated with kidney diseases in patients with type 2 diabetes mellitus in a 10-year diabetes cohort study. <i>Scientific Reports</i> , 2021, 11, 8047.	1.6	8



#	ARTICLE	IF	CITATIONS
127	Evaluation of the quality of care of a multi-disciplinary Risk Factor Assessment and Management Programme for Hypertension (RAMP-HT). <i>BMC Family Practice</i> , 2015, 16, 71.	2.9	7
128	The mediating factors in the relationship between lower urinary tract symptoms and health-related quality of life. <i>BMC Research Notes</i> , 2017, 10, 611.	0.6	7
129	Ten-year risk prediction models of complications and mortality of Chinese patients with diabetes mellitus in primary care in Hong Kong: a study protocol. <i>BMJ Open</i> , 2018, 8, e023070.	0.8	7
130	SGLT2i as fourth-line therapy and risk of mortality, end-stage renal diseases and cardiovascular diseases in patients with type 2 diabetes mellitus. <i>Diabetes and Metabolism</i> , 2020, 47, 101196.	1.4	7
131	Nonrestorative sleep scale: a reliable and valid short form of the traditional Chinese version. <i>Quality of Life Research</i> , 2020, 29, 2585-2592.	1.5	7
132	Adolescent Knowledge, Attitudes and Practices of Healthy Eating: Findings of Qualitative Interviews among Hong Kong Families. <i>Nutrients</i> , 2022, 14, 2857.	1.7	7
133	Road to better health and integration: a Delphi study on health service models for Hong Kong migrants. <i>International Journal for Equity in Health</i> , 2014, 13, 127.	1.5	6
134	The effect of timing of incentive payments on response rates for cohort study telephone interviews in primary care setting with cost-minimization analysis, a randomized controlled trial. <i>BMC Medical Research Methodology</i> , 2015, 15, 79.	1.4	6
135	The role of the family doctor in the era of multi-disciplinary primary care. <i>Family Practice</i> , 2016, 33, 447-448.	0.8	6
136	Evaluation of the outcomes of care of nurse-led continence care clinics for Chinese patients with lower urinary tract symptoms, a 2-year prospective longitudinal study. <i>Journal of Advanced Nursing</i> , 2017, 73, 1158-1171.	1.5	6
137	Temporal trends in quality of primary care for patients with type 2 diabetes mellitus: A population-based retrospective cohort study after implementation of a quality improvement initiative. <i>Diabetes/Metabolism Research and Reviews</i> , 2018, 34, e2952.	1.7	6
138	Direct medical costs in the preceding, event and subsequent years of a first severe hypoglycaemia episode requiring hospitalization: A population-based cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 1330-1339.	2.2	6
139	Do Negative Emotional States Play a Role in the Association Between Intimate Partner Violence and Poor Health-Related Quality of Life in Chinese Women From Low-Income Families?. <i>Violence Against Women</i> , 2020, 26, 2041-2061.	1.1	6
140	Improvement in patient-reported outcomes in Chinese adults after bariatric surgery: 1-year follow-up of a prospective cohort. <i>Surgery for Obesity and Related Diseases</i> , 2020, 16, 1563-1572.	1.0	6
141	Author response to: Bariatric surgery is expensive but improves co-morbidity: 5-year assessment of patients with obesity and type 2 diabetes. <i>British Journal of Surgery</i> , 2021, 108, e281-e281.	0.1	6
142	Long-term outcome of patients treated with antithyroid drugs, radioactive iodine or surgery for persistent or relapsed Graves' disease. <i>British Journal of Surgery</i> , 2022, 109, 381-389.	0.1	6
143	Possible Impact of Incremental Cost-Effectiveness Ratio (ICER) on Decision Making for Cancer Screening in Hong Kong: A Systematic Review. <i>Applied Health Economics and Health Policy</i> , 2016, 14, 647-657.	1.0	5
144	Quality of care and volume for patients with diabetes mellitus in the primary care setting: A population based retrospective cohort study. <i>Diabetes Research and Clinical Practice</i> , 2016, 120, 171-181.	1.1	5

#	ARTICLE	IF	CITATIONS
145	Relation between HbA1c and incident cardiovascular disease over a period of 6 years in the Hong Kong population. <i>Diabetes and Metabolism</i> , 2018, 44, 415-423.	1.4	5
146	Five-year effectiveness of short messaging service (SMS) for pre-diabetes. <i>BMC Research Notes</i> , 2018, 11, 709.	0.6	5
147	Cost-effectiveness of a primary care multidisciplinary Risk Assessment and Management Program for patients with diabetes mellitus (RAMP-DM) over lifetime. <i>Endocrine</i> , 2019, 63, 259-269.	1.1	5
148	Cultural adaptation and content validity of a Chinese translation of the "Person-Centered Primary Care Measure": findings from cognitive debriefing. <i>Family Medicine and Community Health</i> , 2020, 8, e000621.	0.6	5
149	Healthcare utilization and direct medical cost in the years during and after cancer diagnosis in patients with type 2 diabetes mellitus. <i>Journal of Diabetes Investigation</i> , 2020, 11, 1661-1672.	1.1	5
150	Association between bariatric surgery and risks of cancer among Chinese patients with type 2 diabetes mellitus: A retrospective cohort study. <i>Journal of Diabetes</i> , 2021, 13, 868-881.	0.8	5
151	A pilot study on the validity and psychometric properties of the electronic EQ-5D-5L in routine clinical practice. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 266.	1.0	5
152	Trends in Asthma Therapy in Hong Kong, 1987-1992. <i>Journal of Asthma</i> , 1993, 30, 475-483.	0.9	4
153	Classification Rule for 5-year Cardiovascular Diseases Risk using decision tree in Primary Care Chinese Patients with Type 2 Diabetes Mellitus. <i>Scientific Reports</i> , 2017, 7, 15238.	1.6	4
154	The validity, reliability, sensitivity and responsiveness of a modified Patient Enablement Instrument (PEI-2) as a tool for serial measurements of health enablement. <i>Family Practice</i> , 2020, 38, 339-345.	0.8	4
155	&lt;p&gt;The APEC Digital Hub-WONCA Collaborative Framework on Integration of Mental Health into Primary Care in the Asia Pacific&lt;/p&gt;. <i>Journal of Multidisciplinary Healthcare</i> , 2020, Volume 13, 1693-1704.	1.1	4
156	Confucius School of Medicine: the way to great learning. <i>BMJ: British Medical Journal</i> , 2001, 323, 1458-1459.	2.4	3
157	Effects of health-related quality of life on health service utilisation in patients with colorectal neoplasms. <i>European Journal of Cancer Care</i> , 2018, 27, e12926.	0.7	3
158	Prediction models for the risk of cardiovascular diseases in Chinese patients with type 2 diabetes mellitus: a systematic review. <i>Public Health</i> , 2020, 186, 144-156.	1.4	3
159	Psychometric evaluation of the Chinese version of the Toronto Hospital Alertness Test. <i>Journal of Patient-Reported Outcomes</i> , 2020, 4, 32.	0.9	3
160	DPP4i, thiazolidinediones, or insulin and risks of cancer in patients with type 2 diabetes mellitus on metformin-sulfonylurea dual therapy with inadequate control. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001346.	1.2	3
161	Trend in health-related quality of life and health utility and their decrements due to non-communicable diseases and risk factors: analysis of four population-based surveys between 1998 and 2015. <i>Quality of Life Research</i> , 2020, 29, 2921-2934.	1.5	3
162	Retrospective cohort study to investigate the 10-year trajectories of disease patterns in patients with hypertension and/or diabetes mellitus on subsequent cardiovascular outcomes and health service utilisation: a study protocol. <i>BMJ Open</i> , 2021, 11, e038775.	0.8	3

#	ARTICLE	IF	CITATIONS
163	Association Between Team-Based Continuity of Care and Risk of Cardiovascular Diseases Among Patients With Diabetes: A Retrospective Cohort Study. <i>Diabetes Care</i> , 2022, 45, 1162-1169.	4.3	3
164	Attaining biochemical euthyroidism early after total thyroidectomy in Gravesâ€™ disease may lower long-term morbidity risk. <i>BJS Open</i> , 2022, 6, .	0.7	3
165	Lower urinary tract symptoms and health-related quality of life in Hong Kong primary care: a cross-sectional study. <i>Quality of Life Research</i> , 2020, 29, 1311-1321.	1.5	2
166	Association between health behaviours and cardiometabolic dysregulation: a population-based survey among healthy adults in Hong Kong. <i>BMJ Open</i> , 2021, 11, e043503.	0.8	2
167	Unintentional Injury Burden in Hong Kong: Results from a Representative Population-Based Survey. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8826.	1.2	2
168	The association between trajectories of risk factors and risk of cardiovascular disease or mortality among patients with diabetes or hypertension: A systematic review. <i>PLoS ONE</i> , 2022, 17, e0262885.	1.1	2
169	Tree analysis modeling of the associations between PHQ-9 depressive symptoms and doctor diagnosis of depression in primary care. <i>Psychological Medicine</i> , 2019, 49, 449-457.	2.7	1
170	Chinese herbal medicine in the treatment of acute upper respiratory tract infection: a randomised, double blind, placebo-controlled clinical trial. <i>Hong Kong Medical Journal</i> , 2009, 15 Suppl 6, 30-4.	0.1	1
171	Morbidity Patterns in Primary Care in Hong Kong: Protocol for a Practice-Based Morbidity Survey. <i>JMIR Research Protocols</i> , 2022, 11, e37334.	0.5	1
172	Health-related quality of life in patients with colorectal neoplasm and cost-effectiveness of colorectal cancer screening in Hong Kong. <i>Hong Kong Medical Journal</i> , 2015, 21 Suppl 6, 4-8.	0.1	0
173	Identifying and articulating the student experience in the Intercalated Enrichment Year. <i>BMC Medical Education</i> , 2022, 22, 246.	1.0	0
174	Association of genetic variants related to combined exposure to higher BMI and waist-to-hip ratio on lifelong cardiovascular risk in UK Biobank. <i>Public Health Nutrition</i> , 2023, 26, 416-424.	1.1	0