

Andrew Tawse-Smith

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12157762/publications.pdf>

Version: 2024-02-01

27
papers

728
citations

566801

15
h-index

525886

27
g-index

27
all docs

27
docs citations

27
times ranked

635
citing authors

#	ARTICLE	IF	CITATIONS
1	Early Loading of Unsplinted Implants Supporting Mandibular Overdentures Using a One-Stage Operative Procedure with Two Different Implant Systems: A 2-Year Report. <i>Clinical Implant Dentistry and Related Research</i> , 2002, 4, 33-42.	1.6	86
2	Conventional and early loading of unsplinted ITI implants supporting mandibular overdentures. <i>Clinical Oral Implants Research</i> , 2002, 13, 603-609.	1.9	77
3	One-Year Prospective Evaluation of the Early Loading of Unsplinted Conical Brånemark Fixtures with Mandibular Overdentures Immediately following Surgery. <i>Clinical Implant Dentistry and Related Research</i> , 2001, 3, 9-19.	1.6	64
4	Multicentre prospective evaluation of implant-assisted mandibular bilateral distal extension removable partial dentures: Patient satisfaction. <i>Clinical Oral Implants Research</i> , 2013, 24, 20-27.	1.9	60
5	One-Stage Operative Procedure Using Two Different Implant Systems: A Prospective Study on Implant Overdentures in the Edentulous Mandible. <i>Clinical Implant Dentistry and Related Research</i> , 2001, 3, 185-193.	1.6	55
6	Early Functional Loading of Unsplinted Roughened Surface Implants with Mandibular Overdentures 2 Weeks after Surgery. <i>Clinical Implant Dentistry and Related Research</i> , 2003, 5, 143-153.	1.6	40
7	One-Stage Surgery and Early Loading of Three Implants for Maxillary Overdentures: A 1-Year Report. <i>Clinical Implant Dentistry and Related Research</i> , 2004, 6, 61-74.	1.6	39
8	Titanium particles: An emerging risk factor for peri-implant bone loss. <i>Saudi Dental Journal</i> , 2020, 32, 283-292.	0.5	36
9	Multicentre prospective evaluation of implant-assisted mandibular removable partial dentures: surgical and prosthodontic outcomes. <i>Clinical Oral Implants Research</i> , 2017, 28, 116-125.	1.9	30
10	Piezoelectric versus conventional implant site preparation: A systematic review and meta-analysis. <i>Clinical Implant Dentistry and Related Research</i> , 2018, 20, 261-270.	1.6	29
11	Predicting peri-implant disease: Chi-square automatic interaction detection (CHAID) decision tree analysis of risk indicators. <i>Journal of Periodontology</i> , 2019, 90, 834-846.	1.7	28
12	Piezoelectric Surgery vs Rotary Instruments for Lateral Maxillary Sinus Floor Elevation: A Systematic Review and Meta-Analysis of Intra- and Postoperative Complications. <i>International Journal of Oral and Maxillofacial Implants</i> , 2015, 30, 1262-1271.	0.6	21
13	Inter-abutment and peri-abutment mucosal enlargement with mandibular implant overdentures. <i>Clinical Oral Implants Research</i> , 2001, 12, 179-187.	1.9	20
14	Implications of Wear at the Titanium-Zirconia Implant-Abutment Interface on the Health of Peri-implant Tissues. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017, 32, 599-609.	0.6	20
15	Maxillary Three-Implant Overdentures Opposing Mandibular Two-Implant Overdentures: 10-Year Surgical Outcomes of a Randomized Controlled Trial. <i>Clinical Implant Dentistry and Related Research</i> , 2016, 18, 527-544.	1.6	19
16	Effect of Air-Polishing on Titanium Surfaces, Biofilm Removal, and Biocompatibility: A Pilot Study. <i>BioMed Research International</i> , 2015, 2015, 1-8.	0.9	14
17	Immediately restored single implants in the aesthetic zone of the maxilla using a novel design: 5-year results from a prospective single-arm clinical trial. <i>Clinical Implant Dentistry and Related Research</i> , 2019, 21, 344-351.	1.6	14
18	Titanium Particles in Peri-Implant Tissues: Surface Analysis and Histologic Response. <i>Clinical Advances in Periodontics</i> , 2012, 2, 232-238.	0.4	13

#	ARTICLE	IF	CITATIONS
19	The effect of standardised implantoplasty protocol on titanium surface roughness: an in-vitro study. Brazilian Oral Research, 2016, 30, e137.	0.6	10
20	Peri-implant disease: current understanding and future direction. New Zealand Dental Journal, 2013, 109, 55-62.	0.1	10
21	Quantifying the Association Between Self-Reported Diabetes and Periodontitis in the New Zealand Population. Journal of Periodontology, 2015, 86, 945-954.	1.7	9
22	The influence of insertion torque values on the failure and complication rates of dental implants: A systematic review and meta-analysis. Clinical Implant Dentistry and Related Research, 2021, 23, 341-360.	1.6	8
23	Peri-Implant Bone Loss and Its Uncommon Causes: A Case Report. Clinical Advances in Periodontics, 2015, 5, 242-247.	0.4	7
24	Effect of a cordless retraction paste material on implant surfaces: an in vitro study. Brazilian Oral Research, 2011, 25, 492-499.	0.6	6
25	How are you coping with the COVID-19 pandemic? Survey of undergraduate dental students' well-being during an unexpected global event. European Journal of Dental Education, 2022, 26, 459-467.	1.0	6
26	Airflow for initial nonsurgical treatment of peri-implantitis: A systematic review and meta-analysis. Clinical Implant Dentistry and Related Research, 2022, 24, 196-210.	1.6	5
27	Effect of a cordless retraction paste on titanium surface: a topographic, chemical and biocompatibility evaluation. Brazilian Oral Research, 2013, 27, 211-217.	0.6	2