

Michael Dunbar

List of Publications by Citations

Source: <https://exaly.com/author-pdf/12159468/michael-dunbar-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36

papers

2,078

citations

18

h-index

36

g-index

36

ext. papers

2,473

ext. citations

5.3

avg, IF

4.38

L-index

#	Paper	IF	Citations
36	Patient satisfaction after knee arthroplasty: a report on 27,372 knees operated on between 1981 and 1995 in Sweden. <i>Acta Orthopaedica</i> , 2000 , 71, 262-7		483
35	Comparison of health-related quality of life between patients with end-stage ankle and hip arthrosis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2008 , 90, 499-505	5.6	306
34	Psychological determinants of problematic outcomes following Total Knee Arthroplasty. <i>Pain</i> , 2009 , 143, 123-9	8	224
33	Aspirin or Rivaroxaban for VTE Prophylaxis after Hip or Knee Arthroplasty. <i>New England Journal of Medicine</i> , 2018 , 378, 699-707	59.2	189
32	Patient-reported outcome measures in arthroplasty registries Report of the Patient-Reported Outcome Measures Working Group of the International Society of Arthroplasty Registries Part II. Recommendations for selection, administration, and analysis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87 Suppl 1, 9-23	4.3	149
31	The role of presurgical expectancies in predicting pain and function one year following total knee arthroplasty. <i>Pain</i> , 2011 , 152, 2287-2293	8	123
30	Patient-reported outcome measures in arthroplasty registries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87 Suppl 1, 3-8	4.3	86
29	Orthopaedic registries with patient-reported outcome measures. <i>EFORT Open Reviews</i> , 2019 , 4, 357-367	5.5	61
28	Validation of the Swedish Knee Arthroplasty Register: a postal survey regarding 30,376 knees operated on between 1975 and 1995. <i>Acta Orthopaedica</i> , 1999 , 70, 467-72		58
27	The role of perceived injustice in the prediction of pain and function after total knee arthroplasty. <i>Pain</i> , 2014 , 155, 2040-6	8	54
26	What's all that noise? The effect of co-morbidity on health outcome questionnaire results after knee arthroplasty. <i>Acta Orthopaedica</i> , 2004 , 75, 119-26		42
25	Mortality effects of timing alternatives for hip fracture surgery. <i>Cmaj</i> , 2018 , 190, E923-E932	3.5	30
24	Risk factors for infection, revision, death, blood transfusion and longer hospital stay 3 months and 1 year after primary total hip or knee arthroplasty. <i>Canadian Journal of Surgery</i> , 2018 , 61, 165-176	2	29
23	Translating Delirium Prevention Strategies for Elderly Adults with Hip Fracture into Routine Clinical Care: A Pragmatic Clinical Trial. <i>Journal of the American Geriatrics Society</i> , 2017 , 65, 567-573	5.6	28
22	Experience with physician assistants in a Canadian arthroplasty program. <i>Canadian Journal of Surgery</i> , 2010 , 53, 103-8	2	26
21	In-hospital mortality after hip fracture by treatment setting. <i>Cmaj</i> , 2016 , 188, 1219-1225	3.5	24
20	Risk of Pre-and Post-Operative Delirium and the Delirium Elderly At Risk (DEAR) Tool in Hip Fracture Patients. <i>Canadian Geriatrics Journal</i> , 2015 , 18, 212-6	2.8	24

19	Time trends in hospital stay after hip fracture in Canada, 2004-2012: database study. <i>Archives of Osteoporosis</i> , 2016 , 11, 13	2.9	23
18	Higher periprosthetic fracture rate associated with use of modern uncemented stems compared to cemented stems in femoral neck fractures. <i>HIP International</i> , 2019 , 29, 177-183	1.7	18
17	Perspectives of orthopaedic surgeons on patients' appropriateness for total joint arthroplasty: a qualitative study. <i>Journal of Evaluation in Clinical Practice</i> , 2016 , 22, 164-70	2.5	16
16	Initial hospital-related cost comparison of total ankle replacement and ankle fusion with hip and knee joint replacement. <i>Foot and Ankle International</i> , 2015 , 36, 253-7	3.3	15
15	The prognostic value of pain catastrophizing in health-related quality of life judgments after Total knee arthroplasty. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 126	3	15
14	Hospital mortality after hip fracture surgery in relation to length of stay by care delivery factors: A database study. <i>Medicine (United States)</i> , 2017 , 96, e6683	1.8	13
13	Prevalence and Characteristics of Pre-Operative Delirium in Hip Fracture Patients. <i>Gerontology</i> , 2016 , 62, 396-400	5.5	10
12	Feasibility of using administrative data for identifying medical reasons to delay hip fracture surgery: a Canadian database study. <i>BMJ Open</i> , 2017 , 7, e017869	3	10
11	Reductions in Perceived Injustice are Associated With Reductions in Disability and Depressive Symptoms After Total Knee Arthroplasty. <i>Clinical Journal of Pain</i> , 2018 , 34, 415-420	3.5	7
10	wear measurement in a modern total knee arthroplasty with model-based radiostereometric analysis. <i>Bone and Joint Journal</i> , 2019 , 101-B, 1348-1355	5.6	4
9	Revision in previously satisfied knee arthroplasty patients is the result of their call on the physician, not on pre-planned follow-up: a retrospective study of 181 patients who underwent revision within 2 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005 , 76, 785-90	4.3	3
8	Simulation of a Bead Placement Protocol for Follow-up of Thoracic Spinal Fusion Using Radiostereometric Analysis. <i>Spine Deformity</i> , 2015 , 3, 219-227	2	2
7	Variation in surgical demand and time to hip fracture repair: a Canadian database study. <i>BMC Health Services Research</i> , 2020 , 20, 935	2.9	2
6	A Combined Visualization Method for Multivariate Data Analysis. Application to Knee Kinematic and Clinical Parameters Relationships. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1762	2.6	1
5	Comorbidities do not limit improvement in pain and physical function after total knee arthroplasty in patients with knee osteoarthritis: the BEST-Knee prospective cohort study. <i>BMJ Open</i> , 2021 , 11, e047061	3.61	1
4	Infection: The Final Frontier of Arthroplasty Management: A Proposal for a Global Periprosthetic Joint Infection Registry from a Multinational Collaborative Group, the GAIA (Global Arthroplasty Infection Association). <i>Journal of Bone and Joint Surgery - Series A</i> , 2021 , 103, e22	5.6	1
3	Opportunities in Total Knee Arthroplasty: Worldwide Surgeons' Perspective. <i>Surgical Technology International</i> , 2017 , 30, 359-364	0.8	1
2	Evolving Beyond Craft Surgery Is Both Inevitable and Essential. <i>Journal of Knee Surgery</i> , 2017 , 30, 3-6	2.4	0

1 Variable effects of obesity on access to total hip and knee arthroplasty. *Canadian Journal of Surgery*
, 2021, 64, E84-E90

2 0