

# Michael Dunbar

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/12159468/michael-dunbar-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

36  
papers

2,078  
citations

18  
h-index

36  
g-index

36  
ext. papers

2,473  
ext. citations

5.3  
avg, IF

4.38  
L-index

#	Paper	IF	Citations
36	Comorbidities do not limit improvement in pain and physical function after total knee arthroplasty in patients with knee osteoarthritis: the BEST-Knee prospective cohort study. <i>BMJ Open</i> , <b>2021</b> , 11, e047061	3.6	1
35	Infection: The Final Frontier of Arthroplasty Management: A Proposal for a Global Periprosthetic Joint Infection Registry from a Multinational Collaborative Group, the GAIA (Global Arthroplasty Infection Association). <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2021</b> , 103, e22	5.6	1
34	Variable effects of obesity on access to total hip and knee arthroplasty. <i>Canadian Journal of Surgery</i> , <b>2021</b> , 64, E84-E90	2	0
33	A Combined Visualization Method for Multivariate Data Analysis. Application to Knee Kinematic and Clinical Parameters Relationships. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 1762	2.6	1
32	Variation in surgical demand and time to hip fracture repair: a Canadian database study. <i>BMC Health Services Research</i> , <b>2020</b> , 20, 935	2.9	2
31	Orthopaedic registries with patient-reported outcome measures. <i>EFORT Open Reviews</i> , <b>2019</b> , 4, 357-367	5.5	61
30	wear measurement in a modern total knee arthroplasty with model-based radiostereometric analysis. <i>Bone and Joint Journal</i> , <b>2019</b> , 101-B, 1348-1355	5.6	4
29	Higher periprosthetic fracture rate associated with use of modern uncemented stems compared to cemented stems in femoral neck fractures. <i>HIP International</i> , <b>2019</b> , 29, 177-183	1.7	18
28	Aspirin or Rivaroxaban for VTE Prophylaxis after Hip or Knee Arthroplasty. <i>New England Journal of Medicine</i> , <b>2018</b> , 378, 699-707	59.2	189
27	Reductions in Perceived Injustice are Associated With Reductions in Disability and Depressive Symptoms After Total Knee Arthroplasty. <i>Clinical Journal of Pain</i> , <b>2018</b> , 34, 415-420	3.5	7
26	Risk factors for infection, revision, death, blood transfusion and longer hospital stay 3 months and 1 year after primary total hip or knee arthroplasty. <i>Canadian Journal of Surgery</i> , <b>2018</b> , 61, 165-176	2	29
25	The prognostic value of pain catastrophizing in health-related quality of life judgments after Total knee arthroplasty. <i>Health and Quality of Life Outcomes</i> , <b>2018</b> , 16, 126	3	15
24	Mortality effects of timing alternatives for hip fracture surgery. <i>Cmaj</i> , <b>2018</b> , 190, E923-E932	3.5	30
23	Evolving Beyond Craft Surgery Is Both Inevitable and Essential. <i>Journal of Knee Surgery</i> , <b>2017</b> , 30, 3-6	2.4	0
22	Hospital mortality after hip fracture surgery in relation to length of stay by care delivery factors: A database study. <i>Medicine (United States)</i> , <b>2017</b> , 96, e6683	1.8	13
21	Feasibility of using administrative data for identifying medical reasons to delay hip fracture surgery: a Canadian database study. <i>BMJ Open</i> , <b>2017</b> , 7, e017869	3	10
20	Translating Delirium Prevention Strategies for Elderly Adults with Hip Fracture into Routine Clinical Care: A Pragmatic Clinical Trial. <i>Journal of the American Geriatrics Society</i> , <b>2017</b> , 65, 567-573	5.6	28

19	Opportunities in Total Knee Arthroplasty: Worldwide Surgeons' Perspective. <i>Surgical Technology International</i> , <b>2017</b> , 30, 359-364	0.8	1
18	In-hospital mortality after hip fracture by treatment setting. <i>Cmaj</i> , <b>2016</b> , 188, 1219-1225	3.5	24
17	Patient-reported outcome measures in arthroplasty registries Report of the Patient-Reported Outcome Measures Working Group of the International Society of Arthroplasty Registries Part II. Recommendations for selection, administration, and analysis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2016</b> , 87 Suppl 1, 9-23	4.3	149
16	Prevalence and Characteristics of Pre-Operative Delirium in Hip Fracture Patients. <i>Gerontology</i> , <b>2016</b> , 62, 396-400	5.5	10
15	Perspectives of orthopaedic surgeons on patients' appropriateness for total joint arthroplasty: a qualitative study. <i>Journal of Evaluation in Clinical Practice</i> , <b>2016</b> , 22, 164-70	2.5	16
14	Time trends in hospital stay after hip fracture in Canada, 2004-2012: database study. <i>Archives of Osteoporosis</i> , <b>2016</b> , 11, 13	2.9	23
13	Patient-reported outcome measures in arthroplasty registries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2016</b> , 87 Suppl 1, 3-8	4.3	86
12	Initial hospital-related cost comparison of total ankle replacement and ankle fusion with hip and knee joint replacement. <i>Foot and Ankle International</i> , <b>2015</b> , 36, 253-7	3.3	15
11	Simulation of a Bead Placement Protocol for Follow-up of Thoracic Spinal Fusion Using Radiostereometric Analysis. <i>Spine Deformity</i> , <b>2015</b> , 3, 219-227	2	2
10	Risk of Pre-and Post-Operative Delirium and the Delirium Elderly At Risk (DEAR) Tool in Hip Fracture Patients. <i>Canadian Geriatrics Journal</i> , <b>2015</b> , 18, 212-6	2.8	24
9	The role of perceived injustice in the prediction of pain and function after total knee arthroplasty. <i>Pain</i> , <b>2014</b> , 155, 2040-6	8	54
8	The role of presurgical expectancies in predicting pain and function one year following total knee arthroplasty. <i>Pain</i> , <b>2011</b> , 152, 2287-2293	8	123
7	Experience with physician assistants in a Canadian arthroplasty program. <i>Canadian Journal of Surgery</i> , <b>2010</b> , 53, 103-8	2	26
6	Psychological determinants of problematic outcomes following Total Knee Arthroplasty. <i>Pain</i> , <b>2009</b> , 143, 123-9	8	224
5	Comparison of health-related quality of life between patients with end-stage ankle and hip arthrosis. <i>Journal of Bone and Joint Surgery - Series A</i> , <b>2008</b> , 90, 499-505	5.6	306
4	Revision in previously satisfied knee arthroplasty patients is the result of their call on the physician, not on pre-planned follow-up: a retrospective study of 181 patients who underwent revision within 2 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , <b>2005</b> , 76, 785-90	4.3	3
3	What's all that noise? The effect of co-morbidity on health outcome questionnaire results after knee arthroplasty. <i>Acta Orthopaedica</i> , <b>2004</b> , 75, 119-26		42
2	Patient satisfaction after knee arthroplasty: a report on 27,372 knees operated on between 1981 and 1995 in Sweden. <i>Acta Orthopaedica</i> , <b>2000</b> , 71, 262-7		483

- 1 Validation of the Swedish Knee Arthroplasty Register: a postal survey regarding 30,376 knees operated on between 1975 and 1995. *Acta Orthopaedica*, **1999**, 70, 467-72