

Jeong Tai Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/12159503/jeong-tai-kim-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

2,991
citations

30
h-index

46
g-index

137
ext. papers

3,417
ext. citations

3.9
avg, IF

5.56
L-index

#	Paper	IF	Citations
120	Sustainable development and requirements for energy efficiency in buildings □The Korean perspectives. <i>Indoor and Built Environment</i> , 2018 , 27, 734-751	1.8	34
119	The Reality of Light Pollution: A Field Survey for the Determination of Lighting Environmental Management Zones in South Korea. <i>Sustainability</i> , 2018 , 10, 374	3.6	17
118	Feasibility Study on LED Street Lighting with Smart Dimming Systems in Wooi Stream, Seoul. <i>Journal of Asian Architecture and Building Engineering</i> , 2017 , 16, 425-430	1	4
117	Gain scheduling based ventilation control with varying periodic indoor air quality (IAQ) dynamics for healthy IAQ and energy savings. <i>Energy and Buildings</i> , 2017 , 153, 275-286	7	24
116	Economical control of indoor air quality in underground metro station using an iterative dynamic programming-based ventilation system. <i>Indoor and Built Environment</i> , 2016 , 25, 949-961	1.8	17
115	Evaluation of an optimal ventilation IAQ control strategy using control performance assessment and energy demand. <i>Energy and Buildings</i> , 2015 , 98, 134-143	7	7
114	A study on the application of sorptive building materials to reduce the concentration and volume of contaminants inhaled by occupants in office areas. <i>Energy and Buildings</i> , 2015 , 98, 10-18	7	11
113	Development of the adaptive PMV model for improving prediction performances. <i>Energy and Buildings</i> , 2015 , 98, 100-105	7	56
112	Residents' responses on indoor environment quality and energy use in apartments. <i>Energy and Buildings</i> , 2015 , 98, 34-38	7	4
111	User's perception of indoor environment associated with energy performance in apartment complexes with different service life. <i>Energy and Buildings</i> , 2015 , 98, 106-112	7	1
110	In search for modeling predictive control of indoor air quality and ventilation energy demand in subway station. <i>Energy and Buildings</i> , 2015 , 98, 56-65	7	15
109	Health Smart Home Services incorporating a MAR-based Energy Consumption Awareness System. <i>Journal of Intelligent and Robotic Systems: Theory and Applications</i> , 2015 , 79, 523-535	2.9	15
108	Indoor air quality control for improving passenger health in subway platforms using an outdoor air quality dependent ventilation system. <i>Building and Environment</i> , 2015 , 92, 407-417	6.5	49
107	Evaluation of the influence of hygric properties of wallpapers on mould growth rates using hygrothermal simulation. <i>Energy and Buildings</i> , 2015 , 98, 113-118	7	6
106	Sustainable lighting performance of refurbished glazed walls for old residential buildings. <i>Energy and Buildings</i> , 2015 , 91, 163-169	7	3
105	Evaluation of global vertical illuminance and irradiance models against data from Yongin, South Korea. <i>Energy and Buildings</i> , 2015 , 91, 139-147	7	2
104	Residents' Evaluation of Apartment Community Spaces with Longitudinal Approach. <i>International Journal of Engineering and Technology</i> , 2015 , 7, 276-281	0	1

103	Experimental and Analytical Investigation of Column- Beam Joints with Smart Frame Based on Strain Compatibility. <i>International Journal of Engineering and Technology</i> , 2015 , 7, 317-320	0	1
102	The effect of moisture transportation on energy efficiency and IAQ in residential buildings. <i>Energy and Buildings</i> , 2014 , 75, 439-446	7	56
101	Online monitoring and interpretation of periodic diurnal and seasonal variations of indoor air pollutants in a subway station using parallel factor analysis (PARAFAC). <i>Energy and Buildings</i> , 2014 , 68, 87-98	7	26
100	Hazardous materials in buildings. <i>Indoor and Built Environment</i> , 2014 , 23, 44-61	1.8	22
99	Probabilistic Assessment of Design Error Costs. <i>Journal of Performance of Constructed Facilities</i> , 2014 , 28, 518-527	2	12
98	Delineation of House Design Guidelines for Fall Prevention of Older People. <i>Journal of Population Ageing</i> , 2014 , 7, 185-215	1.2	1
97	Energy performance of direct expansion air handling unit in office buildings. <i>Energy and Buildings</i> , 2014 , 77, 425-431	7	25
96	Application of Smart Frames to tall buildings with dual systems and with building frame systems. <i>Indoor and Built Environment</i> , 2014 , 23, 161-170	1.8	1
95	Evaluation of passenger health risk assessment of sustainable indoor air quality monitoring in metro systems based on a non-Gaussian dynamic sensor validation method. <i>Journal of Hazardous Materials</i> , 2014 , 278, 124-33	12.8	30
94	Creating Sustainable Building through Exploiting Human Comfort. <i>Energy Procedia</i> , 2014 , 62, 590-594	2.3	3
93	Power performance of photovoltaic-integrated lightshelf systems. <i>Indoor and Built Environment</i> , 2014 , 23, 180-188	1.8	9
92	Logistic Regression Based Multi-objective Optimization of IAQ Ventilation System Considering Healthy Risk and Ventilation Energy. <i>Energy Procedia</i> , 2014 , 62, 583-589	2.3	1
91	Residents and experts perspectives for evaluation of importance of Health Performance Indicators in social housings. <i>Indoor and Built Environment</i> , 2014 , 23, 150-160	1.8	1
90	The Impact of Distance on the Accuracy of Luminance Measurement. <i>Energy Procedia</i> , 2014 , 62, 612-618	2.3	5
89	Influence of Organizational and Project Practices on Design Error Costs. <i>Journal of Performance of Constructed Facilities</i> , 2014 , 28, 303-310	2	11
88	Depth video-based gait recognition for smart home using local directional pattern features and hidden Markov model. <i>Indoor and Built Environment</i> , 2014 , 23, 133-140	1.8	7
87	Role of Design Audits in Reducing Errors and Rework: Lessons from Hong Kong. <i>Journal of Performance of Constructed Facilities</i> , 2014 , 28, 511-517	2	13
86	Finding the optimal set points of a thermal and ventilation control system under changing outdoor weather conditions. <i>Indoor and Built Environment</i> , 2014 , 23, 118-132	1.8	6

85	Adaptive neuro-fuzzy inference system based faulty sensor monitoring of indoor air quality in a subway station. <i>Korean Journal of Chemical Engineering</i> , 2013 , 30, 528-539	2.8	7
84	Energy-efficient algorithms of the steam curing for the in situ production of precast concrete members. <i>Energy and Buildings</i> , 2013 , 64, 275-284	7	33
83	A method for evaluating the performance of green buildings with a focus on user experience. <i>Energy and Buildings</i> , 2013 , 66, 203-210	7	43
82	The development of modularized construction of enhanced precast composite structural systems (Smart Green frame) and its embedded energy efficiency. <i>Energy and Buildings</i> , 2013 , 66, 16-21	7	18
81	Sensor fault identification and reconstruction of indoor air quality (IAQ) data using a multivariate non-Gaussian model in underground building space. <i>Energy and Buildings</i> , 2013 , 66, 384-394	7	19
80	Modeling luminous efficacy of daylight for Yongin, South Korea. <i>Energy and Buildings</i> , 2013 , 62, 550-558	7	9
79	The energy efficient expansion remodeling construction method of bearing wall apartment buildings with pre-cast composite structural systems. <i>Energy and Buildings</i> , 2013 , 66, 714-723	7	6
78	Towards sustainability index for healthy buildings via intrinsic thermodynamics, green accounting and harmony. <i>Energy and Buildings</i> , 2013 , 62, 627-637	7	26
77	Energy use of households in apartment complexes with different service life. <i>Energy and Buildings</i> , 2013 , 66, 591-598	7	22
76	Multi-objective optimization of indoor air quality control and energy consumption minimization in a subway ventilation system. <i>Energy and Buildings</i> , 2013 , 66, 553-561	7	62
75	Characteristics of Particleboards Using Tannin Resin as Novel Environment-Friendly Adhesion System. <i>Indoor and Built Environment</i> , 2013 , 22, 61-67	1.8	6
74	Thermal comfort prediction of an underfloor air distribution system in a large indoor environment. <i>Energy and Buildings</i> , 2013 , 64, 323-331	7	46
73	Tuning control of buildings glazing's transmittance dependence on the solar radiation wavelength to optimize daylighting and building's energy efficiency. <i>Energy and Buildings</i> , 2013 , 63, 108-118	7	34
72	Periodic Local Multi-way Analysis and Monitoring of Indoor Air Quality in a Subway System Considering the Weekly Effect. <i>Indoor and Built Environment</i> , 2013 , 22, 77-93	1.8	12
71	Subjective Responses to Changes in Spectral Power Distributions of LED Light. <i>Indoor and Built Environment</i> , 2013 , 22, 226-234	1.8	3
70	Scenario-Based Smart Services for Single-Person Households. <i>Indoor and Built Environment</i> , 2013 , 22, 309-318	1.8	4
69	The Effect of the Public Exercise Environment on the Physical Activity for the Active Ageing of the Elderly. <i>Indoor and Built Environment</i> , 2013 , 22, 319-331	1.8	12
68	Overall Environmental Modelling of Newly Designed Curtain Wall Façade Configurations. <i>Indoor and Built Environment</i> , 2013 , 22, 168-179	1.8	10

67	An Indoor Human Activity Recognition System for Smart Home Using Local Binary Pattern Features with Hidden Markov Models. <i>Indoor and Built Environment</i> , 2013 , 22, 289-298	1.8	13
66	Reduction Effect of Toxic Substances for Apartment Buildings with an Ecofriendly Pre-cast Composite Structural System. <i>Indoor and Built Environment</i> , 2013 , 22, 110-116	1.8	6
65	Optical Daylighting Performance of an Active Mirror System for Visual Sustainability of Residential Environment. <i>Indoor and Built Environment</i> , 2013 , 22, 212-225	1.8	3
64	Thermal Extractor Analysis of VOCs Emitted from Building Materials and Evaluation of the Reduction Performance of Exfoliated Graphite Nanoplatelets. <i>Indoor and Built Environment</i> , 2013 , 22, 68-76	1.8	6
63	Identifying Characteristics of Design Guidelines for Elderly Care Environments from the Holistic Health Perspective. <i>Indoor and Built Environment</i> , 2013 , 22, 242-259	1.8	10
62	Energy-Saving Potential of LED Lighting Systems. <i>Indoor and Built Environment</i> , 2013 , 22, 235-241	1.8	12
61	Material Emissions and Indoor Simulation. <i>Indoor and Built Environment</i> , 2013 , 22, 21-29	1.8	19
60	Daylight Availability Models for Global and Diffuse Horizontal Illuminance in Yongin, South Korea. <i>Indoor and Built Environment</i> , 2013 , 22, 203-211	1.8	3
59	Development of a Double-Skin Façade for Sustainable Renovation of Old Residential Buildings. <i>Indoor and Built Environment</i> , 2013 , 22, 180-190	1.8	37
58	Human Activity Recognition via Recognized Body Parts of Human Depth Silhouettes for Residents Monitoring Services at Smart Home. <i>Indoor and Built Environment</i> , 2013 , 22, 271-279	1.8	99
57	An Assessment of CO2 Emission of the Structural Composite Hybrid Beam Based on Strain Compatibility. <i>Indoor and Built Environment</i> , 2013 , 22, 117-130	1.8	6
56	Sustainable Monitoring of Indoor Air Pollutants in an Underground Subway Environment Using Self-Validating Soft Sensors. <i>Indoor and Built Environment</i> , 2013 , 22, 94-109	1.8	11
55	Long/Short-Term Performance Test for Evaluating the Reduction of Indoor Formaldehyde Using Sorptive Building Materials. <i>Indoor and Built Environment</i> , 2013 , 22, 52-60	1.8	2
54	Characteristics of the Quality of Korean High-Rise Apartments Using the Health Performance Indicator. <i>Indoor and Built Environment</i> , 2013 , 22, 157-167	1.8	7
53	A Computing Model for Lifecycle Health Performance Evaluations of Sustainable Healthy Buildings. <i>Indoor and Built Environment</i> , 2013 , 22, 7-20	1.8	5
52	A Smart Workspace Supporting a Healthy Life in Pre-elderly Households. <i>Indoor and Built Environment</i> , 2013 , 22, 280-288	1.8	5
51	The Service Pattern-Oriented Smart Bedroom Based on Elderly Spatial Behaviour Patterns. <i>Indoor and Built Environment</i> , 2013 , 22, 299-308	1.8	13
50	A Critical Review of User Studies on Healthy Smart Homes. <i>Indoor and Built Environment</i> , 2013 , 22, 260-270	1.8	26

49	Cost and CO ₂ Analysis of Composite Precast Concrete Columns. <i>Smart Innovation, Systems and Technologies</i> , 2013 , 995-1002	0.5	
48	Environmentally-Friendly Apartment Buildings Using a Sustainable Hybrid Precast Composite System. <i>Smart Innovation, Systems and Technologies</i> , 2013 , 1071-1081	0.5	
47	Impact of Different Placements of Shading Device on Building Thermal Performance. <i>Smart Innovation, Systems and Technologies</i> , 2013 , 1055-1059	0.5	
46	A Field Survey of Thermal Comfort in Office Building with a Unitary Heat-Pump and Energy Recovery Ventilator. <i>Smart Innovation, Systems and Technologies</i> , 2013 , 1003-1010	0.5	1
45	Sustainable and healthy buildings. <i>Energy and Buildings</i> , 2012 , 46, 1-2	7	11
44	Beyond the science and art of the healthy buildings daylighting dynamic control's performance prediction and validation. <i>Energy and Buildings</i> , 2012 , 46, 159-166	7	20
43	Effects of occupancy and lighting use patterns on lighting energy consumption. <i>Energy and Buildings</i> , 2012 , 46, 152-158	7	115
42	A field survey of visual comfort and lighting energy consumption in open plan offices. <i>Energy and Buildings</i> , 2012 , 46, 146-151	7	74
41	View types and luminance effects on discomfort glare assessment from windows. <i>Energy and Buildings</i> , 2012 , 46, 139-145	7	49
40	A prediction method to identify the glare source in a window with non-uniform luminance distribution. <i>Energy and Buildings</i> , 2012 , 46, 132-138	7	4
39	Energy consumption characteristics of high-rise apartment buildings according to building shape and mixed-use development. <i>Energy and Buildings</i> , 2012 , 46, 123-131	7	67
38	The energy-saving effects of apartment residents' awareness and behavior. <i>Energy and Buildings</i> , 2012 , 46, 112-122	7	70
37	Comparative advantage of an exterior shading device in thermal performance for residential buildings. <i>Energy and Buildings</i> , 2012 , 46, 105-111	7	148
36	Optimization of the building integrated photovoltaic system in office buildings: Focus on the orientation, inclined angle and installed area. <i>Energy and Buildings</i> , 2012 , 46, 92-104	7	88
35	Theoretical analysis of the blinds integrated photovoltaic modules. <i>Energy and Buildings</i> , 2012 , 46, 86-91	7	52
34	A finish material management system for indoor air quality of apartment buildings (FinIAQ). <i>Energy and Buildings</i> , 2012 , 46, 68-79	7	18
33	Optimum energy use to satisfy indoor air quality needs. <i>Energy and Buildings</i> , 2012 , 46, 62-67	7	23
32	Experimental investigation of an energy-efficient hybrid composite beam during the construction phase. <i>Energy and Buildings</i> , 2012 , 46, 37-47	7	19

31	Energy efficiencies of linear-shaped multi-residential apartment buildings built with hybrid structural systems. <i>Energy and Buildings</i> , 2012 , 46, 30-36	7	20
30	Buildings energy sustainability and health research via interdisciplinarity and harmony. <i>Energy and Buildings</i> , 2012 , 47, 12-18	7	23
29	Thermal and Mechanical Properties of Epoxy/Carbon Fiber Composites Reinforced with Multi-walled Carbon Nanotubes. <i>Journal of Macromolecular Science - Physics</i> , 2012 , 51, 358-367	1.4	26
28	Analysis and prediction of indoor air pollutants in a subway station using a new key variable selection method. <i>Korean Journal of Chemical Engineering</i> , 2012 , 29, 994-1003	2.8	9
27	A real-time monitoring and assessment method for calculation of total amounts of indoor air pollutants emitted in subway stations. <i>Journal of the Air and Waste Management Association</i> , 2012 , 62, 517-26	2.4	18
26	Energy Benefit of the Underfloor Air Distribution System for Reducing Air-Conditioning and Heating Loads in Buildings. <i>Indoor and Built Environment</i> , 2012 , 21, 62-70	1.8	25
25	A Lifecycle Health Performance Tree for Sustainable Healthy Buildings. <i>Indoor and Built Environment</i> , 2012 , 21, 16-27	1.8	10
24	Thermal and Non-Thermal Stimuli for the Use of Windows in Offices. <i>Indoor and Built Environment</i> , 2012 , 21, 109-121	1.8	10
23	Optimal Illuminance of Seven Major Lighting Colours in LED: Focus on Occupant Comfort and Communication in an Indoor Environment. <i>Indoor and Built Environment</i> , 2012 , 21, 122-128	1.8	9
22	Residents Adjusting Behaviour to Enhance Indoor Environmental Comfort in Apartments. <i>Indoor and Built Environment</i> , 2012 , 21, 28-40	1.8	19
21	An Analysis of the CO2 Reduction Effect of a Column-Beam Structure Using Composite Precast Concrete Members. <i>Indoor and Built Environment</i> , 2012 , 21, 150-162	1.8	23
20	The Effect of Seasons and Prevailing Environments on Adaptive Comfort Temperatures in Open Plan Offices. <i>Indoor and Built Environment</i> , 2012 , 21, 41-47	1.8	28
19	Multivariate Monitoring and Local Interpretation of Indoor Air Quality in Seoul's Metro System. <i>Environmental Engineering Science</i> , 2010 , 27, 721-731	2	28
18	Miscibility of Solution Blends of Unsaturated Polyester Resin with Polystyrene and Polycarbonate. <i>Journal of Macromolecular Science - Physics</i> , 2010 , 49, 750-756	1.4	2
17	Thermal and Tensile Properties of Epoxy Nanocomposites Reinforced by Silane-functionalized Multiwalled Carbon Nanotubes. <i>Journal of Macromolecular Science - Physics</i> , 2010 , 49, 132-142	1.4	9
16	A new apartment construction technology with effective CO2 emission reduction capabilities. <i>Energy</i> , 2010 , 35, 2639-2646	7.9	30
15	Application of high-density daylight for indoor illumination. <i>Energy</i> , 2010 , 35, 2654-2666	7.9	27
14	Luminous impact of balcony floor at atrium spaces with different well geometries. <i>Building and Environment</i> , 2010 , 45, 304-310	6.5	16

13	Overview and new developments in optical daylighting systems for building a healthy indoor environment. <i>Building and Environment</i> , 2010 , 45, 256-269	6.5	85
12	Numerical modeling of volatile organic compound emissions from multi-layer dry building materials. <i>Korean Journal of Chemical Engineering</i> , 2010 , 27, 1049-1055	2.8	15
11	Data-driven prediction model of indoor air quality in an underground space. <i>Korean Journal of Chemical Engineering</i> , 2010 , 27, 1675-1680	2.8	22
10	Predictive monitoring and diagnosis of periodic air pollution in a subway station. <i>Journal of Hazardous Materials</i> , 2010 , 183, 448-59	12.8	38
9	Healthy-daylighting design for the living environment in apartments in Korea. <i>Building and Environment</i> , 2010 , 45, 287-294	6.5	36
8	A distribution chart of glare sensation over the whole visual field. <i>Building and Environment</i> , 2010 , 45, 922-928	6.5	13
7	The effect of different treatment methods of multiwalled carbon nanotubes on thermal and flexural properties of their epoxy nanocomposites. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2010 , 48, 1175-1184	2.6	12
6	The position index of a glare source at the borderline between comfort and discomfort (BCD) in the whole visual field. <i>Building and Environment</i> , 2009 , 44, 1017-1023	6.5	19
5	Phase Separation in Poly(Methyl Methacrylate)-Epoxy Blend. <i>Journal of Macromolecular Science - Physics</i> , 2009 , 48, 626-634	1.4	5
4	A first approach to discomfort glare in the presence of non-uniform luminance. <i>Building and Environment</i> , 2008 , 43, 1953-1960	6.5	16
3	A three-dimensional performance analysis of all-glass vacuum tubes with coaxial fluid conduit. <i>International Communications in Heat and Mass Transfer</i> , 2008 , 35, 589-596	5.8	28
2	The performance simulation of all-glass vacuum tubes with coaxial fluid conduit. <i>International Communications in Heat and Mass Transfer</i> , 2007 , 34, 587-597	5.8	42
1	Application of Dielectric Barrier Discharge Reactor Immersed in Wastewater to the Oxidative Degradation of Organic Contaminant. <i>Plasma Chemistry and Plasma Processing</i> , 2007 , 27, 51-64	3.6	37