

# Marco J Herold

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/1216070/marco-j-herold-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

118  
papers

5,584  
citations

37  
h-index

73  
g-index

130  
ext. papers

7,291  
ext. citations

12.3  
avg, IF

5.64  
L-index

#	Paper	IF	Citations
118	In vivo genome-editing screen identifies tumor suppressor genes that cooperate with Trp53 loss during mammary tumorigenesis.. <i>Molecular Oncology</i> , <b>2022</b> ,	7.9	1
117	Loss of TRP53 reduces but does not overcome dependency of lymphoma cells on MCL-1.. <i>Cell Death and Differentiation</i> , <b>2022</b> ,	12.7	0
116	Interferon- $\beta$ primes macrophages for pathogen ligand-induced killing via a caspase-8 and mitochondrial cell death pathway.. <i>Immunity</i> , <b>2022</b> ,	32.3	5
115	Removal of BFL-1 sensitises some melanoma cells to killing by BH3 mimetic drugs.. <i>Cell Death and Disease</i> , <b>2022</b> , 13, 301	9.8	0
114	CRISPR 101 - a novel online learning course harnessing innovative ways to teach a complex biomolecular technology.. <i>Essays in Biochemistry</i> , <b>2022</b> ,	7.6	1
113	Ubiquitin-like protein 3 (UBL3) is required for MARCH ubiquitination of major histocompatibility complex class II and CD86.. <i>Nature Communications</i> , <b>2022</b> , 13, 1934	17.4	1
112	Targeting Control of Cell Cycle Enhances the Activity of Conventional Chemotherapy in Chemotherapy-Resistant Acute Myeloid Leukemia. <i>Blood</i> , <b>2021</b> , 138, 2241-2241	2.2	
111	Caspase-2 does not play a critical role in cell death induction and bacterial clearance during Salmonella infection. <i>Cell Death and Differentiation</i> , <b>2021</b> , 28, 3371-3373	12.7	
110	The transcription factor IRF4 represses proapoptotic BMF and BIM to licence multiple myeloma survival. <i>Leukemia</i> , <b>2021</b> , 35, 2114-2118	10.7	8
109	Myelodysplasia Syndrome, Clonal Hematopoiesis and Cardiovascular Disease. <i>Cancers</i> , <b>2021</b> , 13,	6.6	1
108	Ptpn2 and KLRG1 regulate the generation and function of tissue-resident memory CD8+ T cells in skin. <i>Journal of Experimental Medicine</i> , <b>2021</b> , 218,	16.6	2
107	PRMT1-mediated H4R3me2a recruits SMARCA4 to promote colorectal cancer progression by enhancing EGFR signaling. <i>Genome Medicine</i> , <b>2021</b> , 13, 58	14.4	9
106	The ubiquitylation of IL-1 $\beta$ limits its cleavage by caspase-1 and targets it for proteasomal degradation. <i>Nature Communications</i> , <b>2021</b> , 12, 2713	17.4	12
105	BCL-XL antagonism selectively reduces neutrophil life span within inflamed tissues without causing neutropenia. <i>Blood Advances</i> , <b>2021</b> , 5, 2550-2562	7.8	4
104	Absence of pro-survival A1 has no impact on inflammatory cell survival in vivo during acute lung inflammation and peritonitis. <i>Cell Death and Differentiation</i> , <b>2021</b> ,	12.7	1
103	CRISPR base editing applications for identifying cancer-driving mutations. <i>Biochemical Society Transactions</i> , <b>2021</b> , 49, 269-280	5.1	1
102	Macrophage and neutrophil death programs differentially confer resistance to tuberculosis. <i>Immunity</i> , <b>2021</b> , 54, 1758-1771.e7	32.3	3

101	HBO1 (KAT7) Does Not Have an Essential Role in Cell Proliferation, DNA Replication, or Histone 4 Acetylation in Human Cells. <i>Molecular and Cellular Biology</i> , <b>2020</b> , 40,	4.8	6
100	Targeting platelets for improved outcome in KRAS-driven lung adenocarcinoma. <i>Oncogene</i> , <b>2020</b> , 39, 5177-5186	9.2	2
99	An Erg-driven transcriptional program controls B cell lymphopoiesis. <i>Nature Communications</i> , <b>2020</b> , 11, 3013	17.4	11
98	The pro-survival Bcl-2 family member A1 delays spontaneous and FAS ligand-induced apoptosis of activated neutrophils. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 474	9.8	2
97	Acquired Mutations in BAX Confer Resistance to BH3 Mimetics in Acute Myeloid Leukemia. <i>Blood</i> , <b>2020</b> , 136, 7-8	2.2	5
96	BCL-XL exerts a protective role against anemia caused by radiation-induced kidney damage. <i>EMBO Journal</i> , <b>2020</b> , 39, e105561	13	2
95	Therapeutic blockade of CXCR2 rapidly clears inflammation in arthritis and atopic dermatitis models: demonstration with surrogate and humanized antibodies. <i>MABs</i> , <b>2020</b> , 12, 1856460	6.6	6
94	Characterization of a novel human BFL-1-specific monoclonal antibody. <i>Cell Death and Differentiation</i> , <b>2020</b> , 27, 826-828	12.7	2
93	Mutations that prevent caspase cleavage of RIPK1 cause autoinflammatory disease. <i>Nature</i> , <b>2020</b> , 577, 103-108	50.4	110
92	Potent efficacy of MCL-1 inhibitor-based therapies in preclinical models of mantle cell lymphoma. <i>Oncogene</i> , <b>2020</b> , 39, 2009-2023	9.2	12
91	Consequences of Zmat3 loss in c-MYC- and mutant KRAS-driven tumorigenesis. <i>Cell Death and Disease</i> , <b>2020</b> , 11, 877	9.8	1
90	TREML4 receptor regulates inflammation and innate immune cell death during polymicrobial sepsis. <i>Nature Immunology</i> , <b>2020</b> , 21, 1585-1596	19.1	9
89	Critical cancer vulnerabilities identified by unbiased CRISPR/Cas9 screens inform on efficient cancer Immunotherapy. <i>European Journal of Immunology</i> , <b>2020</b> , 50, 1871-1884	6.1	4
88	Flexible Usage and Interconnectivity of Diverse Cell Death Pathways Protect against Intracellular Infection. <i>Immunity</i> , <b>2020</b> , 53, 533-547.e7	32.3	42
87	Emerging connectivity of programmed cell death pathways and its physiological implications. <i>Nature Reviews Molecular Cell Biology</i> , <b>2020</b> , 21, 678-695	48.7	141
86	The NK cell granule protein NKG7 regulates cytotoxic granule exocytosis and inflammation. <i>Nature Immunology</i> , <b>2020</b> , 21, 1205-1218	19.1	24
85	ROCK1 but not LIMK1 or PAK2 is a key regulator of apoptotic membrane blebbing and cell disassembly. <i>Cell Death and Differentiation</i> , <b>2020</b> , 27, 102-116	12.7	19
84	miR17~92 restrains pro-apoptotic BIM to ensure survival of haematopoietic stem and progenitor cells. <i>Cell Death and Differentiation</i> , <b>2020</b> , 27, 1475-1488	12.7	4

83	Modeling Breast Cancer Using CRISPR-Cas9-Mediated Engineering of Human Breast Organoids. <i>Journal of the National Cancer Institute</i> , <b>2020</b> , 112, 540-544	9.7	49
82	EBV BCL-2 homologue BHRF1 drives chemoresistance and lymphomagenesis by inhibiting multiple cellular pro-apoptotic proteins. <i>Cell Death and Differentiation</i> , <b>2020</b> , 27, 1554-1568	12.7	12
81	Dual Targeting of CDK4/6 and BCL2 Pathways Augments Tumor Response in Estrogen Receptor-Positive Breast Cancer. <i>Clinical Cancer Research</i> , <b>2020</b> , 26, 4120-4134	12.9	29
80	A Hypomorphic Model Recapitulates Key Aspects of the Leukodystrophy HBSL. <i>Frontiers in Cellular Neuroscience</i> , <b>2020</b> , 14, 625879	6.1	2
79	Single-Cell Transcriptomics Identifies the Adaptation of Scart1 V $\beta$ T Cells to Skin Residency as Activated Effector Cells. <i>Cell Reports</i> , <b>2019</b> , 27, 3657-3671.e4	10.6	33
78	BCL-XL and MCL-1 are the key BCL-2 family proteins in melanoma cell survival. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 342	9.8	81
77	Loss of p53 Causes Stochastic Aberrant X-Chromosome Inactivation and Female-Specific Neural Tube Defects. <i>Cell Reports</i> , <b>2019</b> , 27, 442-454.e5	10.6	19
76	TRIM17 and TRIM28 antagonistically regulate the ubiquitination and anti-apoptotic activity of BCL2A1. <i>Cell Death and Differentiation</i> , <b>2019</b> , 26, 902-917	12.7	22
75	Characterisation of mice lacking the inflammatory caspases-1/11/12 reveals no contribution of caspase-12 to cell death and sepsis. <i>Cell Death and Differentiation</i> , <b>2019</b> , 26, 1124-1137	12.7	14
74	Transcription Factor PU.1 Promotes Conventional Dendritic Cell Identity and Function via Induction of Transcriptional Regulator DC-SCRIPT. <i>Immunity</i> , <b>2019</b> , 50, 77-90.e5	32.3	26
73	Anti-apoptotic A1 is not essential for lymphoma development in E $\mu$ -Myc mice but helps sustain transplanted E $\mu$ -Myc tumour cells. <i>Cell Death and Differentiation</i> , <b>2018</b> , 25, 797-808	12.7	12
72	CRISPR/Cas9: A tool for immunological research. <i>European Journal of Immunology</i> , <b>2018</b> , 48, 576-583	6.1	12
71	Coordinated repression of BIM and PUMA by Epstein-Barr virus latent genes maintains the survival of Burkitt lymphoma cells. <i>Cell Death and Differentiation</i> , <b>2018</b> , 25, 241-254	12.7	13
70	Loss of NF- $\kappa$ B1 Causes Gastric Cancer with Aberrant Inflammation and Expression of Immune Checkpoint Regulators in a STAT-1-Dependent Manner. <i>Immunity</i> , <b>2018</b> , 48, 570-583.e8	32.3	39
69	MARCH1-mediated ubiquitination of MHC II impacts the MHC I antigen presentation pathway. <i>PLoS ONE</i> , <b>2018</b> , 13, e0200540	3.7	19
68	Mining the Plasma Cell Transcriptome for Novel Cell Surface Proteins. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 19,	6.3	4
67	DNA repair processes are critical mediators of p53-dependent tumor suppression. <i>Nature Medicine</i> , <b>2018</b> , 24, 947-953	50.5	69
66	Identification of Genetic Pathways Controlling Resistance to Standard Combination Chemotherapy in Acute Myeloid Leukemia. <i>Blood</i> , <b>2018</b> , 132, 2771-2771	2.2	

65	How does p53 induce apoptosis and how does this relate to p53-mediated tumour suppression?. <i>Cell Death and Differentiation</i> , <b>2018</b> , 25, 104-113	12.7	437
64	VDAC2 enables BAX to mediate apoptosis and limit tumor development. <i>Nature Communications</i> , <b>2018</b> , 9, 4976	17.4	73
63	A point mutation in the signal peptide impairs the development of innate lymphoid cell subsets. <i>Oncolmmunology</i> , <b>2018</b> , 7, e1475875	7.2	7
62	Foxp1 Is Indispensable for Ductal Morphogenesis and Controls the Exit of Mammary Stem Cells from Quiescence. <i>Developmental Cell</i> , <b>2018</b> , 47, 629-644.e8	10.2	16
61	Humanized mice enable accurate preclinical evaluation of MCL-1 inhibitors destined for clinical use. <i>Blood</i> , <b>2018</b> , 132, 1573-1583	2.2	49
60	GM-CSF Quantity Has a Selective Effect on Granulocytic vs. Monocytic Myeloid Development and Function. <i>Frontiers in Immunology</i> , <b>2018</b> , 9, 1922	8.4	19
59	MDM4 is a rational target for treating breast cancers with mutant p53. <i>Journal of Pathology</i> , <b>2017</b> , 241, 661-670	9.4	24
58	Combination of IAP antagonist and IFN $\gamma$ activates novel caspase-10- and RIPK1-dependent cell death pathways. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 481-491	12.7	27
57	The BCL-2 pro-survival protein A1 is dispensable for T cell homeostasis on viral infection. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 523-533	12.7	19
56	Characterisation of mice lacking all functional isoforms of the pro-survival BCL-2 family member A1 reveals minor defects in the haematopoietic compartment. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 534-545	12.7	38
55	A non-canonical function of Ezh2 preserves immune homeostasis. <i>EMBO Reports</i> , <b>2017</b> , 18, 619-631	6.5	49
54	DR5 and caspase-8 are dispensable in ER stress-induced apoptosis. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 944-950	12.7	51
53	Synergistic targeting of breast cancer stem-like cells by human $\gamma\delta$ T cells and CD8 T cells. <i>Immunology and Cell Biology</i> , <b>2017</b> , 95, 620-629	5	33
52	Anti-apoptotic proteins BCL-2, MCL-1 and A1 summate collectively to maintain survival of immune cell populations both in vitro and in vivo. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 878-888	12.7	62
51	DNA-binding of the Tet-transactivator curtails antigen-induced lymphocyte activation in mice. <i>Nature Communications</i> , <b>2017</b> , 8, 1028	17.4	4
50	Synergistic action of the MCL-1 inhibitor S63845 with current therapies in preclinical models of triple-negative and HER2-amplified breast cancer. <i>Science Translational Medicine</i> , <b>2017</b> , 9,	17.5	112
49	An update on using CRISPR/Cas9 in the one-cell stage mouse embryo for generating complex mutant alleles. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 1821-1822	12.7	18
48	The combination of reduced MCL-1 and standard chemotherapeutics is tolerable in mice. <i>Cell Death and Differentiation</i> , <b>2017</b> , 24, 2032-2043	12.7	17

47	RAG-induced DNA lesions activate proapoptotic BIM to suppress lymphomagenesis in p53-deficient mice. <i>Journal of Experimental Medicine</i> , <b>2016</b> , 213, 2039-48	16.6	12
46	The MCL1 inhibitor S63845 is tolerable and effective in diverse cancer models. <i>Nature</i> , <b>2016</b> , 538, 477-483	30.4	617
45	BET inhibition represses miR17-92 to drive BIM-initiated apoptosis of normal and transformed hematopoietic cells. <i>Leukemia</i> , <b>2016</b> , 30, 1531-41	10.7	22
44	Therapeutic Response to Non-genotoxic Activation of p53 by Nutlin3a Is Driven by PUMA-Mediated Apoptosis in Lymphoma Cells. <i>Cell Reports</i> , <b>2016</b> , 14, 1858-66	10.6	25
43	Mutant p53 Enhances the Development and Sustained Growth of MYC-Driven Lymphoma and Exerts a Dominant Negative Effect Preferentially Deregulating Pathways for Metabolism and DNA Repair. <i>Blood</i> , <b>2016</b> , 128, 1545-1545	2.2	
42	Computationally designed high specificity inhibitors delineate the roles of BCL2 family proteins in cancer. <i>ELife</i> , <b>2016</b> , 5,	8.9	52
41	Male sterility in Mcl-1-flox mice is not due to enhanced Mcl1 protein stability. <i>Cell Death and Disease</i> , <b>2016</b> , 7, e2490	9.8	2
40	Using CRISPR/Cas9 Technology for Manipulating Cell Death Regulators. <i>Methods in Molecular Biology</i> , <b>2016</b> , 1419, 253-64	1.4	13
39	Hepatocyte growth factor renders BRAF mutant human melanoma cell lines resistant to PLX4032 by downregulating the pro-apoptotic BH3-only proteins PUMA and BIM. <i>Cell Death and Differentiation</i> , <b>2016</b> , 23, 2054-2062	12.7	18
38	Hierarchy for targeting prosurvival BCL2 family proteins in multiple myeloma: pivotal role of MCL1. <i>Blood</i> , <b>2016</b> , 128, 1834-1844	2.2	105
37	An inducible lentiviral guide RNA platform enables the identification of tumor-essential genes and tumor-promoting mutations in vivo. <i>Cell Reports</i> , <b>2015</b> , 10, 1422-32	10.6	233
36	NLRP3 inflammasome activation downstream of cytoplasmic LPS recognition by both caspase-4 and caspase-5. <i>European Journal of Immunology</i> , <b>2015</b> , 45, 2918-26	6.1	177
35	Prosurvival Bcl-2 family members reveal a distinct apoptotic identity between conventional and plasmacytoid dendritic cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2015</b> , 112, 4044-9	11.5	39
34	Targeting of MCL-1 kills MYC-driven mouse and human lymphomas even when they bear mutations in p53. <i>Genes and Development</i> , <b>2014</b> , 28, 58-70	12.6	121
33	It's not over until the FAT lady sings. <i>EMBO Journal</i> , <b>2014</b> , 33, 173-5	13	
32	Pro-apoptotic BIM is an essential initiator of physiological endothelial cell death independent of regulation by FOXO3. <i>Cell Death and Differentiation</i> , <b>2014</b> , 21, 1687-95	12.7	13
31	Impact of conditional deletion of the pro-apoptotic BCL-2 family member BIM in mice. <i>Cell Death and Disease</i> , <b>2014</b> , 5, e1446	9.8	21
30	Evidence against upstream regulation of the unfolded protein response (UPR) by pro-apoptotic BIM and PUMA. <i>Cell Death and Disease</i> , <b>2014</b> , 5, e1354	9.8	7

29	Characterisation of a novel A1-specific monoclonal antibody. <i>Cell Death and Disease</i> , <b>2014</b> , 5, e1553	9.8	14
28	Apoptotic caspases suppress mtDNA-induced STING-mediated type I IFN production. <i>Cell</i> , <b>2014</b> , 159, 1549-62	56.2	475
27	Myeloid-derived suppressor activity is mediated by monocytic lineages maintained by continuous inhibition of extrinsic and intrinsic death pathways. <i>Immunity</i> , <b>2014</b> , 41, 947-59	32.3	101
26	Evidence for Mutant p53 Gain-of-Function Effects in Normal Haemopoietic Cells and Myc-Driven Lymphoma. <i>Blood</i> , <b>2014</b> , 124, 3589-3589	2.2	
25	Antiapoptotic Mcl-1 is critical for the survival and niche-filling capacity of Foxp3+ regulatory T cells. <i>Nature Immunology</i> , <b>2013</b> , 14, 959-65	19.1	172
24	Glucocorticoid-induced apoptosis in animal models of multiple sclerosis. <i>Critical Reviews in Immunology</i> , <b>2013</b> , 33, 183-202	1.8	7
23	The transcription factor T-bet is essential for the development of NKp46+ innate lymphocytes via the Notch pathway. <i>Nature Immunology</i> , <b>2013</b> , 14, 389-95	19.1	209
22	PEGylation of interferon $\alpha$ improves lymphatic exposure after subcutaneous and intravenous administration and improves antitumour efficacy against lymphatic breast cancer metastases. <i>Journal of Controlled Release</i> , <b>2013</b> , 168, 200-8	11.7	58
21	CD8+ T cell help is required for efficient induction of EAE in Lewis rats. <i>Journal of Neuroimmunology</i> , <b>2013</b> , 260, 17-27	3.5	16
20	Foxo-mediated Bim transcription is dispensable for the apoptosis of hematopoietic cells that is mediated by this BH3-only protein. <i>EMBO Reports</i> , <b>2013</b> , 14, 992-8	6.5	25
19	Mutually exclusive regulation of T cell survival by IL-7R and antigen receptor-induced signals. <i>Nature Communications</i> , <b>2013</b> , 4, 1735	17.4	43
18	A1/Bfl-1 in leukocyte development and cell death. <i>Experimental Cell Research</i> , <b>2012</b> , 318, 1291-303	4.2	37
17	Targeting antiapoptotic A1/Bfl-1 by in vivo RNAi reveals multiple roles in leukocyte development in mice. <i>Blood</i> , <b>2012</b> , 119, 6032-42	2.2	41
16	The BH3-only proteins Bim and Puma cooperate to impose deletional tolerance of organ-specific antigens. <i>Immunity</i> , <b>2012</b> , 37, 451-62	32.3	55
15	Anti-apoptotic Mcl-1 is essential for the development and sustained growth of acute myeloid leukemia. <i>Genes and Development</i> , <b>2012</b> , 26, 120-5	12.6	286
14	Acid sphingomyelinase is required for protection of effector memory T cells against glucocorticoid-induced cell death. <i>Journal of Immunology</i> , <b>2011</b> , 187, 4509-16	5.3	25
13	Maximal killing of lymphoma cells by DNA damage-inducing therapy requires not only the p53 targets Puma and Noxa, but also Bim. <i>Blood</i> , <b>2010</b> , 116, 5256-67	2.2	76
12	Clearance of measles virus from persistently infected cells by short hairpin RNA. <i>Journal of Virology</i> , <b>2009</b> , 83, 9423-31	6.6	11

11	Reduced expression of the mevalonate pathway enzyme farnesyl pyrophosphate synthase unveils recognition of tumor cells by Vgamma9Vdelta2 T cells. <i>Journal of Immunology</i> , <b>2009</b> , 182, 8118-24	5.3	75
10	Stable silencing of the glucocorticoid receptor in myelin-specific T effector cells by retroviral delivery of shRNA: insight into neuroinflammatory disease. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 2361-70	6.1	6
9	Proliferation arrest in B-Raf mutant melanoma cell lines upon MAPK pathway activation. <i>Journal of Investigative Dermatology</i> , <b>2009</b> , 129, 406-14	4.3	16
8	Inducible and reversible gene silencing by stable integration of an shRNA-encoding lentivirus in transgenic rats. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2008</b> , 105, 18507-12	11.5	128
7	Silencing of the mineralocorticoid receptor by ribonucleic acid interference in transgenic rats disrupts endocrine homeostasis. <i>Molecular Endocrinology</i> , <b>2008</b> , 22, 1304-11		11
6	Activation of the MAP kinase pathway induces apoptosis in the Merkel cell carcinoma cell line UIISO. <i>Journal of Investigative Dermatology</i> , <b>2007</b> , 127, 2116-22	4.3	19
5	Glucocorticoids exert opposing effects on macrophage function dependent on their concentration. <i>Immunology</i> , <b>2007</b> , 122, 47-53	7.8	143
4	The stability and anti-apoptotic function of A1 are controlled by its C terminus. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 13663-13671	5.4	46
3	Mitochondria-dependent caspase-9 activation is necessary for antigen receptor-mediated effector caspase activation and apoptosis in WEHI 231 lymphoma cells. <i>Journal of Immunology</i> , <b>2002</b> , 168, 3902-9	5.3	45
2	BAX requires VDAC2 to mediate apoptosis and to limit tumor development		1
1	miR17~92 is essential for the survival of hematopoietic stem and progenitor cells by restraining pro-apoptotic BIM		1