

Daniel Pens Gelain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/121626/publications.pdf>

Version: 2024-02-01

153
papers

4,576
citations

101384

36
h-index

149479

56
g-index

155
all docs

155
docs citations

155
times ranked

7731
citing authors

#	ARTICLE	IF	CITATIONS
1	High fat diet-induced obesity causes a reduction in brain tyrosine hydroxylase levels and non-motor features in rats through metabolic dysfunction, neuroinflammation and oxidative stress. <i>Nutritional Neuroscience</i> , 2022, 25, 1026-1040.	1.5	21
2	Hypoxia-Inducible Factor-1 \pm (HIF-1 \pm) Inhibition Impairs Retinoic Acid-Induced Differentiation in SH-SY5Y Neuroblastoma Cells, Leading to Reduced Neurite Length and Diminished Gene Expression Related to Cell Differentiation. <i>Neurochemical Research</i> , 2022, 47, 409-421.	1.6	2
3	Immunomodulatory Effect of Bifidobacterium, Lactobacillus, and Streptococcus Strains of Paraprobiotics in Lipopolysaccharide-Stimulated Inflammatory Responses in RAW-264.7 Macrophages. <i>Current Microbiology</i> , 2022, 79, 9.	1.0	7
4	COX-2 promotes mammary adipose tissue inflammation, local estrogen biosynthesis, and carcinogenesis in high-sugar/fat diet treated mice. <i>Cancer Letters</i> , 2021, 502, 44-57.	3.2	24
5	Antioxidants Improve Oxaliplatin-Induced Peripheral Neuropathy in Tumor-Bearing Mice Model: Role of Spinal Cord Oxidative Stress and Inflammation. <i>Journal of Pain</i> , 2021, 22, 996-1013.	0.7	19
6	Neurological impairment caused by <i>Schistosoma mansoni</i> systemic infection exhibits early features of idiopathic neurodegenerative disease. <i>Journal of Biological Chemistry</i> , 2021, 297, 100979.	1.6	4
7	Influences of the polymorphisms of the Sod2 gene (rs4880) on the motility and vigor of X- and Y-bearing sperm at different pH values. <i>Biomedicine and Pharmacotherapy</i> , 2021, 142, 111993.	2.5	1
8	Role of toll-like receptor 4 and sex in 6-hydroxydopamine α -induced behavioral impairments and neurodegeneration in mice. <i>Neurochemistry International</i> , 2021, 151, 105215.	1.9	4
9	Thioredoxin reductase-1 levels are associated with NRF2 pathway activation and tumor recurrence in non-small cell lung cancer. <i>Free Radical Biology and Medicine</i> , 2021, 177, 58-71.	1.3	21
10	Characterization and modulation of microglial phenotypes in an animal model of severe sepsis. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 88-97.	1.6	27
11	Chronic acrolein exposure in Wistar rats: The effects of guarana extracts. <i>Journal of Functional Foods</i> , 2020, 65, 103733.	1.6	5
12	Anti-inflammatory and antioxidant properties of blend formulated with compounds of <i>Malpighia emarginata</i> D.C (acerola) and <i>Camellia sinensis</i> L. (green tea) in lipopolysaccharide-stimulated RAW 264.7 macrophages. <i>Biomedicine and Pharmacotherapy</i> , 2020, 128, 110277.	2.5	14
13	Animal Models of Metabolic Disorders in the Study of Neurodegenerative Diseases: An Overview. <i>Frontiers in Neuroscience</i> , 2020, 14, 604150.	1.4	31
14	Short and long TNF α exposure recapitulates canonical astrogliosis events in human α -induced pluripotent stem cells α -derived astrocytes. <i>Glia</i> , 2020, 68, 1396-1409.	2.5	30
15	Systemic Inflammation Changes the Site of RAGE Expression from Endothelial Cells to Neurons in Different Brain Areas. <i>Molecular Neurobiology</i> , 2019, 56, 3079-3089.	1.9	21
16	Subcellular distribution of human tyrosine hydroxylase isoforms 1 and 4 in SH-SY5Y cells. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 19730-19737.	1.2	4
17	Retinoic acid downregulates thiol antioxidant defences and homologous recombination while promotes A549 cells sensitization to cisplatin. <i>Cellular Signalling</i> , 2019, 62, 109356.	1.7	7
18	Carvacrol suppresses LPS-induced pro-inflammatory activation in RAW 264.7 macrophages through ERK1/2 and NF- κ B pathway. <i>International Immunopharmacology</i> , 2019, 75, 105743.	1.7	77

#	ARTICLE	IF	CITATIONS
19	BRCA-1 depletion impairs pro-inflammatory polarization and activation of RAW 264.7 macrophages in a NF- κ B-dependent mechanism. <i>Molecular and Cellular Biochemistry</i> , 2019, 462, 11-23.	1.4	3
20	Obesity associated with coal ash inhalation triggers systemic inflammation and oxidative damage in the hippocampus of rats. <i>Food and Chemical Toxicology</i> , 2019, 133, 110766.	1.8	38
21	Activated peripheral blood mononuclear cell mediators trigger astrocyte reactivity. <i>Brain, Behavior, and Immunity</i> , 2019, 80, 879-888.	2.0	14
22	Oral administration of carvacrol/ β -cyclodextrin complex protects against 6-hydroxydopamine-induced dopaminergic denervation. <i>Neurochemistry International</i> , 2019, 126, 27-35.	1.9	13
23	Guarana supplementation attenuated obesity, insulin resistance, and adipokines dysregulation induced by a standardized human Western diet via brown adipose tissue activation. <i>Phytotherapy Research</i> , 2019, 33, 1394-1403.	2.8	13
24	Anti-NMDA Receptor Autoantibody Is an Independent Predictor of Hospital Mortality but Not Brain Dysfunction in Septic Patients. <i>Frontiers in Neurology</i> , 2019, 10, 221.	1.1	4
25	The effects of retinol oral supplementation in 6-hydroxydopamine dopaminergic denervation model in Wistar rats. <i>Neurochemistry International</i> , 2019, 125, 25-34.	1.9	11
26	Nuclear RXR α and RXR β receptors exert distinct and opposite effects on RA-mediated neuroblastoma differentiation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2019, 1866, 317-328.	1.9	10
27	Immune neutralization of the receptor for advanced glycation end products reduce liver oxidative damage induced by an acute systemic injection of lipopolysaccharide. <i>Journal of Biochemistry</i> , 2018, 163, 515-523.	0.9	4
28	Delayed neurochemical effects of prenatal exposure to MeHg in the cerebellum of developing rats. <i>Toxicology Letters</i> , 2018, 284, 161-169.	0.4	14
29	Anticancer activity of flavonoids isolated from <i>Achyrocline satureioides</i> in gliomas cell lines. <i>Toxicology in Vitro</i> , 2018, 51, 23-33.	1.1	39
30	Aminochrome decreases NGF, GDNF and induces neuroinflammation in organotypic midbrain slice cultures. <i>NeuroToxicology</i> , 2018, 66, 98-106.	1.4	27
31	Glycine Administration Alters MAPK Signaling Pathways and Causes Neuronal Damage in Rat Brain: Putative Mechanisms Involved in the Neurological Dysfunction in Nonketotic Hyperglycinemia. <i>Molecular Neurobiology</i> , 2018, 55, 741-750.	1.9	10
32	A longitudinal study of neurotrophic, oxidative, and inflammatory markers in first-onset depression in midlife women. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018, 268, 771-781.	1.8	32
33	Developmental neurotoxicity of the hippocampus following in utero exposure to methylmercury: impairment in cell signaling. <i>Archives of Toxicology</i> , 2018, 92, 513-527.	1.9	29
34	A new animal diet based on human Western diet is a robust diet-induced obesity model: comparison to high-fat and cafeteria diets in term of metabolic and gut microbiota disruption. <i>International Journal of Obesity</i> , 2018, 42, 525-534.	1.6	148
35	Receptor for advanced glycation end products mediates sepsis-triggered amyloid- β accumulation, Tau phosphorylation, and cognitive impairment. <i>Journal of Biological Chemistry</i> , 2018, 293, 226-244.	1.6	94
36	Guarana (<i>Paullinia cupana</i> Mart.) alters gut microbiota and modulates redox status, partially via caffeine in Wistar rats. <i>Phytotherapy Research</i> , 2018, 32, 2466-2474.	2.8	19

#	ARTICLE	IF	CITATIONS
37	Neurobehavioral and oxidative stress alterations following methylmercury and retinyl palmitate co-administration in pregnant and lactating rats and their offspring. <i>NeuroToxicology</i> , 2018, 69, 164-180.	1.4	8
38	Obese rats are more vulnerable to inflammation, genotoxicity and oxidative stress induced by coal dust inhalation than non-obese rats. <i>Ecotoxicology and Environmental Safety</i> , 2018, 165, 44-51.	2.9	65
39	Effects of methylmercury and retinol palmitate co-administration in rats during pregnancy and breastfeeding: Metabolic and redox parameters in dams and their offspring. <i>Ecotoxicology and Environmental Safety</i> , 2018, 162, 603-615.	2.9	12
40	Bioactive compounds and protective effect of red and black rice brans extracts in human neuron-like cells (SH-SY5Y). <i>Food Research International</i> , 2018, 113, 57-64.	2.9	21
41	Anti-RAGE antibody selectively blocks acute systemic inflammatory responses to LPS in serum, liver, CSF and striatum. <i>Brain, Behavior, and Immunity</i> , 2017, 62, 124-136.	2.0	34
42	Sperm quality and oxidative status as affected by homogenization of liquid-stored boar semen diluted in short- and long-term extenders. <i>Animal Reproduction Science</i> , 2017, 179, 67-79.	0.5	29
43	Retinol (Vitamin A) Increases α -Synuclein, β -Amyloid Peptide, Tau Phosphorylation and RAGE Content in Human SH-SY5Y Neuronal Cell Line. <i>Neurochemical Research</i> , 2017, 42, 2788-2797.	1.6	10
44	Effect of Paullinia cupana Mart. Commercial Extract During the Aging of Middle Age Wistar Rats: Differential Effects on the Hippocampus and Striatum. <i>Neurochemical Research</i> , 2017, 42, 2257-2273.	1.6	12
45	A statistical method to calculate blood contamination in the measurement of salivary hormones in healthy women. <i>Clinical Biochemistry</i> , 2017, 50, 436-439.	0.8	8
46	Hydroethanolic extracts from different genotypes of <i>Azadirachta indica</i> (Euterpe oleracea) presented antioxidant potential and protected human neuron-like cells (SH-SY5Y). <i>Food Chemistry</i> , 2017, 222, 94-104.	4.2	41
47	Inflammatory landscape of human brain tumors reveals an NF- κ B dependent cytokine pathway associated with mesenchymal glioblastoma. <i>Cancer Letters</i> , 2017, 390, 176-187.	3.2	60
48	Extracellular HSP70 Activates ERK1/2, NF- κ B and Pro-Inflammatory Gene Transcription Through Binding with RAGE in A549 Human Lung Cancer Cells. <i>Cellular Physiology and Biochemistry</i> , 2017, 42, 2507-2522.	1.1	72
49	Role of vitamin A oral supplementation on oxidative stress and inflammatory response in the liver of trained rats. <i>Applied Physiology, Nutrition and Metabolism</i> , 2017, 42, 1192-1200.	0.9	10
50	Putative model for heat shock protein 70 complexation with receptor of advanced glycation end products through fluorescence proximity assays and normal mode analyses. <i>Cell Stress and Chaperones</i> , 2017, 22, 99-111.	1.2	13
51	Changes in Cell Cycle and Up-Regulation of Neuronal Markers During SH-SY5Y Neurodifferentiation by Retinoic Acid are Mediated by Reactive Species Production and Oxidative Stress. <i>Molecular Neurobiology</i> , 2017, 54, 6903-6916.	1.9	26
52	Apoptotic signaling pathways induced by acute administration of branched-chain amino acids in an animal model of maple syrup urine disease. <i>Metabolic Brain Disease</i> , 2017, 32, 115-122.	1.4	9
53	Host-guest inclusion complexation of β -cyclodextrin and hecogenin acetate to enhance anti-hyperalgesic effect in an animal model of musculoskeletal pain. <i>Process Biochemistry</i> , 2017, 59, 123-131.	1.8	15
54	Effects of Freeze-Thaw and Storage on Enzymatic Activities, Protein Oxidative Damage, and Immunocontent of the Blood, Liver, and Brain of Rats. <i>Biopreservation and Biobanking</i> , 2017, 15, 182-190.	0.5	15

#	ARTICLE	IF	CITATIONS
55	Vitamin A Oral Supplementation Induces Oxidative Stress and Suppresses IL-10 and HSP70 in Skeletal Muscle of Trained Rats. <i>Nutrients</i> , 2017, 9, 353.	1.7	29
56	Supplementation with <i>Achyrocline satureioides</i> Inflorescence Extracts to Pregnant and Breastfeeding Rats Induces Tissue-Specific Changes in Enzymatic Activity and Lower Neonatal Survival. <i>Biomedicines</i> , 2017, 5, 53.	1.4	10
57	Antioxidant and Anti-Inflammatory Properties of <i>Anacardium occidentale</i> Leaf Extract. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-8.	0.5	18
58	Effects of <i>Achyrocline satureioides</i> Inflorescence Extracts against Pathogenic Intestinal Bacteria: Chemical Characterization, In Vitro Tests, and In Vivo Evaluation. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017, 2017, 1-10.	0.5	4
59	Targeted inhibition of RAGE in substantia nigra of rats blocks 6-OHDA-induced dopaminergic denervation. <i>Scientific Reports</i> , 2017, 7, 8795.	1.6	40
60	N-acetyl-cysteine inhibits liver oxidative stress markers in BALB/c mice infected with <i>Leishmania amazonensis</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 2017, 112, 146-154.	0.8	9
61	Curcumin Supplementation Decreases Intestinal Adiposity Accumulation, Serum Cholesterol Alterations, and Oxidative Stress in Ovariectomized Rats. <i>Oxidative Medicine and Cellular Longevity</i> , 2016, 2016, 1-12.	1.9	12
62	Oral administration of curcumin relieves behavioral alterations and oxidative stress in the frontal cortex, hippocampus, and striatum of ovariectomized Wistar rats. <i>Journal of Nutritional Biochemistry</i> , 2016, 32, 181-188.	1.9	29
63	<i>Turnera subulata</i> Anti-Inflammatory Properties in Lipopolysaccharide-Stimulated RAW 264.7 Macrophages. <i>Journal of Medicinal Food</i> , 2016, 19, 922-930.	0.8	14
64	Shikimic acid inhibits LPS-induced cellular pro-inflammatory cytokines and attenuates mechanical hyperalgesia in mice. <i>International Immunopharmacology</i> , 2016, 39, 97-105.	1.7	36
65	Gene Expression Profile of NF- κ B, Nrf2, Glycolytic, and p53 Pathways During the SH-SY5Y Neuronal Differentiation Mediated by Retinoic Acid. <i>Molecular Neurobiology</i> , 2016, 53, 423-435.	1.9	22
66	Chronic ozone exposure alters the secondary metabolite profile, antioxidant potential, anti-inflammatory property, and quality of red pepper fruit from <i>Capsicum baccatum</i> . <i>Ecotoxicology and Environmental Safety</i> , 2016, 129, 16-24.	2.9	39
67	NRF2 Mediates Neuroblastoma Proliferation and Resistance to Retinoic Acid Cytotoxicity in a Model of In Vitro Neuronal Differentiation. <i>Molecular Neurobiology</i> , 2016, 53, 6124-6135.	1.9	21
68	Redox-Active Profile Characterization of <i>Remirea maritima</i> Extracts and Its Cytotoxic Effect in Mouse Fibroblasts (L929) and Melanoma (B16F10) Cells. <i>Molecules</i> , 2015, 20, 11699-11718.	1.7	8
69	Autophagy inhibition improves the efficacy of curcumin/temozolomide combination therapy in glioblastomas. <i>Cancer Letters</i> , 2015, 358, 220-231.	3.2	162
70	Acute Administration of Branched-Chain Amino Acids Increases the Pro-BDNF/Total-BDNF Ratio in the Rat Brain. <i>Neurochemical Research</i> , 2015, 40, 885-893.	1.6	9
71	Development of standardized extractive solution from <i>Lippia sidoides</i> by factorial design and their redox active profile. <i>Revista Brasileira De Farmacognosia</i> , 2015, 25, 301-306.	0.6	4
72	In Vitro Neuroprotective Effect of Shikimic Acid Against Hydrogen Peroxide-Induced Oxidative Stress. <i>Journal of Molecular Neuroscience</i> , 2015, 56, 956-965.	1.1	31

#	ARTICLE	IF	CITATIONS
73	Chronic retinyl palmitate supplementation to middle-aged Wistar rats disrupts the brain redox homeostasis and induces changes in emotional behavior. <i>Molecular Nutrition and Food Research</i> , 2015, 59, 979-990.	1.5	12
74	Supplementation with vitamin A enhances oxidative stress in the lungs of rats submitted to aerobic exercise. <i>Applied Physiology, Nutrition and Metabolism</i> , 2015, 40, 1253-1261.	0.9	13
75	Increased tau phosphorylation and receptor for advanced glycation endproducts (RAGE) in the brain of mice infected with <i>Leishmania amazonensis</i> . <i>Brain, Behavior, and Immunity</i> , 2015, 43, 37-45.	2.0	14
76	Effects of different products of peach (<i>Prunus persica</i> L. Batsch) from a variety developed in southern Brazil on oxidative stress and inflammatory parameters in vitro and ex vivo. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2014, 55, 110-119.	0.6	14
77	Chemical composition, antinociceptive, anti-inflammatory and redox properties in vitro of the essential oil from <i>Remirea maritima</i> Aubl. (Cyperaceae). <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 514.	3.7	9
78	Preventive supplementation with fresh and preserved peach attenuates CCl ₄ -induced oxidative stress, inflammation and tissue damage. <i>Journal of Nutritional Biochemistry</i> , 2014, 25, 1282-1295.	1.9	17
79	Acute Brain Inflammation and Oxidative Damage Are Related to Long-Term Cognitive Deficits and Markers of Neurodegeneration in Sepsis-Survivor Rats. <i>Molecular Neurobiology</i> , 2014, 49, 380-385.	1.9	72
80	Effects of chronic elevated ozone concentration on the redox state and fruit yield of red pepper plant <i>Capsicum baccatum</i> . <i>Ecotoxicology and Environmental Safety</i> , 2014, 100, 114-121.	2.9	27
81	Coadministration of Branched-Chain Amino Acids and Lipopolysaccharide Causes Matrix Metalloproteinase Activation and Blood-Brain Barrier Breakdown. <i>Molecular Neurobiology</i> , 2014, 50, 358-367.	1.9	16
82	Structure-Activity Relationship of Terpenes with Anti-Inflammatory Profile – A Systematic Review. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 115, 244-256.	1.2	66
83	Guarana (<i>Paullinia cupana</i> Mart.) Prevents Amyloid Aggregation, Generation of Advanced Glycation End Products (AGEs), and Acrolein-Induced Cytotoxicity on Human Neuronal-Like Cells. <i>Phytotherapy Research</i> , 2014, 28, 1615-1624.	2.8	27
84	The oxidation of HSP70 is associated with functional impairment and lack of stimulatory capacity. <i>Cell Stress and Chaperones</i> , 2014, 19, 913-925.	1.2	26
85	Altered expression of Alzheimer's disease-related genes in the cerebellum of autistic patients: a model for disrupted brain connectome and therapy. <i>Cell Death and Disease</i> , 2014, 5, e1250-e1250.	2.7	55
86	Effects of 47C allele (rs4880) of the SOD2 gene in the production of intracellular reactive species in peripheral blood mononuclear cells with and without lipopolysaccharides induction. <i>Free Radical Research</i> , 2014, 48, 190-199.	1.5	10
87	Evidence for the involvement of descending pain-inhibitory mechanisms in the attenuation of cancer pain by carvacrol aided through a docking study. <i>Life Sciences</i> , 2014, 116, 8-15.	2.0	33
88	Focussed microarray analysis of apoptosis in periodontitis and its potential pharmacological targeting by carvacrol. <i>Archives of Oral Biology</i> , 2014, 59, 461-469.	0.8	21
89	Antioxidant Activity and Mechanisms of Action of Natural Compounds Isolated from Lichens: A Systematic Review. <i>Molecules</i> , 2014, 19, 14496-14527.	1.7	152
90	Hecogenin Acetate Inhibits Reactive Oxygen Species Production and Induces Cell Cycle Arrest and Senescence in the A549 Human Lung Cancer Cell Line. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2014, 14, 1128-1135.	0.9	14

#	ARTICLE	IF	CITATIONS
91	Passiflora manicata (Juss.) aqueous leaf extract protects against reactive oxygen species and protein glycation in vitro and ex vivo models. <i>Food and Chemical Toxicology</i> , 2013, 60, 45-51.	1.8	43
92	Matrix Metalloproteinase-2 and Metalloproteinase-9 Activities are Associated with Blood-Brain Barrier Dysfunction in an Animal Model of Severe Sepsis. <i>Molecular Neurobiology</i> , 2013, 48, 62-70.	1.9	91
93	Redox homeostasis is compromised in vivo by the metabolites accumulating in 3-hydroxy-3-methylglutaryl-CoA lyase deficiency in rat cerebral cortex and liver. <i>Free Radical Research</i> , 2013, 47, 1066-1075.	1.5	21
94	Brain markers of neurodegeneration in sepsis survivor rats. <i>Critical Care</i> , 2013, 17, P87.	2.5	1
95	Non-genomic, direct modulatory effect of 17 β -estradiol, progesterone and their synthetic derivatives on the activity of human erythrocyte CuZn superoxide dismutase. <i>Free Radical Research</i> , 2013, 47, 219-232.	1.5	8
96	Participation of 47C>T SNP (Ala-9Val polymorphism) of the SOD2 gene in the intracellular environment of human peripheral blood mononuclear cells with and without lipopolysaccharides. <i>Molecular and Cellular Biochemistry</i> , 2013, 372, 127-135.	1.4	5
97	Improvement of p-cymene antinociceptive and anti-inflammatory effects by inclusion in β -cyclodextrin. <i>Phytomedicine</i> , 2013, 20, 436-440.	2.3	111
98	Vitamin A (retinol) downregulates the receptor for advanced glycation endproducts (RAGE) by oxidant-dependent activation of p38 MAPK and NF- κ B in human lung cancer A549 cells. <i>Cellular Signalling</i> , 2013, 25, 939-954.	1.7	46
99	Schistosoma mansoni infection causes oxidative stress and alters receptor for advanced glycation endproduct (RAGE) and tau levels in multiple organs in mice. <i>International Journal for Parasitology</i> , 2013, 43, 371-379.	1.3	44
100	Effect of N-salicyloyltryptamine (STP), a novel tryptamine analogue, on parameters of cell viability, oxidative stress, and immunomodulation in RAW 264.7 macrophages. <i>Cell Biology and Toxicology</i> , 2013, 29, 175-187.	2.4	13
101	Chronic administration of branched-chain amino acids impairs spatial memory and increases brain-derived neurotrophic factor in a rat model. <i>Journal of Inherited Metabolic Disease</i> , 2013, 36, 721-730.	1.7	27
102	Antinociceptive, anti-inflammatory and antioxidant activities of aqueous extract from Remirea maritima (Cyperaceae). <i>Journal of Ethnopharmacology</i> , 2013, 145, 11-17.	2.0	31
103	Major Components of Energy Drinks (Caffeine, Taurine, and Guarana) Exert Cytotoxic Effects on Human Neuronal SH-SY5Y Cells by Decreasing Reactive Oxygen Species Production. <i>Oxidative Medicine and Cellular Longevity</i> , 2013, 2013, 1-22.	1.9	70
104	Reverse Engineering the Neuroblastoma Regulatory Network Uncovers MAX as One of the Master Regulators of Tumor Progression. <i>PLoS ONE</i> , 2013, 8, e82457.	1.1	13
105	Retinol induces morphological alterations and proliferative focus formation through free radical-mediated activation of multiple signaling pathways. <i>Acta Pharmacologica Sinica</i> , 2012, 33, 558-567.	2.8	12
106	Redox characterization of usnic acid and its cytotoxic effect on human neuron-like cells (SH-SY5Y). <i>Toxicology in Vitro</i> , 2012, 26, 304-314.	1.1	57
107	Antioxidant Therapies for Neurodegenerative Diseases: Mechanisms, Current Trends, and Perspectives. <i>Oxidative Medicine and Cellular Longevity</i> , 2012, 2012, 1-2.	1.9	19
108	Is There a Role for High Mobility Group Box 1 and the Receptor for Advanced Glycation End Products in the Genesis of Long-term Cognitive Impairment in Sepsis Survivors?. <i>Molecular Medicine</i> , 2012, 18, 1357-1358.	1.9	12

#	ARTICLE	IF	CITATIONS
109	Gastrin-Releasing Peptide Receptor Antagonism Induces Protection from Lethal Sepsis: Involvement of Toll-like Receptor 4 Signaling. <i>Molecular Medicine</i> , 2012, 18, 1209-1219.	1.9	12
110	L-NAME co-treatment prevent oxidative damage in the lung of adult Wistar rats treated with vitamin A supplementation. <i>Cell Biochemistry and Function</i> , 2012, 30, 256-263.	1.4	9
111	Phytochemical screening, antinociceptive and anti-inflammatory activities of <i>Chrysopogon zizanioides</i> essential oil. <i>Revista Brasileira De Farmacognosia</i> , 2012, 22, 443-450.	0.6	9
112	Antinociceptive Action and Redox Properties of Citronellal, an Essential Oil Present in Lemongrass. <i>Journal of Medicinal Food</i> , 2011, 14, 630-639.	0.8	45
113	Redox properties and cytoprotective actions of atranorin, a lichen secondary metabolite. <i>Toxicology in Vitro</i> , 2011, 25, 462-468.	1.1	68
114	Antioxidant, Antinociceptive, and Anti-inflammatory Properties of the Ethanollic Extract of <i>Combretum duarceanum</i> in Rodents. <i>Journal of Medicinal Food</i> , 2011, 14, 1389-1396.	0.8	17
115	Serum Heat Shock Protein 70 Levels, Oxidant Status, and Mortality in Sepsis. <i>Shock</i> , 2011, 35, 466-470.	1.0	65
116	Vitamin A (retinol) up-regulates the receptor for advanced glycation endproducts (RAGE) through p38 and Akt oxidant-dependent activation. <i>Toxicology</i> , 2011, 289, 38-44.	2.0	21
117	NF- κ B inhibitors induce cell death in glioblastomas. <i>Biochemical Pharmacology</i> , 2011, 81, 412-424.	2.0	108
118	In vitro optimization of retinoic acid-induced neurogenesis and TH endogenous expression in human SH-SY5Y neuroblastoma cells by the antioxidant Trolox. <i>Molecular and Cellular Biochemistry</i> , 2011, 358, 325-334.	1.4	23
119	<i>Morinda citrifolia</i> Linn Leaf Extract Possesses Antioxidant Activities and Reduces Nociceptive Behavior and Leukocyte Migration. <i>Journal of Medicinal Food</i> , 2011, 14, 1159-1166.	0.8	50
120	Antinociceptive Activity of Atranorin in Mice Orofacial Nociception Tests. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2010, 65, 551-561.	0.6	22
121	Vitamin A supplementation to pregnant and breastfeeding female rats induces oxidative stress in the neonatal lung. <i>Reproductive Toxicology</i> , 2010, 30, 452-456.	1.3	25
122	Comparison between proliferative and neuron-like SH-SY5Y cells as an in vitro model for Parkinson disease studies. <i>Brain Research</i> , 2010, 1337, 85-94.	1.1	317
123	Modulation in Reproductive Tissue Redox Profile in Sexually Receptive Female Rats after Short-Term Exposure to Male Chemical Cues. <i>Chemical Senses</i> , 2009, 34, 317-323.	1.1	1
124	The NF- κ B-mediated control of RS and JNK signaling in vitamin A-treated cells: Duration of JNK-AP-1 pathway activation may determine cell death or proliferation. <i>Biochemical Pharmacology</i> , 2009, 77, 1291-1301.	2.0	29
125	The Janus Face of Resveratrol in Astroglial Cells. <i>Neurotoxicity Research</i> , 2009, 16, 30-41.	1.3	44
126	A systematic review of human antioxidant genes. <i>Frontiers in Bioscience - Landmark</i> , 2009, Volume, 4457.	3.0	38

#	ARTICLE	IF	CITATIONS
127	Vitamin A Supplementation for Different Periods Alters Oxidative Parameters in Lungs of Rats. <i>Journal of Medicinal Food</i> , 2009, 12, 1375-1380.	0.8	19
128	VITAMIN A SUPPLEMENTATION INDUCES OXIDATIVE STRESS AND DECREASES THE IMMUNOCONTENT OF CATALASE AND SUPEROXIDE DISMUTASE IN RAT LUNGS. <i>Experimental Lung Research</i> , 2009, 35, 427-438.	0.5	29
129	Vitamin A treatment induces apoptosis through an oxidant-dependent activation of the mitochondrial pathway. <i>Cell Biology International</i> , 2008, 32, 100-106.	1.4	25
130	Xanthine oxidase activity in patients with sepsis. <i>Clinical Biochemistry</i> , 2008, 41, 1186-1190.	0.8	22
131	Retinol increases catalase activity and protein content by a reactive species-dependent mechanism in Sertoli cells. <i>Chemico-Biological Interactions</i> , 2008, 174, 38-43.	1.7	17
132	Evidence of increased reactive species formation by retinol, but not retinoic acid, in PC12 cells. <i>Toxicology in Vitro</i> , 2008, 22, 553-558.	1.1	25
133	Inhibition of MDR1 expression by retinol treatment increases sensitivity to etoposide (VP16) in human neoplastic cell line. <i>Toxicology in Vitro</i> , 2008, 22, 873-878.	1.1	10
134	Retinol up-regulates the receptor for advanced glycation endproducts (RAGE) by increasing intracellular reactive species. <i>Toxicology in Vitro</i> , 2008, 22, 1123-1127.	1.1	10
135	Retinol and retinoic acid modulate catalase activity in Sertoli cells by distinct and gene expression-independent mechanisms. <i>Toxicology in Vitro</i> , 2008, 22, 1177-1183.	1.1	28
136	Retinoic acid induces apoptosis by a non-classical mechanism of ERK1/2 activation. <i>Toxicology in Vitro</i> , 2008, 22, 1205-1212.	1.1	29
137	Mitochondrial Superoxide Production Is Related to the Control of Cytokine Release from Peritoneal Macrophage After Antioxidant Treatment in Septic Rats. <i>Journal of Surgical Research</i> , 2007, 141, 252-256.	0.8	15
138	Cadmium stimulates MAPKs and Hsp27 phosphorylation in bovine adrenal chromaffin cells. <i>Toxicology</i> , 2007, 234, 34-43.	2.0	28
139	Retinol activates tyrosine hydroxylase acutely by increasing the phosphorylation of serine40 and then serine31 in bovine adrenal chromaffin cells. <i>Journal of Neurochemistry</i> , 2007, 103, 2369-2379.	2.1	22
140	PACAP stimulates the sustained phosphorylation of tyrosine hydroxylase at serine 40. <i>Cellular Signalling</i> , 2007, 19, 1141-1149.	1.7	44
141	Can electrons travel through actin microfilaments and generate oxidative stress in retinol treated Sertoli cell?. <i>Molecular and Cellular Biochemistry</i> , 2007, 301, 33-45.	1.4	6
142	Ultra high frequency-electromagnetic field irradiation during pregnancy leads to an increase in erythrocytes micronuclei incidence in rat offspring. <i>Life Sciences</i> , 2006, 80, 43-50.	2.0	50
143	Extracellular inosine participates in tumor necrosis factor-alpha induced nitric oxide production in cultured Sertoli cells. <i>Molecular and Cellular Biochemistry</i> , 2006, 281, 123-128.	1.4	9
144	Retinol induces the ERK1/2-dependent phosphorylation of CREB through a pathway involving the generation of reactive oxygen species in cultured Sertoli cells. <i>Cellular Signalling</i> , 2006, 18, 1685-1694.	1.7	42

#	ARTICLE	IF	CITATIONS
145	Gastrin-releasing Peptide Receptor Antagonist Effects on an Animal Model of Sepsis. American Journal of Respiratory and Critical Care Medicine, 2006, 173, 84-90.	2.5	57
146	Morphological and oxidative alterations on Sertoli cells cytoskeleton due to retinol-induced reactive oxygen species. Molecular and Cellular Biochemistry, 2005, 271, 189-196.	1.4	9
147	Effects of follicle-stimulating hormone and vitamin A upon purinergic secretion by rat Sertoli cells. Molecular and Cellular Biochemistry, 2005, 278, 185-194.	1.4	13
148	Metabolism of amino acids by cultured rat Sertoli cells. Metabolism: Clinical and Experimental, 2005, 54, 515-521.	1.5	41
149	Extracellular inosine modulates ERK 1/2 and p38 phosphorylation in cultured Sertoli cells: Possible participation in TNF-alpha modulation of ERK 1/2. Life Sciences, 2005, 77, 3117-3126.	2.0	13
150	Extracellular Inosine is Modulated by H2O2 and Protects Sertoli Cells against Lipoperoxidation and Cellular Injury. Free Radical Research, 2004, 38, 37-47.	1.5	12
151	Changes in ectonucleotidase activities in rat Sertoli cells during sexual maturation. Molecular and Cellular Biochemistry, 2003, 247, 111-119.	1.4	8
152	Extracellular purines from cells of seminiferous tubules. Molecular and Cellular Biochemistry, 2003, 245, 1-9.	1.4	32
153	Plasma oxidative parameters and mortality in patients with severe burn injury. Intensive Care Medicine, 2003, 29, 1380-1383.	3.9	38