

Jui-Hsin Su

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12163443/publications.pdf>

Version: 2024-02-01

133
papers

3,605
citations

101543
36
h-index

223800
46
g-index

136
all docs

136
docs citations

136
times ranked

1898
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-inflammatory Cembranoids from the Soft Corals <i>< i>Sinularia querciformis</i></i> and <i>< i>Sinularia granosa</i></i> . <i>Journal of Natural Products</i> , 2008, 71, 1754-1759.	3.0	87
2	Sinulariolide Suppresses Human Hepatocellular Carcinoma Cell Migration and Invasion by Inhibiting Matrix Metalloproteinase-2/-9 through MAPKs and PI3K/Akt Signaling Pathways. <i>International Journal of Molecular Sciences</i> , 2015, 16, 16469-16482.	4.1	74
3	Manaarenolides A ⁻ I, Diterpenoids from the Soft Coral <i>Sinulariamanaarensis</i> . <i>Journal of Natural Products</i> , 2006, 69, 1134-1139.	3.0	73
4	Scabrolides E ⁻ G, Three New Norditerpenoids from the Soft Coral <i>Sinulariascabra</i> . <i>Journal of Natural Products</i> , 2004, 67, 2079-2082.	3.0	67
5	New β -Caryophyllene-Derived Terpenoids from the Soft Coral <i>Sinulariananolobata</i> . <i>Journal of Natural Products</i> , 2004, 67, 592-597.	3.0	63
6	Excavatolides U ⁻ Z, New Briarane Diterpenes from the Gorgonian Briareum excavatum. <i>Journal of Natural Products</i> , 1999, 62, 1415-1420.	3.0	59
7	Cytotoxic and anti-inflammatory cembranoids from the Dongsha Atoll soft coral <i>Sarcophyton crassocaule</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2010, 18, 1936-1941.	3.0	59
8	Anti-inflammatory eunicellin-based diterpenoids from the cultured soft coral <i>Klyxum simplex</i> . <i>Organic and Biomolecular Chemistry</i> , 2010, 8, 2363.	2.8	57
9	Klysimplexins I ⁻ T, eunicellin-based diterpenoids from the cultured soft coral <i>Klyxum simplex</i> . <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 834-844.	2.8	57
10	Excavatolides F ⁻ M, New Briarane Diterpenes from the Gorgonian <i>Briareum excavatum</i> . <i>Journal of Natural Products</i> , 1999, 62, 457-463.	3.0	56
11	Eunicellin-based diterpenoids from the cultured soft coral <i>Klyxum simplex</i> . <i>Tetrahedron</i> , 2009, 65, 7016-7022.	1.9	55
12	Simplexins A ⁻ I, Eunicellin-Based Diterpenoids from the Soft Coral <i>< i>Klyxum simplex</i></i> . <i>Journal of Natural Products</i> , 2009, 72, 994-1000.	3.0	51
13	Crassocolides A ⁻ F, Cembranoids with atrans-Fused Lactone from the Soft Coral <i>Sarcophyton crassocaule</i> . <i>Journal of Natural Products</i> , 2006, 69, 1554-1559.	3.0	50
14	11-epi-Sinulariolide Acetate Reduces Cell Migration and Invasion of Human Hepatocellular Carcinoma by Reducing the Activation of ERK1/2, p38MAPK and FAK/PI3K/AKT/mTOR Signaling Pathways. <i>Marine Drugs</i> , 2014, 12, 4783-4798.	4.6	50
15	Briaexcavatolides K ⁻ N, New Briarane Diterpenes from the Gorgonian <i>Briareumexcavatum</i> . <i>Journal of Natural Products</i> , 2001, 64, 318-323.	3.0	47
16	13-Acetoxyssarcocrassolide Induces Apoptosis on Human Gastric Carcinoma Cells Through Mitochondria-Related Apoptotic Pathways: p38/JNK Activation and PI3K/AKT Suppression. <i>Marine Drugs</i> , 2014, 12, 5295-5315.	4.6	47
17	Proteomic investigation of anti-tumor activities exerted by sinularin against <i>< i>A</i></i> 2058 melanoma cells. <i>Electrophoresis</i> , 2012, 33, 1139-1152.	2.4	46
18	Oxygenated Cembranoids from the Cultured and Wild-Type Soft Corals <i>Sinularia flexibilis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 1189-1192.	1.3	45

#	ARTICLE	IF	CITATIONS
37	Induction of Apoptosis by 11-Dehydrosinulariolide via Mitochondrial Dysregulation and ER Stress Pathways in Human Melanoma Cells. <i>Marine Drugs</i> , 2012, 10, 1883-1898.	4.6	37
38	Further study on anti-inflammatory oxygenated steroids from the octocoral <i>Dendronephthya griffini</i> . <i>Steroids</i> , 2008, 73, 1353-1358.	1.8	34
39	Bioactive Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella krempfi</i> . <i>Marine Drugs</i> , 2011, 9, 2036-2045.	4.6	34
40	Cracking the Cytotoxicity Code: Apoptotic Induction of 10-Acetylirciformonin B is Mediated through ROS Generation and Mitochondrial Dysfunction. <i>Marine Drugs</i> , 2014, 12, 3072-3090.	4.6	34
41	Anti-Inflammatory and Analgesic Effects of the Marine-Derived Compound Comaparvin Isolated from the Crinoid <i>Comanthus bennetti</i> . <i>Molecules</i> , 2014, 19, 14667-14686.	3.8	34
42	Briaexcavatolides X-Z, three new briarane-related derivatives from the gorgonian coral <i>Briareum excavatum</i> . <i>Tetrahedron</i> , 2004, 60, 8975-8979.	1.9	33
43	Vigulariol, a New Metabolite from the Sea Pen <i>Vigularia juncea</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2005, 78, 877-879.	3.2	33
44	Cembranoids from the Soft Corals <i>Sinularia granosa</i> and <i>Sinularia querciformis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 464-466.	1.3	33
45	Antileukemic Scalarane Sesterterpenoids and Meroditerpenoid from <i>Carteriospongia (Phyllospongia) sp.</i> , Induce Apoptosis via Dual Inhibitory Effects on Topoisomerase II and Hsp90. <i>Scientific Reports</i> , 2016, 6, 36170.	3.3	32
46	Klymollins A-H, Bioactive Eunicellin-Based Diterpenoids from the Formosan Soft Coral <i>Klyxum molle</i> . <i>Journal of Natural Products</i> , 2011, 74, 2467-2471.	3.0	31
47	A new 9,11-secosterol from the soft coral <i>Sinularia granosa</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 4373-4376.	2.2	31
48	Cytotoxic and Anti-Inflammatory Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella krempfi</i> . <i>Marine Drugs</i> , 2013, 11, 788-799.	4.6	31
49	Pinnigorgiols A-C, 9,11-secosterols with a rare ring arrangement from a gorgonian coral <i>Pinnigorgia sp.</i> <i>Tetrahedron</i> , 2016, 72, 999-1004.	1.9	30
50	Briaexcavatolides S-V, Four New Briaranes from a Formosan Gorgonian <i>Briareum excavatum</i> . <i>Journal of Natural Products</i> , 2003, 66, 1252-1256.	3.0	29
51	Hirsutosterols A-G, polyoxygenated steroids from a Formosan soft coral <i>Cladiella hirsuta</i> . <i>Organic and Biomolecular Chemistry</i> , 2011, 9, 3272.	2.8	29
52	An Investigation into the Cytotoxic Effects of 13-Acetoxyssarcocrassolide from the Soft Coral <i>Sarcophyton crassocaule</i> on Bladder Cancer Cells. <i>Marine Drugs</i> , 2011, 9, 2622-2642.	4.6	29
53	Withanolide-Based Steroids from the Cultured Soft Coral <i>Sinularia brassica</i> . <i>Journal of Natural Products</i> , 2013, 76, 1902-1908.	3.0	29
54	New cytotoxic and anti-inflammatory steroids from the soft coral <i>Klyxum flaccidum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 3253-3257.	2.2	29

#	ARTICLE	IF	CITATIONS
55	Anti-Invasion and Antiangiogenic Effects of Stellettin B through Inhibition of the Akt/Girdin Signaling Pathway and VEGF in Glioblastoma Cells. <i>Cancers</i> , 2019, 11, 220.	3.7	29
56	Anti-inflammatory steroids from the octocoral <i>Dendronephthya griffini</i> . <i>Tetrahedron</i> , 2008, 64, 3554-3560.	1.9	28
57	Nardosinane Sesquiterpenoids from the Formosan Soft Coral <i>Lemnalia flava</i> . <i>Journal of Natural Products</i> , 2011, 74, 169-174.	3.0	28
58	Proteomic profiling of the 11-dehydrosinulariolide-treated oral carcinoma cells Ca9â€“22: Effects on the cell apoptosis through mitochondrial-related and ER stress pathway. <i>Journal of Proteomics</i> , 2012, 75, 5578-5589.	2.4	28
59	Flexibilisquinone, a New Anti-Inflammatory Quinone from the Cultured Soft Coral <i>Sinularia flexibilis</i> . <i>Molecules</i> , 2013, 18, 8160-8167.	3.8	28
60	Flaccidoxide-13-Acetate Extracted from the Soft Coral <i>Cladiella kashmani</i> Reduces Human Bladder Cancer Cell Migration and Invasion through Reducing Activation of the FAK/PI3K/AKT/mTOR Signaling Pathway. <i>Molecules</i> , 2018, 23, 58.	3.8	28
61	Meroditerpenoids from a Formosan Soft Coral <i>Nephthea chabrolii</i> . <i>Journal of Natural Products</i> , 2005, 68, 1651-1655.	3.0	27
62	Bioactive cadinane-type compounds from the soft coral <i>Sinularia scabra</i> . <i>Archives of Pharmacal Research</i> , 2012, 35, 779-784.	6.3	27
63	Immunomodulatory Effect of Marine Cembrane-Type Diterpenoids on Dendritic Cells. <i>Marine Drugs</i> , 2013, 11, 1336-1350.	4.6	27
64	Briarane Diterpenoids Isolated from Octocorals between 2014 and 2016. <i>Marine Drugs</i> , 2017, 15, 44.	4.6	27
65	Cytotoxic C ₂₁ and C ₂₂ Terpenoid-Derived Metabolites from the Sponge <i>Ircinia</i> sp.. <i>Journal of Natural Products</i> , 2011, 74, 2005-2009.	3.0	26
66	Briaexcavatins A and B, novel briaranes from the octocoral <i>Briareum excavatum</i> . <i>Tetrahedron Letters</i> , 2006, 47, 167-170.	1.4	25
67	Terpenoids from the Octocorals <i>Menella</i> sp. (Plexauridae) and <i>Lobophytum crassum</i> (Alcyonacea). <i>Marine Drugs</i> , 2012, 10, 427-438.	4.6	25
68	Bioactive Steroids from the Formosan Soft Coral <i>Umbellulifera petasites</i> . <i>Marine Drugs</i> , 2016, 14, 180.	4.6	25
69	A Soft Coral-Derived Compound, 11-epi-Sinulariolide Acetate Suppresses Inflammatory Response and Bone Destruction in Adjuvant-Induced Arthritis. <i>PLoS ONE</i> , 2013, 8, e62926.	2.5	25
70	Tetrahydrofuran Cembranoids from the Cultured Soft Coral <i>Lobophytum crassum</i> . <i>Marine Drugs</i> , 2011, 9, 2526-2536.	4.6	24
71	5-Episinuleptolide Acetate, a Norcembranoidal Diterpene from the Formosan Soft Coral <i>Sinularia</i> sp., Induces Leukemia Cell Apoptosis through Hsp90 Inhibition. <i>Molecules</i> , 2013, 18, 2924-2933.	3.8	24
72	Briaexcavatins G and H, Two New Briaranes from the Octocoral <i>Briareum excavatum</i> . <i>Bulletin of the Chemical Society of Japan</i> , 2006, 79, 1900-1905.	3.2	23

#	ARTICLE	IF	CITATIONS
73	Sarcocrassocolides M“O, Bioactive Cembranoids from the Dongsha Atoll Soft Coral <i>Sarcophyton crassocaule</i> . <i>Marine Drugs</i> , 2012, 10, 617-626.	4.6	22
74	Improvement and enhancement of antibladder carcinoma cell effects of heteronemin by the nanosized hyaluronan aggregation. <i>International Journal of Nanomedicine</i> , 2016, 11, 1237.	6.7	21
75	Anti-Inflammatory Polyoxygenated Steroids from the Soft Coral <i>< i>Sinularia</i> sp.</i> <i>Bulletin of the Chemical Society of Japan</i> , 2008, 81, 1616-1620.	3.2	20
76	Sesquiterpenoids from the Formosan Soft Coral <i>Sinularia leptoclados</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010, 58, 250-253.	1.3	20
77	Oxygenated Cembranoids from the Soft Coral <i>Sinularia flexibilis</i> . <i>International Journal of Molecular Sciences</i> , 2013, 14, 4317-4325.	4.1	20
78	Bioactive Cembranoids, Sarcocrassocolides P“R, from the Dongsha Atoll Soft Coral <i>Sarcophyton crassocaule</i> . <i>Marine Drugs</i> , 2014, 12, 840-850.	4.6	20
79	Bioactive new withanolides from the cultured soft coral <i>Sinularia brassica</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3267-3271.	2.2	20
80	Bioactive Steroids with Methyl Ester Group in the Side Chain from a Reef Soft Coral <i>Sinularia brassica</i> Cultured in a Tank. <i>Marine Drugs</i> , 2017, 15, 280.	4.6	20
81	Novel Norhumulene and Xeniphyllane-Derived Terpenoids from a Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009, 57, 162-166.	1.3	19
82	A Cembranoid, Trocheliophorol, from the Cultured Soft Coral <i>< i>Sarcophyton trocheliophorum</i></i> . <i>Chemistry Letters</i> , 2010, 39, 172-173.	1.3	19
83	Simplexins J“O, Eunicellin-Based Diterpenoids from a Dongsha Atoll Soft Coral <i>< i>Klyxum simplex</i></i> . <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 626-632.	3.2	19
84	Crassocolides N“P, three cembranoids from the Formosan soft coral <i>Sarcophyton crassocaule</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 7201-7204.	2.2	19
85	10-Acetylirciformonin B, A Sponge Furanoterpenoid, Induces DNA Damage and Apoptosis in Leukemia Cells. <i>Molecules</i> , 2012, 17, 11839-11848.	3.8	19
86	Tackling the Cytotoxic Effect of a Marine Polycyclic Quinone-Type Metabolite: Halenaquinone Induces Molt 4 Cells Apoptosis via Oxidative Stress Combined with the Inhibition of HDAC and Topoisomerase Activities. <i>Marine Drugs</i> , 2015, 13, 3132-3153.	4.6	19
87	Cembranoids with 3,14-Ether Linkage and a Secocembrane with Bistetrahydrofuran from the Dongsha Atoll Soft Coral <i>Lobophytum</i> sp.. <i>Marine Drugs</i> , 2011, 9, 1243-1253.	4.6	17
88	Klysplexins U“X, Eunicellin-Based Diterpenoids from the Cultured Soft Coral <i>< i>Klyxum simplex</i></i> . <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 1237-1242.	3.2	17
89	Briarenolides F and G, New Briarane Diterpenoids from a <i>Briareum</i> sp. Octocoral. <i>Marine Drugs</i> , 2012, 10, 1156-1168.	4.6	17
90	Simplexins P“S, Eunicellin-Based Diterpenes from the Soft Coral <i>Klyxum simplex</i> . <i>Marine Drugs</i> , 2012, 10, 1203-1211.	4.6	17

#	ARTICLE	IF	CITATIONS
91	Norcembranoidal Diterpenes from a Formosan Soft Coral <i>Sinularia</i> sp.. <i>Molecules</i> , 2012, 17, 14058-14066.	3.8	17
92	Klyflaccisteroids M, bioactive steroidal derivatives from a soft coral <i>Klyxum flacidum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 1220-1224.	2.2	17
93	Aquaculture Soft Coral <i>Lobophytum crassum</i> as a Producer of Anti-Proliferative Cembranoids. <i>Marine Drugs</i> , 2018, 16, 15.	4.6	17
94	Anti-inflammatory cembranoids from the Formosan soft coral <i>Sinularia discrepans</i> . <i>Archives of Pharmacal Research</i> , 2011, 34, 1263-1267.	6.3	16
95	A New Spatane Diterpenoid from the Cultured Soft Coral <i>Sinularia leptoclados</i> . <i>Marine Drugs</i> , 2013, 11, 114-123.	4.6	16
96	New Biscembranoids Sardigitolides A-D and Known Cembranoid-Related Compounds from <i>Sarcophyton digitatum</i> : Isolation, Structure Elucidation, and Bioactivities. <i>Marine Drugs</i> , 2020, 18, 452.	4.6	16
97	New Norcembranoids from the Soft Coral <i>< i>Sinularia Lochmodes</i></i> . <i>Journal of the Chinese Chemical Society</i> , 2007, 54, 1041-1044.	1.4	15
98	Oppositane-Type Sesquiterpenoids from the Formosan Soft Coral <i>< i>Sinularia leptoclados</i></i> . <i>Bulletin of the Chemical Society of Japan</i> , 2010, 83, 678-682.	3.2	15
99	Sesquiterpenoids from the Formosan Soft Coral <i>Lemnalia flava</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2011, 59, 698-702.	1.3	15
100	Xeniaphyllane-Derived Terpenoids from the Formosan Soft Coral <i>Sinularia gibberosa</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2007, 55, 1471-1475.	1.3	14
101	Cladielloides C and D: Novel Eunicellin-Based Diterpenoids from an Indonesian Octocoral <i>< i>Cladiella</i></i> sp.. <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 531-536.	3.2	14
102	Two New Cembranes from a Formosan Soft Coral <i>< i>Sinularia facile</i></i> . <i>Bulletin of the Chemical Society of Japan</i> , 2011, 84, 1371-1373.	3.2	14
103	Eunicellin-Based Diterpenoids, Hirsutalin S-V, from the Formosan Soft Coral <i>Cladiella hirsuta</i> . <i>Marine Drugs</i> , 2015, 13, 2757-2769.	4.6	14
104	Rhopaloic acid A induces apoptosis, autophagy and MAPK activation through ROS-mediated signaling in bladder cancer. <i>Phytomedicine</i> , 2021, 92, 153720.	5.3	14
105	Polyoxygenated Steroids from a Formosan Soft Coral <i>< i>Sinularia facile</i></i> . <i>Bulletin of the Chemical Society of Japan</i> , 2008, 81, 1304-1307.	3.2	13
106	A New 5 $\hat{\beta}$,8 $\hat{\beta}$ -Epidioxysterol from the Soft Coral <i>Sinularia gaweli</i> . <i>Molecules</i> , 2013, 18, 2895-2903.	3.8	13
107	Sinulariolide suppresses LPS-induced phenotypic and functional maturation of dendritic cells. <i>Molecular Medicine Reports</i> , 2017, 16, 6992-7000.	2.4	13
108	Two New Cembrane-Based Diterpenoids from the Marine Soft Coral <i>Sinularia crassa</i> . <i>Molecules</i> , 2012, 17, 5422-5429.	3.8	12

#	ARTICLE	IF	CITATIONS
109	Sesquiterpenoids-Related Metabolites from the Soft Coral <i>< i>Sinularia</i></i> sp.. Journal of the Chinese Chemical Society, 2008, 55, 1286-1289.	1.4	11
110	Sinulanorcembranolide A, a novel norcembranoidal diterpene from the octocoral <i>Sinularia gaweli</i> . Tetrahedron Letters, 2013, 54, 2267-2270.	1.4	11
111	Krempfielins Q and R, Two New Eunicellin-Based Diterpenoids from the Soft Coral <i>Cladiella krempfi</i> . International Journal of Molecular Sciences, 2014, 15, 21865-21874.	4.1	11
112	Lobophylins F-H: three new cembrene diterpenoids from soft coral <i>Lobophytum crassum</i> . Journal of Asian Natural Products Research, 2017, 19, 201-207.	1.4	11
113	Oxygenated Eremophilane- and Neolemnane-Derived Sesquiterpenoids from the Soft Coral <i>Lemnalia philippinensis</i> . Marine Drugs, 2014, 12, 4495-4503.	4.6	10
114	New eunicellin-derived diterpenoids from a Taiwanese soft coral <i>Klyxum molle</i> . Tetrahedron, 2016, 72, 192-198.	1.9	10
115	A New Cubitane Diterpenoid from the Soft Coral <i>Sinularia crassa</i> . Molecules, 2012, 17, 10072-10078.	3.8	9
116	Comparison of Antioxidant and Anticancer Properties of Soft Coral-Derived Sinularin and Dihydrosinularin. Molecules, 2021, 26, 3853.	3.8	9
117	Novel Polyhydroxysteroids from the Formosan Soft Coral <i>< i>Sarcophyton Glaucum</i></i> . Journal of the Chinese Chemical Society, 2004, 51, 217-220.	1.4	8
118	Two New Cembranoids from the Soft Coral <i>< i>Lobophytum crassum</i></i> . Bulletin of the Chemical Society of Japan, 2011, 84, 653-655.	3.2	8
119	New 11,20-Epoxybriaranes from the Gorgonian Coral <i>Juncella fragilis</i> (Ellisellidae). Molecules, 2019, 24, 2487.	3.8	8
120	Rhodoptilometrin, a Crinoid-Derived Anthraquinone, Induces Cell Regeneration by Promoting Wound Healing and Oxidative Phosphorylation in Human Gingival Fibroblast Cells. Marine Drugs, 2019, 17, 138.	4.6	8
121	Structure Elucidation and Cytotoxic Evaluation of New Polyacetylenes from a Marine Sponge <i>Petrosia</i> sp.. International Journal of Molecular Sciences, 2014, 15, 16511-16521.	4.1	7
122	Cytotoxic Polyacetylenes from a Formosan Marine Sponge <i>< i>Callyspongia</i></i> sp.. Bulletin of the Chemical Society of Japan, 2014, 87, 1231-1234.	3.2	5
123	Cytotoxic Monocarbocyclic Sesterterpenoids from a Marine Sponge <i>< i>Luffariella</i></i> sp.. Bulletin of the Chemical Society of Japan, 2015, 88, 176-182.	3.2	5
124	2-Acetoxybriaranes from <i>Briareum violaceum</i> . Tetrahedron, 2019, 75, 3751-3757.	1.9	5
125	Probing Anti-Leukemic Metabolites from Marine-Derived <i>Streptomyces</i> sp. LY1209. Metabolites, 2022, 12, 320.	2.9	5
126	Trocheliolide A, a Hydroperoxycembranoidal Diterpene from the Octocoral <i>Sarcophyton trocheliophorum</i> . Natural Product Communications, 2015, 10, 1934578X1501000.	0.5	4

#	ARTICLE	IF	CITATIONS
127	Hydroperoxyditerpenoids from Octocorals. Israel Journal of Chemistry, 2019, 59, 403-413.	2.3	4
128	Targeted Isolation of Xenicane Diterpenoids From Taiwanese Soft Coral <i>Asterospicularia laurae</i> . Marine Drugs, 2021, 19, 123.	4.6	4
129	Briaviolide Q, a New Briarane from the Cultured <i>Briareum violaceum</i> . Natural Product Communications, 2018, 13, 1934578X1801301.	0.5	3
130	Heteronemin Suppresses Lymphangiogenesis through ARF-1 and MMP-9/VE-Cadherin/Vimentin. Biomedicines, 2021, 9, 1109.	3.2	3
131	The Configuration-Dependent Anti-Leukemic Effect of Manoalide Stereoisomers: Reignite Research Interest in these Sponge-Derived Sesterterpenoids. Bioorganic Chemistry, 2021, 114, 105150.	4.1	3
132	4 $\hat{\pm}$ -Methylergosta-22(E),24(28)-dien-3 $\hat{\beta}$ -ol, a New Marine Sterol from the Octocoral <i>Nephthea Columnaris</i> . Natural Product Communications, 2017, 12, 1934578X1701200.	0.5	1
133	Briarenol B, a New Polyoxygenated Briarane from the Octocoral <i>< i>Briareum excavatum</i></i> . Natural Product Communications, 2017, 12, 1934578X1701200.	0.5	1