Paul M Vespa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12164738/publications.pdf

Version: 2024-02-01

145 papers	10,906 citations	46918 47 h-index	100 g-index
149	149	149	9495
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Guidelines for the Evaluation and Management of Status Epilepticus. Neurocritical Care, 2012, 17, 3-23.	1.2	1,296
2	Clinical Metagenomic Sequencing for Diagnosis of Meningitis and Encephalitis. New England Journal of Medicine, 2019, 380, 2327-2340.	13.9	644
3	Cerebral hyperglycolysis following severe traumatic brain injury in humans: a positron emission tomography study. Journal of Neurosurgery, 1997, 86, 241-251.	0.9	567
4	Increased incidence and impact of nonconvulsive and convulsive seizures after traumatic brain injury as detected by continuous electroencephalographic monitoring. Journal of Neurosurgery, 1999, 91, 750-760.	0.9	512
5	Translational Neurochemical Research in Acute Human Brain Injury: The Current Status and Potential Future for Cerebral Microdialysis. Journal of Neurotrauma, 2005, 22, 3-41.	1.7	357
6	Analysis of Thrombi Retrieved From Cerebral Arteries of Patients With Acute Ischemic Stroke. Stroke, 2006, 37, 2086-2093.	1.0	351
7	Nonconvulsive electrographic seizures after traumatic brain injury result in a delayed, prolonged increase in intracranial pressure and metabolic crisis. Critical Care Medicine, 2007, 35, 2830-2836.	0.4	336
8	Persistently Low Extracellular Glucose Correlates with Poor Outcome 6 Months after Human Traumatic Brain Injury despite a Lack of Increased Lactate: A Microdialysis Study. Journal of Cerebral Blood Flow and Metabolism, 2003, 23, 865-877.	2.4	324
9	Case-mix, care pathways, and outcomes in patients with traumatic brain injury in CENTER-TBI: a European prospective, multicentre, longitudinal, cohort study. Lancet Neurology, The, 2019, 18, 923-934.	4.9	304
10	Early detection of vasospasm after acute subarachnoid hemorrhage using continuous EEG ICU monitoring. Electroencephalography and Clinical Neurophysiology, 1997, 103, 607-615.	0.3	298
11	Nonconvulsive electrographic seizures after traumatic brain injury result in a delayed, prolonged increase in intracranial pressure and metabolic crisis. Critical Care Medicine, 2007, 35, 2830-2836.	0.4	290
12	Dissociation of Cerebral Glucose Metabolism and Level of Consciousness During the Period of Metabolic Depression Following Human Traumatic Brain Injury. Journal of Neurotrauma, 2000, 17, 389-401.	1.7	246
13	Pericontusional brain tissue exhibits persistent elevation of lactate/pyruvate ratio independent of cerebral perfusion pressure*. Critical Care Medicine, 2007, 35, 1153-1160.	0.4	203
14	Non-Invasive Ultrasonic Thalamic Stimulation in Disorders of Consciousness after Severe Brain Injury: A First-in-Man Report. Brain Stimulation, 2016, 9, 940-941.	0.7	192
15	Perfusion-Weighted Magnetic Resonance Imaging Thresholds Identifying Core, Irreversibly Infarcted Tissue. Stroke, 2003, 34, 1425-1430.	1.0	188
16	Routine and quantitative EEG in mild traumatic brain injury. Clinical Neurophysiology, 2005, 116, 2001-2025.	0.7	169
17	Continuous EEG Monitoring in the Intensive Care Unit: Early Findings and Clinical Efficacy. Journal of Clinical Neurophysiology, 1999, 16, 1-13.	0.9	169
18	Persistent metabolic crisis as measured by elevated cerebral microdialysis lactate-pyruvate ratio predicts chronic frontal lobe brain atrophy after traumatic brain injury*. Critical Care Medicine, 2008, 36, 2871-2877.	0.4	168

#	Article	IF	Citations
19	Nonconvulsive electrographic seizures after traumatic brain injury result in a delayed, prolonged increase in intracranial pressure and metabolic crisis. Critical Care Medicine, 2007, 35, 2830-6.	0.4	163
20	Association between plasma GFAP concentrations and MRI abnormalities in patients with CT-negative traumatic brain injury in the TRACK-TBI cohort: a prospective multicentre study. Lancet Neurology, The, 2019, 18, 953-961.	4.9	150
21	Barriers to Telemedicine: Survey of Current Users in Acute Care Units. Telemedicine Journal and E-Health, 2012, 18, 48-53.	1.6	147
22	Critical Care Delivery. Critical Care Medicine, 2015, 43, 1520-1525.	0.4	139
23	Increased Pentose Phosphate Pathway Flux after Clinical Traumatic Brain Injury: A [1,2-13C2]glucose Labeling Study in Humans. Journal of Cerebral Blood Flow and Metabolism, 2007, 27, 1593-1602.	2.4	134
24	Intensive care unit robotic telepresence facilitates rapid physician response to unstable patients and decreased cost in neurointensive care. World Neurosurgery, 2007, 67, 331-337.	1.3	128
25	Neuroprotection in acute brain injury: an up-to-date review. Critical Care, 2015, 19, 186.	2.5	120
26	Early and persistent impaired percent alpha variability on continuous electroencephalography monitoring as predictive of poor outcome after traumatic brain injury. Journal of Neurosurgery, 2002, 97, 84-92.	0.9	118
27	Neuroimaging of structural pathology and connectomics in traumatic brain injury: Toward personalized outcome prediction. Neurolmage: Clinical, 2012, 1, 1-17.	1.4	111
28	Early Cerebral Metabolic Crisis After TBI Influences Outcome Despite Adequate Hemodynamic Resuscitation. Neurocritical Care, 2012, 17, 49-57.	1.2	105
29	Selective Metabolic Reduction in Gray Matter Acutely following Human Traumatic Brain Injury. Journal of Neurotrauma, 2004, 21, 149-161.	1.7	103
30	Early Nonischemic Oxidative Metabolic Dysfunction Leads to Chronic Brain Atrophy in Traumatic Brain Injury. Journal of Cerebral Blood Flow and Metabolism, 2010, 30, 883-894.	2.4	99
31	A Consensus-Based Interpretation of the Benchmark Evidence from South American Trials: Treatment of Intracranial Pressure Trial. Journal of Neurotrauma, 2015, 32, 1722-1724.	1.7	94
32	Early seizures and temporal lobe trauma predict post-traumatic epilepsy: A longitudinal study. Neurobiology of Disease, 2019, 123, 115-121.	2.1	91
33	Treatment of Status Epilepticus: An International Survey of Experts. Neurocritical Care, 2013, 18, 193-200.	1.2	88
34	Leukoaraiosis Predicts Parenchymal Hematoma After Mechanical Thrombectomy in Acute Ischemic Stroke. Stroke, 2012, 43, 1806-1811.	1.0	77
35	Correlation of regional metabolic rates of glucose with glasgow coma scale after traumatic brain injury. Journal of Nuclear Medicine, 2003, 44, 1709-16.	2.8	73
36	Impaired Percent Alpha Variability on Continuous Electroencephalography Is Associated with Thalamic Injury and Predicts Poor Long-Term Outcome after Human Traumatic Brain Injury. Journal of Neurotrauma, 2007, 24, 579-590.	1.7	67

#	Article	IF	Citations
37	Genomic Profiles of Damage and Protection in Human Intracerebral Hemorrhage. Journal of Cerebral Blood Flow and Metabolism, 2008, 28, 1860-1875.	2.4	67
38	Frameless Stereotactic Aspiration and Thrombolysis of Deep Intracerebral Hemorrhage Is Associated with Reduced Levels of Extracellular Cerebral Glutamate and Unchanged Lactate Pyruvate Ratios. Neurocritical Care, 2007, 6, 22-29.	1.2	66
39	Predictors of Subarachnoid Hemorrhage in Acute Ischemic Stroke With Endovascular Therapy. Stroke, 2010, 41, 2775-2781.	1.0	65
40	Increased Hippocampal CA3 Vulnerability to Low-Level Kainic Acid following Lateral Fluid Percussion Injury. Journal of Neurotrauma, 2003, 20, 409-420.	1.7	62
41	Neurogenic Pulmonary Edema and Other Mechanisms of Impaired Oxygenation After Aneurysmal Subarachnoid Hemorrhage. Neurocritical Care, 2004, 1, 157-170.	1.2	61
42	Subcortical White Matter Metabolic Changes Remote from Focal Hemorrhagic Lesions Suggest Diffuse Injury after Human Traumatic Brain Injury. Neurosurgery, 2004, 55, 1306-1317.	0.6	60
43	Multimodality monitoring and telemonitoring in neurocritical care: from microdialysis to robotic telepresence. Current Opinion in Critical Care, 2005, 11, 133-138.	1.6	59
44	Thalamic atrophy in antero-medial and dorsal nuclei correlates with six-month outcome after severe brain injury. NeuroImage: Clinical, 2013, 3, 396-404.	1.4	59
45	Consciousness is supported by near-critical slow cortical electrodynamics. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	3.3	56
46	Comparison of Acute and Chronic Traumatic Brain Injury Using Semi-Automatic Multimodal Segmentation of MR Volumes. Journal of Neurotrauma, 2011, 28, 2287-2306.	1.7	55
47	Patient-Tailored Connectomics Visualization for the Assessment of White Matter Atrophy in Traumatic Brain Injury. Frontiers in Neurology, 2012, 3, 10.	1.1	53
48	Autopsy Findings After Intracranial Thrombectomy for Acute Ischemic Stroke. Stroke, 2010, 41, 938-947.	1.0	47
49	Evaluating the Clinical Impact of Rapid Response Electroencephalography: The DECIDE Multicenter Prospective Observational Clinical Study*. Critical Care Medicine, 2020, 48, 1249-1257.	0.4	46
50	Early Bloodâ€Brain Barrier Disruption after Mechanical Thrombectomy in Acute Ischemic Stroke. Journal of Neuroimaging, 2018, 28, 283-288.	1.0	39
51	Differences between Men and Women in Treatment and Outcome after Traumatic Brain Injury. Journal of Neurotrauma, 2021, 38, 235-251.	1.7	39
52	Blood–brain barrier permeability derangements in posterior circulation ischemic stroke: Frequency and relation to hemorrhagic transformation. Journal of the Neurological Sciences, 2012, 313, 142-146.	0.3	38
53	Surgical Trials in Intracerebral Hemorrhage. Stroke, 2013, 44, S79-82.	1.0	38
54	Delayed Increase in Extracellular Glycerol with Post–Traumatic Electrographic Epileptic Activity: Support for the Theory that Seizures Induce Secondary Injury. , 2002, 81, 355-357.		37

#	Article	IF	Citations
55	Restoration of thalamoâ€cortical connectivity after brain injury: recovery of consciousness, complex behavior, or passage of time?. Journal of Neuroscience Research, 2018, 96, 671-687.	1.3	36
56	Metabolic Penumbra in Intracerebral Hemorrhage. Stroke, 2009, 40, 1547-1548.	1.0	35
57	Geometric Metamorphosis. Lecture Notes in Computer Science, 2011, 14, 639-646.	1.0	34
58	Explaining Outcome Differences between Men and Women following Mild Traumatic Brain Injury. Journal of Neurotrauma, 2021, 38, 3315-3331.	1.7	34
59	Effect of frailty on 6-month outcome after traumatic brain injury: a multicentre cohort study with external validation. Lancet Neurology, The, 2022, 21, 153-162.	4.9	34
60	Brain tissue oxygen monitoring: A measure of supply and demand*. Critical Care Medicine, 2006, 34, 1850-1852.	0.4	33
61	The implications of cerebral ischemia and metabolic dysfunction for treatment strategies in neurointensive care. Current Opinion in Critical Care, 2006, 12, 119-123.	1.6	33
62	ENDOVASCULAR TREATMENT AND NEUROINTENSIVE CARE OF RUPTURED ANEURYSMS. Critical Care Clinics, 1999, 15, 667-684.	1.0	32
63	The epilepsy bioinformatics study for anti-epileptogenic therapy (EpiBioS4Rx) clinical biomarker: Study design and protocol. Neurobiology of Disease, 2019, 123, 110-114.	2.1	32
64	Seizures and the Role of Anticonvulsants After Traumatic Brain Injury. Neurosurgery Clinics of North America, 2016, 27, 499-508.	0.8	31
65	The subcortical basis of outcome and cognitive impairment in TBI. Neurology, 2020, 95, e2398-e2408.	1.5	31
66	Occurrence and timing of withdrawal of life-sustaining measures in traumatic brain injury patients: a CENTER-TBI study. Intensive Care Medicine, 2021, 47, 1115-1129.	3.9	31
67	Serum metabolome associated with severity of acute traumatic brain injury. Nature Communications, 2022, 13, 2545.	5.8	29
68	Treatment of Critical Care Patients with Substantial Acute Ischemic or Traumatic Brain Injury. Critical Care Medicine, 2005, 33, 2147-2149.	0.4	28
69	Electroencephalographic inverse localization of brain activity in acute traumatic brain injury as a guide to surgery, monitoring and treatment. Clinical Neurology and Neurosurgery, 2013, 115, 2159-2165.	0.6	28
70	Cerebral microhemorrhages due to traumatic brain injury and their effects on the aging human brain. Neurobiology of Aging, 2018, 66, 158-164.	1.5	28
71	Intensive glycemic control in traumatic brain injury: what is the ideal glucose range?. Critical Care, 2008, 12, 175.	2.5	27
72	Mechanical thrombectomy for acute ischemic stroke with cerebral microbleeds. Journal of NeuroInterventional Surgery, 2016, 8, 563-567.	2.0	27

#	Article	IF	Citations
73	Quality improvement in neurology: Inpatient and emergency care quality measure set. Neurology, 2017, 89, 730-735.	1.5	26
74	Surgery versus conservative treatment for traumatic acute subdural haematoma: a prospective, multicentre, observational, comparative effectiveness study. Lancet Neurology, The, 2022, 21, 620-631.	4.9	26
75	Acute EEG spectra characteristics predict thalamic atrophy after severe TBI. Journal of Neurology, Neurosurgery and Psychiatry, 2019, 90, 617-619.	0.9	25
76	A semi-automated workflow solution for multimodal neuroimaging: application to patients with traumatic brain injury. Brain Informatics, 2016, 3, 1-15.	1.8	21
77	Traumatic hemorrhagic brain injury: impact of location and resorption on cognitive outcome. Journal of Neurosurgery, 2017, 126, 796-804.	0.9	21
78	Alternative substrate metabolism depends on cerebral metabolic state following traumatic brain injury. Experimental Neurology, 2020, 329, 113289.	2.0	21
79	Global Characterisation of Coagulopathy in Isolated Traumatic Brain Injury (iTBI): A CENTER-TBI Analysis. Neurocritical Care, 2021, 35, 184-196.	1.2	21
80	Contrast agent dose effects in cerebral dynamic susceptibility contrast magnetic resonance perfusion imaging. Journal of Magnetic Resonance Imaging, 2009, 29, 52-64.	1.9	20
81	Network Analysis in Disorders of Consciousness: Four Problems and One Proposed Solution (Exponential Random Graph Models). Frontiers in Neurology, 2018, 9, 439.	1.1	20
82	Prediction of Global Functional Outcome and Post-Concussive Symptoms after Mild Traumatic Brain Injury: External Validation of Prognostic Models in the Collaborative European NeuroTrauma Effectiveness Research in Traumatic Brain Injury (CENTER-TBI) Study. Journal of Neurotrauma, 2021, 38, 196-209.	1.7	20
83	pH-weighted molecular MRI in human traumatic brain injury (TBI) using amine proton chemical exchange saturation transfer echoplanar imaging (CEST EPI). NeuroImage: Clinical, 2019, 22, 101736.	1.4	19
84	Tracheal intubation in traumatic brain injury: a multicentre prospective observational study. British Journal of Anaesthesia, 2020, 125, 505-517.	1.5	19
85	4D active cut: An interactive tool for pathological anatomy modeling. , 2014, 2014, 529-532.		18
86	Cerebral Metabolism and the Role of Glucose Control in Acute Traumatic Brain Injury. Neurosurgery Clinics of North America, 2016, 27, 453-463.	0.8	18
87	Early brain biomarkers of post-traumatic seizures: initial report of the multicentre epilepsy bioinformatics study for antiepileptogenic therapy (EpiBioS4Rx) prospective study. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 1154-1157.	0.9	18
88	Hormonal dysfunction in neurocritical patients. Current Opinion in Critical Care, 2013, 19, 107-112.	1.6	17
89	Longitudinal quantification and visualization of intracerebral haemorrhage using multimodal magnetic resonance and diffusion tensor imaging. Brain Injury, 2015, 29, 438-445.	0.6	17
90	Segmentation of serial MRI of TBI patients using personalized atlas construction and topological change estimation., 2012, , 1152-1155.		16

#	Article	IF	Citations
91	Acute glucose and lactate metabolism are associated with cognitive recovery following traumatic brain injury. Journal of Neuroscience Research, 2018, 96, 696-701.	1.3	16
92	Missing Data in Prediction Research: A Five-Step Approach for Multiple Imputation, Illustrated in the CENTER-TBI Study. Journal of Neurotrauma, 2021, 38, 1842-1857.	1.7	16
93	A systematic investigation of the association between network dynamics in the human brain and the state of consciousness. Neuroscience of Consciousness, 2020, 2020, niaa008.	1.4	15
94	Traumatic Brain Injury Severity, Neuropathophysiology, and Clinical Outcome: Insights from Multimodal Neuroimaging. Frontiers in Neurology, 2017, 8, 530.	1.1	14
95	Lactate supplementation in severe traumatic brain injured adults by primed constant infusion of sodium Lâ€lactate. Journal of Neuroscience Research, 2018, 96, 688-695.	1.3	13
96	Comparison of Plasmin With Recombinant Tissue-Type Plasminogen Activator in Lysis of Cerebral Thromboemboli Retrieved From Patients With Acute Ischemic Stroke. Stroke, 2011, 42, 2222-2228.	1.0	12
97	Brain Hypoxia and Ischemia After Traumatic Brain Injury. JAMA Neurology, 2016, 73, 504.	4.5	12
98	Predictors of Access to Rehabilitation in the Year Following Traumatic Brain Injury: A European Prospective and Multicenter Study. Neurorehabilitation and Neural Repair, 2020, 34, 814-830.	1.4	12
99	Frequency of fatigue and its changes in the first 6Âmonths after traumatic brain injury: results from the CENTER-TBI study. Journal of Neurology, 2021, 268, 61-73.	1.8	12
100	Neural oscillations track recovery of consciousness in acute traumatic brain injury patients. Human Brain Mapping, 2022, 43, 1804-1820.	1.9	12
101	A patient-specific segmentation framework for longitudinal MR images of traumatic brain injury. , 2012, 8314, 831402.		11
102	Management of arterial partial pressure of carbon dioxide in the first week after traumatic brain injury: results from the CENTER-TBI study. Intensive Care Medicine, 2021, 47, 961-973.	3.9	11
103	Health care utilization and outcomes in older adults after Traumatic Brain Injury: A CENTER-TBI study. Injury, 2022, 53, 2774-2782.	0.7	11
104	Imaging and Decision-Making in Neurocritical Care. Neurologic Clinics, 2014, 32, 211-224.	0.8	9
105	Modeling 4D Changes in Pathological Anatomy Using Domain Adaptation: Analysis of TBI Imaging Using a Tumor Database. Lecture Notes in Computer Science, 2013, 8159, 31-39.	1.0	8
106	Analyzing imaging biomarkers for traumatic brain injury using 4d modeling of longitudinal MRI., 2013, 2013, 1392-1395.		8
107	New Cerebral Microbleeds After Mechanical Thrombectomy for Large-Vessel Occlusion Strokes. Medicine (United States), 2015, 94, e2180.	0.4	8
108	Influence of Glycemic Control on Endogenous Circulating Ketone Concentrations in Adults Following Traumatic Brain Injury. Neurocritical Care, 2017, 26, 239-246.	1.2	8

#	Article	IF	Citations
109	Primary versus early secondary referral to a specialized neurotrauma center in patients with moderate/severe traumatic brain injury: a CENTER TBI study. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2021, 29, 113.	1.1	8
110	Informed consent procedures in patients with an acute inability to provide informed consent: Policy and practice in the CENTER-TBI study. Journal of Critical Care, 2020, 59, 6-15.	1.0	8
111	Sedation-Induced Burst Suppression Predicts Positive Outcome Following Traumatic Brain Injury. Frontiers in Neurology, 2021, 12, 750667.	1.1	8
112	Multimodal Deformable Registration of Traumatic Brain Injury MR Volumes via the Bhattacharyya Distance. IEEE Transactions on Biomedical Engineering, 2013, 60, 2511-2520.	2.5	5
113	Oral Anticoagulants and the Risk of Intracranial Hemorrhage. JAMA - Journal of the American Medical Association, 2014, 312, 2562.	3.8	5
114	Therapeutic Intravascular Normothermia Reduces The Burden of Metabolic Crisis. Neurocritical Care, 2015, 22, 265-272.	1.2	5
115	Mild cognitive impairment and structural brain abnormalities in a sexagenarian with a history of childhood traumatic brain injury. Journal of Neuroscience Research, 2018, 96, 652-660.	1.3	5
116	Questionnaires vs Interviews for the Assessment of Global Functional Outcomes After Traumatic Brain Injury. JAMA Network Open, 2021, 4, e2134121.	2.8	5
117	Neurocognitive correlates of probable posttraumatic stress disorder following traumatic brain injury. Brain and Spine, 2022, 2, 100854.	0.0	5
118	Evaluating denoising strategies in restingâ€state functional magnetic resonance in traumatic brain injury (EpiBioS4Rx). Human Brain Mapping, 2022, 43, 4640-4649.	1.9	5
119	Acute presentation and early intensive care of acute aneurysmal subarachnoid hemorrhage. Journal of Stroke and Cerebrovascular Diseases, 1997, 6, 230-234.	0.7	4
120	Memory in repeat sports-related concussive injury and single-impact traumatic brain injury. Brain Injury, 2020, 34, 1666-1673.	0.6	4
121	Extended Coagulation Profiling in Isolated Traumatic Brain Injury: A CENTER-TBI Analysis. Neurocritical Care, 2022, 36, 927-941.	1.2	4
122	Comparing Seizures Captured by Rapid Response EEG and Conventional EEG Recordings in a Multicenter Clinical Study. Frontiers in Neurology, 0, 13, .	1.1	4
123	Post-Traumatic Seizures. CNS Drugs, 2000, 13, 129-138.	2.7	3
124	The golden day after subarachnoid hemorrhage *. Critical Care Medicine, 2004, 32, 902-904.	0.4	3
125	A breath of fresh air: The potential use for hyperoxia in traumatic brain injury*. Critical Care Medicine, 2008, 36, 363-365.	0.4	3
126	Emergency Carotid Artery Stenting in Acute Ischemic Stroke. Journal of Neuroendovascular Therapy, 2016, 10, 5-12.	0.1	3

#	Article	IF	CITATIONS
127	Can We Cluster ICU Treatment Strategies for Traumatic Brain Injury by Hospital Treatment Preferences?. Neurocritical Care, 2021, , 1.	1.2	3
128	Increased incidence and impact of nonconvulsive and convulsive seizures after traumatic brain injury as detected by continuous electroencephalographic monitoring. Neurosurgical Focus, 1999, 7, E1.	1.0	2
129	Chapter 51 Continuous ICU EEG monitoring. Supplements To Clinical Neurophysiology, 2002, , 335-338.	2.1	2
130	Fever in Critical Neurologic Illness. JAMA - Journal of the American Medical Association, 2014, 312, 1456.	3.8	2
131	Modeling 4D pathological changes by leveraging normative models. Computer Vision and Image Understanding, 2016, 151, 3-13.	3.0	2
132	Patient-tailored multimodal neuroimaging, visualization and quantification of human intra-cerebral hemorrhage. Proceedings of SPIE, 2016, , .	0.8	2
133	Inpatient quality metrics in neurology. Neurology, 2017, 89, 646-649.	1.5	2
134	Analysis of Thrombi Retrieved from Cerebral Arteries of Patients with Acute Ischemic Stroke Blood, 2005, 106, 263-263.	0.6	2
135	Antiseizure medications in critical care. Current Opinion in Critical Care, 2019, 25, 117-125.	1.6	1
136	Accounting for Changing Structure in Functional Network Analysis of TBI Patients. Frontiers in Systems Neuroscience, 2020, 14, 42.	1.2	1
137	Perfusing the brain after traumatic brain injury: What clinical index should we follow?*. Critical Care Medicine, 2004, 32, 1621-1623.	0.4	0
138	ICU EEG monitoring for acute seizures and status epilepticus. Handbook of Clinical Neurophysiology, 2008, , 856-863.	0.0	0
139	Cerebral microdialysis in cerebrovascular disease. , 0, , 44-53.		0
140	Image-guided endoscopic evacuation of spontaneous intracerebral hemorrhage., 0,, 335-347.		0
141	Integration of Multimodal Neuroimaging and Electroencephalography for the Study of Acute Epileptiform Activity After Traumatic Brain Injury. Lecture Notes in Computer Science, 2015, , 165-179.	1.0	0
142	Critical Care Ultrasound Should Not Be a Priority First-Line Assessment Tool in the Management of Neurocritically Ill Patients. Critical Care Medicine, 2019, 47, 837-839.	0.4	0
143	Assessment of acute metabolic stress following traumatic brain injury with $1\mathrm{H}$ magnetic resonance spectroscopic imaging in human subjects. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S399-S399.	2.4	0
144	Quantitative PET determination of pericontusional tissue viability: Correlation with diagnostic CT imaging and implications for surgical removal following traumatic brain injury. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, S377-S377.	2.4	0

ARTICLE IF CITATIONS

145 Traumatic Brain Injury and Critical Care Seizures., 2017,, 195-209.