

Mario Katsuragawa

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12167221/publications.pdf>

Version: 2024-02-01

21

papers

270

citations

1163117

8

h-index

940533

16

g-index

21

all docs

21

docs citations

21

times ranked

263

citing authors

#	ARTICLE	IF	CITATIONS
1	Seasonal variability of ichthyoneuston assemblage on the continental shelf and slope of the Southwest Atlantic Ocean, Brazil (20°–23°S). <i>Journal of Applied Ichthyology</i> , 2019, 35, 655-671.	0.7	1
2	Hydrodynamically-driven distribution of lanternfish larvae in the Southeast Brazilian Bight. <i>Journal of Marine Systems</i> , 2017, 170, 115-133.	2.1	10
3	Spawning areas of <i>Engraulis anchoita</i> in the Southeastern Brazilian Bight during late-spring and early summer. <i>Progress in Oceanography</i> , 2017, 153, 37-49.	3.2	4
4	ESTRUTURA ESPACIAL E TEMPORAL DA COMUNIDADE ICTIOPLANCTÂ“NICA * *Bonecker, A.C.T., Katsuragawa, M., Castro, M.S., Gomes, E.A.P., Namiki, C.A.P., Zani-Teixeira, M.L. 2017. Estrutura espacial e temporal da comunidade ictioplancânica. In: Falcão, A.P.C., Moreira, D.L. editores. Ambiente pelágico: caracterização ambiental regional da Bacia de Campos, Atlântico Sudoeste. Rio de Janeiro: Elsevier. Habitats, v. 5. p. 207-245.. , 2017, , 207-245.		1
5	Comparison of the effects of two bongo net mesh sizes on the estimation of abundance and size of <i>Engraulidae</i> eggs. <i>Brazilian Journal of Oceanography</i> , 2015, 63, 93-102.	0.6	7
6	Spatial And Temporal Distribution Patterns Of Larval Sciaenids In The Estuarine System And Adjacent Continental Shelf Off Santos, Southeastern Brazil. <i>Brazilian Journal of Oceanography</i> , 2014, 62, 149-164.	0.6	9
7	Brazilian sardine (<i>Sardinella brasiliensis</i> Steindachner, 1879) spawning and nursery habitats: spatial-scale partitioning and multiscale relationships with thermohaline descriptors. <i>ICES Journal of Marine Science</i> , 2012, 69, 939-952.	2.5	16
8	Larval fish of the Campos Basin, southeastern Brazil. <i>Check List</i> , 2012, 8, 1280.	0.4	15
9	Patterns of distribution and abundance of larval phosichthyidae (actinopterygii, stomiiformes) in southeastern Brazilian waters. <i>Brazilian Journal of Oceanography</i> , 2011, 59, 213-229.	0.6	5
10	Biometric relationships of the spotted lobster, <i>Panulirus echinatus</i> , from Tamandaré coastal reefs, Pernambuco State, Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 1601-1606.	0.8	5
11	Desenvolvimento dos ovários da lagosta <i>Panulirus echinatus</i> (Crustacea: Palinuridae) baseados nas análises macroscópica, microscópica e relações gonadossomáticas (RGS). <i>Revista Brasileira De Zoologia</i> , 2008, 25, 689-695.	0.5	3
12	Estudos de desenvolvimento dos órgãos reprodutivos dos machos de <i>Panulirus echinatus</i> Smith (Decapoda: Palinuridae). <i>Revista Brasileira De Zoologia</i> , 2008, 25, 74-82.	0.5	4
13	Description of larvae and juveniles of <i>Bairdiella ronchus</i> (Sciaenidae: Teleostei) in southeastern Brazil. <i>Scientia Marina</i> , 2007, 71, 249-257.	0.6	5
14	Zooplankton and ichthyoplankton distribution on the southern Brazilian shelf: an overview. <i>Scientia Marina</i> , 2006, 70, 189-202.	0.6	98
15	Condition of the Brazilian sardine, <i>Sardinella brasiliensis</i> (Steindachner, 1879) larvae in the São Sebastião inner and middle continental shelf (São Paulo, Brazil). <i>Brazilian Journal of Oceanography</i> , 2004, 52, 81-87.	0.6	7
16	Distribution and abundance of two species of codlet (Teleostei, Bregmacerotidae) larvae from the south-eastern Brazilian Bight. <i>Fisheries Oceanography</i> , 1993, 2, 82-90.	1.7	10
17	Comparison of spawning patterns of the Brazilian sardine (<i>Sardinella brasiliensis</i>) and anchovy (<i>Engraulis anchoita</i>) in Ubatuba region, southern Brazil during 1985 through 1988. <i>Boletim Do Instituto Oceanográfico</i> , 1992, 40, 101-115.	0.2	23
18	Distribution and abundance of carangid larvae in the southeastern Brazilian Bight during 1975-1981. <i>Boletim Do Instituto Oceanográfico</i> , 1992, 40, 55-78.	0.2	25

#	ARTICLE	IF	CITATIONS
19	Comparison of spawning patterns of the Brazilian sardine (<i>Sardinella brasiliensis</i>) and anchoita (<i>Engraulis anchoita</i>) in Ubatuba region, southern Brazil during 1985 through 1988. <i>Brazilian Journal of Oceanography</i> , 1992, 40, 101-115.	0.6	11
20	Comparison of the diel and spatial distribution patterns of ichthyoplankton and ichthyoneuston in the Southeastern Brazilian Bight. <i>Boletim Do Instituto OceanogrÁfico</i> , 1990, 38, 133-146.	0.2	8
21	Composition and distribution of Serranidae (Actinopterygii:Perciformes) larvae in the Southeastern Brazilian Bight. <i>Brazilian Journal of Oceanography</i> , 0, 67, .	0.6	3