

S Fujii

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1217072/publications.pdf>

Version: 2024-02-01

70
papers

1,522
citations

331259

21
h-index

360668

35
g-index

73
all docs

73
docs citations

73
times ranked

2304
citing authors

#	ARTICLE	IF	CITATIONS
1	Circulating tumor DNA-guided treatment with pertuzumab plus trastuzumab for HER2-amplified metastatic colorectal cancer: a phase 2 trial. <i>Nature Medicine</i> , 2021, 27, 1899-1903.	15.2	110
2	Combined Mutation of <i>Apc</i> , <i>Kras</i> , and <i>Tgfr2</i> Effectively Drives Metastasis of Intestinal Cancer. <i>Cancer Research</i> , 2018, 78, 1334-1346.	0.4	106
3	Evaluation of Cartilage Invasion by Laryngeal and Hypopharyngeal Squamous Cell Carcinoma with Dual-Energy CT. <i>Radiology</i> , 2012, 265, 488-496.	3.6	94
4	Programmed death ligand-1 expression is associated with poor disease free survival in salivary gland carcinomas. <i>Journal of Surgical Oncology</i> , 2016, 114, 36-43.	0.8	87
5	Comprehensive immunohistochemical analysis of tumor microenvironment immune status in esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 47252-47264.	0.8	79
6	Primary staging of laryngeal and hypopharyngeal cancer: CT, MR imaging and dual-energy CT. <i>European Journal of Radiology</i> , 2014, 83, e23-e35.	1.2	57
7	Prognostic and Predictive Value of HER2 Amplification in Patients With Metastatic Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2018, 17, 198-205.	1.0	57
8	Intestinal cancer progression by mutant p53 through the acquisition of invasiveness associated with complex glandular formation. <i>Oncogene</i> , 2017, 36, 5885-5896.	2.6	56
9	Clinical significance of BRAF non-V600E mutations on the therapeutic effects of anti-EGFR monoclonal antibody treatment in patients with pretreated metastatic colorectal cancer: the Biomarker Research for anti-EGFR monoclonal Antibodies by Comprehensive Cancer genomics (BREAC) study. <i>British Journal of Cancer</i> , 2017, 117, 1450-1458.	2.9	52
10	Comparison of MR Imaging and Dual-Energy CT for the Evaluation of Cartilage Invasion by Laryngeal and Hypopharyngeal Squamous Cell Carcinoma. <i>American Journal of Neuroradiology</i> , 2018, 39, 524-531.	1.2	52
11	Relationship between podoplanin-expressing cancer-associated fibroblasts and the immune microenvironment of early lung squamous cell carcinoma. <i>Lung Cancer</i> , 2021, 153, 1-10.	0.9	43
12	Link between tumor-promoting fibrous microenvironment and an immunosuppressive microenvironment in stage I lung adenocarcinoma. <i>Lung Cancer</i> , 2018, 126, 64-71.	0.9	39
13	Prognostic significance of tumor regression grade for patients with esophageal squamous cell carcinoma after neoadjuvant chemotherapy followed by surgery. <i>Journal of Surgical Oncology</i> , 2016, 113, 390-396.	0.8	33
14	Factors influencing the concordance of histological subtype diagnosis from biopsy and resected specimens of lung adenocarcinoma. <i>Lung Cancer</i> , 2016, 94, 1-6.	0.9	30
15	International Harmonization of Provisional Diagnostic Criteria for <i>ERBB2</i> -Amplified Metastatic Colorectal Cancer Allowing for Screening by Next-Generation Sequencing Panel. <i>JCO Precision Oncology</i> , 2020, 4, 6-19.	1.5	29
16	Local efficacy and survival outcome of salvage endoscopic therapy for local recurrent lesions after definitive chemoradiotherapy for esophageal cancer. <i>Radiation Oncology</i> , 2016, 11, 31.	1.2	28
17	The Japanese Society of Pathology Practical Guidelines on the handling of pathological tissue samples for cancer genomic medicine. <i>Pathology International</i> , 2021, 71, 725-740.	0.6	27
18	Clinical outcome after endoscopic resection for superficial pharyngeal squamous cell carcinoma invading the subepithelial layer. <i>Endoscopy</i> , 2014, 47, 11-18.	1.0	26

#	ARTICLE	IF	CITATIONS
19	The prognostic significance of the positive circumferential resection margin in pathologic T3 squamous cell carcinoma of the esophagus with or without neoadjuvant chemotherapy. <i>Surgery</i> , 2016, 159, 441-450.	1.0	25
20	Pathological tumor regression grade of metastatic tumors in lymph node predicts prognosis in esophageal cancer patients. <i>Cancer Science</i> , 2018, 109, 2046-2055.	1.7	23
21	Adenocarcinoma arising from heterotopic gastric mucosa in the cervical esophagus and upper thoracic esophagus: two case reports and literature review. <i>Expert Review of Gastroenterology and Hepatology</i> , 2016, 10, 405-414.	1.4	22
22	Prognostic Value and Molecular Landscape of HER2 Low-Expressing Metastatic Colorectal Cancer. <i>Clinical Colorectal Cancer</i> , 2021, 20, 113-120.e1.	1.0	22
23	Differences of tumor microenvironment between stage I lepidic-positive and lepidic-negative lung adenocarcinomas. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 156, 1679-1688.e2.	0.4	21
24	Pathological complete response of HER2-positive breast cancer to trastuzumab and chemotherapy can be predicted by HSD17B4 methylation. <i>Oncotarget</i> , 2017, 8, 19039-19048.	0.8	21
25	Clinicopathological significance of caveolin-1 expression by cancer-associated fibroblasts in lung adenocarcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 321-328.	1.2	20
26	The ratio of cancer cells to stroma within the invasive area is a histologic prognostic parameter of lung adenocarcinoma. <i>Lung Cancer</i> , 2018, 118, 30-35.	0.9	20
27	Optimization of therapeutic strategy for p16 ⁺ positive oropharyngeal squamous cell carcinoma: Multi-institutional observational study based on the national Head and Neck Cancer Registry of Japan. <i>Cancer</i> , 2020, 126, 4177-4187.	2.0	19
28	Intraoperative peritoneal lavage cytology offers prognostic significance for gastric cancer patients with curative resection. <i>Cancer Science</i> , 2017, 108, 978-986.	1.7	18
29	Changes in the tumor microenvironment during lymphatic metastasis of lung squamous cell carcinoma. <i>Cancer Science</i> , 2017, 108, 136-142.	1.7	17
30	Salvage endoscopic resection (<sc>ER</sc>) after chemoradiotherapy for esophageal squamous cell carcinoma: What are the risk factors for recurrence after salvage <sc>ER</sc>?. <i>Digestive Endoscopy</i> , 2018, 30, 338-346.	1.3	16
31	Relationship between the immune microenvironment of different locations in a primary tumour and clinical outcomes of oesophageal squamous cell carcinoma. <i>British Journal of Cancer</i> , 2020, 122, 413-420.	2.9	16
32	Gene expression profiling to predict recurrence of advanced squamous cell carcinoma of the tongue: discovery and external validation. <i>Oncotarget</i> , 2017, 8, 61786-61799.	0.8	16
33	Abundant tumor promoting stromal cells in lung adenocarcinoma with hypoxic regions. <i>Lung Cancer</i> , 2018, 115, 56-63.	0.9	15
34	Large-scale comprehensive immunohistochemical biomarker analyses in esophageal squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 2351-2361.	1.2	14
35	Multi-omics analyses identify HSD17B4 methylation-silencing as a predictive and response marker of HER2-positive breast cancer to HER2-directed therapy. <i>Scientific Reports</i> , 2020, 10, 15530.	1.6	13
36	The nationwide cancer genome screening project in Japan SCRUM-Japan GI-SCREEN: Efficient identification of cancer genome alterations in advanced gastric cancer (GC).. <i>Journal of Clinical Oncology</i> , 2018, 36, 4050-4050.	0.8	13

#	ARTICLE	IF	CITATIONS
37	Machine learning-based histological classification that predicts recurrence of peripheral lung squamous cell carcinoma. <i>Lung Cancer</i> , 2020, 147, 252-258.	0.9	12
38	Concomitant expression of ezrin and HER2 predicts distant metastasis and poor prognosis of patients with salivary gland carcinomas. <i>Human Pathology</i> , 2017, 63, 110-119.	1.1	10
39	Extra-nodal extension in head and neck cancer: how radiologists can help staging and treatment planning. <i>Japanese Journal of Radiology</i> , 2020, 38, 489-506.	1.0	10
40	Submucosal Invasive Depth Predicts Lymph Node Metastasis and Poor Prognosis in Submucosal Invasive Esophageal Squamous Cell Carcinoma. <i>American Journal of Clinical Pathology</i> , 2017, 148, 416-426.	0.4	9
41	Growth patterns of small peripheral squamous cell carcinoma of the lung and their impacts on pathological and biological characteristics of tumor cells. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 1773-1783.	1.2	8
42	FMS-like tyrosine kinase 3 (FLT3) amplification in patients with metastatic colorectal cancer. <i>Cancer Science</i> , 2021, 112, 314-322.	1.7	8
43	Feasibility of salvage endoscopic resection for patients with locoregional failure after definitive radiotherapy for pharyngeal cancer. <i>Endoscopy International Open</i> , 2015, 03, E274-E280.	0.9	7
44	Unique intravascular tumor microenvironment predicting recurrence of lung squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 593-600.	1.2	7
45	Podoplanin-positive cancer-associated fibroblast recruitment within cancer stroma is associated with a higher number of single nucleotide variants in cancer cells in lung adenocarcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 893-900.	1.2	7
46	Immunosuppressive tumor microenvironment of usual interstitial pneumonia-associated squamous cell carcinoma of the lung. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 835-844.	1.2	7
47	DNA methylation marker to estimate the breast cancer cell fraction in DNA samples. <i>Medical Oncology</i> , 2018, 35, 147.	1.2	7
48	HER2-targeted therapy should be shifted towards an earlier line for patients with anti-EGFR-therapy naïve, HER2-amplified metastatic colorectal cancer. <i>ESMO Open</i> , 2019, 4, e000530.	2.0	7
49	Ki-67 response-guided preoperative chemotherapy for HER2-positive breast cancer: results of a randomised Phase 2 study. <i>British Journal of Cancer</i> , 2020, 122, 1747-1753.	2.9	7
50	Prognostic impact of the tumor immune microenvironment in pulmonary pleomorphic carcinoma. <i>Lung Cancer</i> , 2021, 153, 56-65.	0.9	7
51	Imaging of Metastatic Cancer Cells in Sentinel Lymph Nodes using Affibody Probes and Possibility of a Theranostic Approach. <i>International Journal of Molecular Sciences</i> , 2019, 20, 427.	1.8	6
52	Clinicopathological characteristics associated with necrosis in pulmonary metastases from colorectal cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2019, 474, 569-575.	1.4	6
53	Spatiotemporal characteristics of fibroblasts-dependent cancer cell invasion. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 373-381.	1.2	6
54	Nine cases of carcinoma with neuroendocrine features in the head and neck: clinicopathological characteristics and clinical outcomes. <i>Japanese Journal of Clinical Oncology</i> , 2015, 45, 328-335.	0.6	5

#	ARTICLE	IF	CITATIONS
55	Concordance between PIK3CA mutations in endoscopic biopsy and surgically resected specimens of esophageal squamous cell carcinoma. <i>BMC Cancer</i> , 2017, 17, 36.	1.1	5
56	Impact of pathologically assessing extranodal extension in the thoracic field on the prognosis of esophageal squamous cell carcinoma. <i>Surgery</i> , 2019, 165, 1203-1210.	1.0	5
57	Association between the mutational smoking signature and the immune microenvironment in lung adenocarcinoma. <i>Lung Cancer</i> , 2020, 147, 12-20.	0.9	5
58	Fibroblastsâ€dependent invasion of podoplaninâ€positive cancer stem cells in squamous cell carcinoma. <i>Journal of Cellular Physiology</i> , 2020, 235, 7251-7260.	2.0	5
59	Review of early endoscopic findings in patients with local recurrence after definitive chemoradiotherapy for esophageal squamous cell carcinoma. <i>Esophagus</i> , 2020, 17, 433-439.	1.0	5
60	Histopathological factors affecting the extraction of high quality genomic DNA from tissue sections for nextâ€generation sequencing. <i>Biomedical Reports</i> , 2019, 11, 171-180.	0.9	4
61	The Nationwide Cancer Genome Screening Project in Japan, SCRUM-Japan GI-SCREEN: Efficient identification of cancer genome alterations in advanced colorectal cancer.. <i>Journal of Clinical Oncology</i> , 2016, 34, 3591-3591.	0.8	4
62	Combined salivary duct carcinoma and squamous cell carcinoma suspected of carcinoma ex pleomorphic adenoma. <i>Pathology International</i> , 2016, 66, 460-465.	0.6	3
63	The association of intravascular stromal cells with prognosis in high-grade neuroendocrine carcinoma of the lung. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 905-912.	1.2	3
64	Dataset for the reporting of carcinoma of the esophagus in resection specimens: recommendations from the International Collaboration on Cancer Reporting. <i>Human Pathology</i> , 2021, 114, 54-65.	1.1	3
65	Long-term clinical outcome after endoscopic resection of esophageal squamous cell carcinoma invading the muscularis mucosae without lymphovascular invasion. <i>Gastrointestinal Endoscopy</i> , 2022, 95, 634-641.e3.	0.5	3
66	Characterization of the tumor immune-microenvironment of lung adenocarcinoma associated with usual interstitial pneumonia. <i>Lung Cancer</i> , 2018, 126, 162-169.	0.9	2
67	Relationship between the microvascular patterns observed by magnifying endoscopy with narrow-band imaging and the depth of invasion in superficial pharyngeal squamous cell carcinoma. <i>Esophagus</i> , 2021, 18, 111-117.	1.0	2
68	Macroscopic Assessment and Sampling of Endoscopic Resection Specimens for Squamous Epithelial Malignancies with Superficial Involvement of Esophagus. <i>Methods in Molecular Biology</i> , 2020, 2129, 63-81.	0.4	1
69	SCRUM-Japan genesis virtual sequencing (VSQ) project: A novel algorithm combining deep learning (DL) with pathological diagnostics to enable the prediction of BRAF mutations and microsatellite instability (MSI) in advanced colorectal cancer (CRC).. <i>Journal of Clinical Oncology</i> , 2021, 39, 112-112.	0.8	0
70	Endoscopic resection combined with the Cryoballoon focal ablation system in the porcine normal esophagus: a preclinical study. <i>BMC Gastroenterology</i> , 2021, 21, 234.	0.8	0