

Maria L Serralheiro

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1217122/maria-l-serralheiro-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

2,139
citations

24
h-index

44
g-index

99
ext. papers

2,423
ext. citations

4
avg, IF

4.72
L-index

#	Paper	IF	Citations
92	Bioactives from Psidium guajava leaf decoction: LC-HRMS-MS-Qtof identification, bioactivities and bioavailability evaluation 2022 , 1, 100003		1
91	Influence of Cynara cardunculus L. Phenolic Compounds on Pseudomonas putida Isolated from the Dairy Industry: Growth and Melanin Bioproduction. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3629	2.6	
90	Hydroxycinnamic acid derivatives effect on hypercholesterolemia, comparison with ezetimibe: Permeability assays and FTIR spectroscopy on Caco-2 cell line.. <i>Current Research in Pharmacology and Drug Discovery</i> , 2022 , 3, 100105	3	
89	Melanin: Production from Cheese Bacteria, Chemical Characterization, and Biological Activities. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	2
88	Antimicrobial Ceramic Filters for Water Bio-Decontamination. <i>Coatings</i> , 2021 , 11, 323	2.9	5
87	New bioactive constituents characterized by LCMS/MS in optimized microwave extract of jujube seeds (Zizyphus lotus L.). <i>Journal of Food Measurement and Characterization</i> , 2021 , 15, 3216-3233	2.8	2
86	Yogurt Enriched with : An Innovative Functional Food. <i>Foods</i> , 2021 , 10,	4.9	3
85	Zizyphus lotus (L.) Lam. plant treatment by ultrasounds and microwaves to improve antioxidants yield and quality: An overview. <i>Najfjnr</i> , 2021 , 5, 53-68	0.2	1
84	Zizyphus lotus (L.) Lam. plant treatment by ultrasounds and microwaves to improve antioxidants yield and quality: An overview. <i>Najfjnr</i> , 2021 , 5, 53-68	0.2	1
83	Undaria pinnatifida (U. pinnatifida) bioactivity: Antioxidant, gastro-intestinal motility, cholesterol biosynthesis and liver cell lines proteome. <i>Journal of Functional Foods</i> , 2021 , 83, 104567	5.1	0
82	Untargeted metabolomic study of HepG2 cells under the effect of Fucus vesiculosus aqueous extract. <i>Rapid Communications in Mass Spectrometry</i> , 2021 , 35, e9197	2.2	0
81	Molecular-level changes induced by hydroxycinnamic acid derivatives in HepG2 cell line: Comparison with pravastatin. <i>Life Sciences</i> , 2021 , 283, 119846	6.8	2
80	Brown Algae Potential as a Functional Food against Hypercholesterolemia: Review. <i>Foods</i> , 2021 , 10,	4.9	7
79	Bioactivities of iridoids and flavonoids present in decoctions from aerial parts of Verbascum betonicifolium. <i>European Journal of Integrative Medicine</i> , 2020 , 37, 101171	1.7	2
78	Phenolic profile and biological activities of decoctions from Santolina impressa, a Portuguese endemic species. <i>Journal of Herbal Medicine</i> , 2020 , 21, 100335	2.3	4
77	Cholesterol transporter proteins in HepG2 cells can be modulated by phenolic compounds present in Opuntia ficus-indica aqueous solutions. <i>Journal of Functional Foods</i> , 2020 , 64, 103674	5.1	5
76	Mechanism of action and the biological activities of Nigella sativa oil components. <i>Food Bioscience</i> , 2020 , 38, 100783	4.9	9

75	Data on identification of primary and secondary metabolites in aqueous extract of. <i>Data in Brief</i> , 2020 , 32, 106146	1.2	1
74	Phytochemical analysis and in vitro and in vivo evaluation of biological activities of artichoke (<i>Cynara scolymus</i> L.) floral stems: Towards the valorization of food by-products. <i>Food Chemistry</i> , 2020 , 333, 127506	8.5	5
73	Ultrasound Assisted Extraction of Phenolic Compounds from a Jujube By-Product with Valuable Bioactivities. <i>Processes</i> , 2020 , 8, 1441	2.9	2
72	Effect of Food Preparations on In Vitro Bioactivities and Chemical Components of. <i>Foods</i> , 2020 , 9,	4.9	10
71	Action of euptox A from <i>Ageratina adenophora</i> juice on human cell lines: A top-down study using FTIR spectroscopy and protein profiling. <i>Toxicology in Vitro</i> , 2019 , 57, 217-225	3.6	11
70	Bioactivities of (Gentianaceae) Decoctions: Antioxidant Activity, Enzyme Inhibition and Docking Studies. <i>Molecules</i> , 2019 , 24,	4.8	15
69	Biological properties of phenolic compound extracts in selected Algerian honeys: The inhibition of acetylcholinesterase and α -glucosidase activities. <i>European Journal of Integrative Medicine</i> , 2019 , 25, 77-84	1.7	20
68	Broad bean (<i>Vicia faba</i> L.) pods: a rich source of bioactive ingredients with antimicrobial, antioxidant, enzyme inhibitory, anti-diabetic and health-promoting properties. <i>Food and Function</i> , 2018 , 9, 2051-2069	6.1	25
67	Bioactivities of decoctions from <i>Plectranthus</i> species related to their traditional use on the treatment of digestive problems and alcohol intoxication. <i>Journal of Ethnopharmacology</i> , 2018 , 220, 147-154	5	8
66	Serum Albumin Modulates the Bioactivity of Rosmarinic Acid. <i>Journal of Medicinal Food</i> , 2018 , 21, 801-807	3.8	5
65	Phenolic compounds from <i>Actinidia deliciosa</i> leaves: Caco-2 permeability, enzyme inhibitory activity and cell protein profile studies. <i>Journal of King Saud University - Science</i> , 2018 , 30, 513-518	3.6	6
64	Evidence of Mercury Methylation and Demethylation by the Estuarine Microbial Communities Obtained in Stable Hg Isotope Studies. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	14
63	Valorization of kiwifruit production: leaves of the pruning branches of <i>Actinidia deliciosa</i> as a promising source of polyphenols. <i>European Food Research and Technology</i> , 2017 , 243, 1343-1353	3.4	11
62	Phytochemical Characterization and Biological Evaluation of the Aqueous and Supercritical Fluid Extracts from <i>Salvia sclareoides</i> Brot. <i>Open Chemistry</i> , 2017 , 15, 82-91	1.6	
61	<i>Cynara scolymus</i> L.: A promising Mediterranean extract for topical anti-aging prevention. <i>Industrial Crops and Products</i> , 2017 , 109, 699-706	5.9	19
60	Optimization of microbial detoxification for an aquatic mercury-contaminated environment. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2017 , 80, 788-796	3.2	2
59	Isorhamnetin derivatives and piscidic acid for hypercholesterolemia: cholesterol permeability, HMG-CoA reductase inhibition, and docking studies. <i>Archives of Pharmacal Research</i> , 2017 , 40, 1278-1286	6.1	29
58	Antiacetylcholinesterase activity and docking studies with chlorogenic acid, cynarin and arzanol from <i>Helichrysum stoechas</i> (Lamiaceae). <i>Medicinal Chemistry Research</i> , 2017 , 26, 2942-2950	2.2	14

57	In vitro digestion, antioxidant and antiacetylcholinesterase activities of two species of Ruta: Ruta chalepensis and Ruta montana. <i>Pharmaceutical Biology</i> , 2017 , 55, 101-107	3.8	14
56	Inhibition of HMG-CoA reductase activity and cholesterol permeation through Caco-2 cells by caffeoylquinic acids from Vernonia condensata leaves. <i>Revista Brasileira De Farmacognosia</i> , 2016 , 26, 738-743	2	20
55	Metabolomics for undergraduates: Identification and pathway assignment of mitochondrial metabolites. <i>Biochemistry and Molecular Biology Education</i> , 2016 , 44, 38-54	1.3	6
54	Design, synthesis and bioevaluation of tacrine hybrids with cinnamate and cinnamylidene acetate derivatives as potential anti-Alzheimer drugs. <i>MedChemComm</i> , 2015 , 6, 1969-1977	5	26
53	Glandular Trichomes and Biological Activities in Helichrysum italicum and H. stoechas, Two Asteraceae Species Growing Wild in Portugal. <i>Microscopy and Microanalysis</i> , 2015 , 21 Suppl 5, 91-2	0.5	1
52	Antioxidant capacity and phenolic contents of some Mediterranean medicinal plants and their potential role in the inhibition of cyclooxygenase-1 and acetylcholinesterase activities. <i>Industrial Crops and Products</i> , 2014 , 53, 6-15	5.9	49
51	Optimization of medicinal plant extraction methods and their encapsulation through extrusion technology. <i>Measurement: Journal of the International Measurement Confederation</i> , 2014 , 58, 249-255	4.6	35
50	Isolation and characterization of mercury-resistant bacteria from sediments of Tagus Estuary (Portugal): implications for environmental and human health risk assessment. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2014 , 77, 155-68	3.2	20
49	Production of hydroxamic acids by immobilized Pseudomonas aeruginosa cells: Kinetic analysis in reverse micelles. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 2013 , 93, 28-33		6
48	Evaluation of cholesterol absorption and biosynthesis by decoctions of Annona cherimola leaves. <i>Journal of Ethnopharmacology</i> , 2013 , 150, 718-23	5	24
47	Effect of luteolin and apigenin on rosmarinic acid bioavailability in Caco-2 cell monolayers. <i>Food and Function</i> , 2013 , 4, 426-31	6.1	28
46	Antioxidant and anti-acetylcholinesterase activity of commercially available medicinal infusions after in vitro gastrointestinal digestion. <i>Journal of Medicinal Plants Research</i> , 2013 , 7, 1370-1378	0.6	32
45	Interaction between Plectranthus barbatus herbal tea components and acetylcholinesterase: binding and activity studies. <i>Food and Function</i> , 2012 , 3, 1176-84	6.1	16
44	Acetylcholinesterase inhibition, antioxidant activity and toxicity of Peumus boldus water extracts on HeLa and Caco-2 cell lines. <i>Food and Chemical Toxicology</i> , 2012 , 50, 2656-62	4.7	26
43	Polyphenols as acetylcholinesterase inhibitors: Structural specificity and impact on human disease. <i>Nutrition and Aging (Amsterdam, Netherlands)</i> , 2012 , 1, 99-111		57
42	Bifunctional phenolic-choline conjugates as anti-oxidants and acetylcholinesterase inhibitors. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2011 , 26, 485-97	5.6	33
41	Interaction between Plectranthus barbatus herbal tea components and human serum albumin and lysozyme: Binding and activity studies. <i>Spectroscopy</i> , 2011 , 26, 79-92		9
40	Stability and enzymatic studies with omeprazole:hydroxypropyl-β-cyclodextrin. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2011 , 70, 407-414		4

39	Novel sulfenamides as promising acetylcholinesterase inhibitors. <i>Journal of Heterocyclic Chemistry</i> , 2011 , 48, 1287-1294	1.9	7
38	Chromatographic behaviour of monoclonal antibodies against wild-type amidase from <i>Pseudomonas aeruginosa</i> on immobilized metal chelates. <i>Biomedical Chromatography</i> , 2011 , 25, 1327-37	1.7	2
37	Herbal infusions bioelectrochemical polyphenolic index: Green tea □The gallic acid interference. <i>Food Chemistry</i> , 2011 , 129, 1537-1543	8.5	16
36	Function of <i>Plectranthus barbatus</i> herbal tea as neuronal acetylcholinesterase inhibitor. <i>Food and Function</i> , 2011 , 2, 130-6	6.1	46
35	Antioxidant, antiacetylcholinesterase and antimicrobial activities of <i>Cymbopogon schoenanthus</i> L. Spreng (lemon grass) from Tunisia. <i>LWT - Food Science and Technology</i> , 2010 , 43, 331-336	5.4	60
34	Preparation and physicochemical characterization of Ag nanoparticles biosynthesized by <i>Lippia citriodora</i> (Lemon Verbena). <i>Colloids and Surfaces B: Biointerfaces</i> , 2010 , 81, 67-73	6	158
33	Antiacetylcholinesterase and antioxidant activities of <i>Plectranthus barbatus</i> tea, after in vitro gastrointestinal metabolism. <i>Food Chemistry</i> , 2010 , 122, 179-187	8.5	32
32	The inhibitory effect of <i>Plectranthus barbatus</i> and <i>Plectranthus ecklonii</i> leaves on the viability, glucosyltransferase activity and biofilm formation of <i>Streptococcus sobrinus</i> and <i>Streptococcus mutans</i> . <i>Food Chemistry</i> , 2010 , 119, 664-668	8.5	22
31	Acetylcholinesterase inhibition and antioxidant activity of the water extracts of several <i>Hypericum</i> species. <i>Food Chemistry</i> , 2010 , 120, 1076-1082	8.5	50
30	Rosmarinic acid, scutellarein 4?-methyl ether 7-O-glucuronide and (16S)-coleon E are the main compounds responsible for the antiacetylcholinesterase and antioxidant activity in herbal tea of <i>Plectranthus barbatus</i> (falso boldo) <i>Food Chemistry</i> , 2009 , 114, 798-805	8.5	71
29	Bioactivity studies and chemical profile of the antidiabetic plant <i>Genista tenera</i> . <i>Journal of Ethnopharmacology</i> , 2009 , 122, 384-93	5	40
28	Substrate interaction with recombinant amidase from <i>Pseudomonas aeruginosa</i> during biocatalysis. <i>Biocatalysis and Biotransformation</i> , 2009 , 27, 367-376	2.5	1
27	Antioxidant and antiacetylcholinesterase activities of essential oils from <i>Cymbopogon schoenanthus</i> L. Spreng. Determination of chemical composition by GC/MS spectrometry and ¹³ C NMR. <i>Food Chemistry</i> , 2008 , 109, 630-637	8.5	61
26	Antioxidant and antiacetylcholinesterase activities of five plants used as Portuguese food spices. <i>Food Chemistry</i> , 2007 , 103, 778-786	8.5	254
25	Monoclonal antibodies recognize conformational epitopes on wild-type and recombinant mutant amidases from <i>pseudomonas aeruginosa</i> . <i>Molecular Biotechnology</i> , 2007 , 37, 136-45	3	6
24	Screening of suitable immobilized metal chelates for adsorption of monoclonal antibodies against mutant amidase from <i>Pseudomonas aeruginosa</i> . <i>Journal of Molecular Recognition</i> , 2006 , 19, 340-7	2.6	12
23	The in vitro screening for acetylcholinesterase inhibition and antioxidant activity of medicinal plants from Portugal. <i>Journal of Ethnopharmacology</i> , 2006 , 108, 31-7	5	294
22	Kinetic properties of wild-type and altered recombinant amidases by the use of ion-selective electrode assay method. <i>Analytical Biochemistry</i> , 2006 , 355, 232-9	3.1	8

21	Immobilized metal affinity chromatography of monoclonal immunoglobulin M against mutant amidase from <i>Pseudomonas aeruginosa</i> . <i>Molecular Biotechnology</i> , 2006 , 33, 103-14	3	10
20	Biological sulphate reduction and redox mediator effects on azo dye decolourisation in anaerobic/aerobic sequencing batch reactors. <i>Enzyme and Microbial Technology</i> , 2005 , 36, 790-799	3.8	75
19	Application of Fourier transform infrared spectroscopy for monitoring hydrolysis and synthesis reactions catalyzed by a recombinant amidase. <i>Analytical Biochemistry</i> , 2005 , 346, 49-58	3.1	29
18	Characterization of monoclonal antibodies against altered (T103I) amidase from <i>Pseudomonas aeruginosa</i> . <i>Molecular Biotechnology</i> , 2005 , 30, 207-19	3	12
17	Amidase encapsulated in TTAB reversed micelles for the study of transamidation reactions. <i>Biocatalysis and Biotransformation</i> , 2005 , 23, 407-414	2.5	5
16	Measuring enzymatic activity of a recombinant amidase using Fourier transform infrared spectroscopy. <i>Analytical Biochemistry</i> , 2003 , 322, 208-14	3.1	19
15	Anaerobic reduction of a sulfonated azo dye, Congo Red, by sulfate-reducing bacteria. <i>Applied Biochemistry and Biotechnology</i> , 2002 , 97, 147-63	3.2	18
14	Study of the Stability Of <i>Vaccinium myrtillus</i> Peroxidase in Reverse Micellar Systems. <i>Biocatalysis and Biotransformation</i> , 2002 , 20, 129-135	2.5	5
13	Development of a new amperometric biosensor based on polyphenoloxidase and polyethersulphone membrane. <i>Pure and Applied Chemistry</i> , 2001 , 73, 1993-1999	2.1	9
12	Continuous production and simultaneous precipitation of a dipeptide in a reversed micellar membrane reactor. <i>Enzyme and Microbial Technology</i> , 1999 , 24, 507-513	3.8	18
11	Application of factorial design to the optimization of peroxidase activity in reverse micelles of bis(2-ethylhexyl)sodium sulfosuccinate/ isooctane. <i>Applied Biochemistry and Biotechnology</i> , 1999 , 82, 27-36	3.2	
10	Irreversible thermoinactivation of β -chymotrypsin in buffer and water miscible organic solvent. Comparison with a reverse micellar system. <i>Journal of Molecular Catalysis B: Enzymatic</i> , 1999 , 7, 191-205		11
9	Thermal Stability of β -chymotrypsin, Native and Chemically Modified, Inside Reverse Micelles During Peptide Synthesis. <i>Biocatalysis and Biotransformation</i> , 1999 , 17, 3-19	2.5	4
8	Application of factorial design to the study of transesterification reactions using cutinase in AOT-reversed micelles. <i>Enzyme and Microbial Technology</i> , 1997 , 21, 117-123	3.8	58
7	Synthesis of AcPheLeuNH(2) by alpha-chymotrypsin in TTAB reversed micelles: Application of response surface methodology to the optimization of the system. <i>Biotechnology and Bioengineering</i> , 1994 , 43, 1031-42	4.9	7
6	Dipeptide synthesis and separation in a reversed micellar membrane reactor. <i>Enzyme and Microbial Technology</i> , 1994 , 16, 1064-73	3.8	30
5	Thermostability of β -chymotrypsin in water/organic solvent systems. <i>Biotechnology Letters</i> , 1992 , 14, 1041-1044	3	7
4	Application of empirical design methodologies to the study of the influence of reaction conditions and N-alpha-protecting group structure on the enzymatic X-Phe-Leu-NH(2) dipeptide synthesis in buffer/dimethylformamide solvents systems. <i>Biotechnology and Bioengineering</i> , 1992 , 39, 539-49	4.9	8

3	Application of Fractional Factorial Design to the Study of Enzymatic Dipeptide Synthesis in Reverse Micelles. <i>Progress in Biotechnology</i> , 1992 , 8, 725-732		4
2	Thermostability of α -chymotrypsin encapsulated in reversed micelles. <i>Biotechnology Letters</i> , 1990 , 12, 167-172	3	16
1	Peptide synthesis by microencapsulated chymotrypsin. <i>Annals of the New York Academy of Sciences</i> , 1990 , 613, 638-42	6.5	5