

Marileda Novello

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/12174553/publications.pdf>

Version: 2024-02-01

12
papers

837
citations

1039406

9
h-index

1199166

12
g-index

12
all docs

12
docs citations

12
times ranked

1028
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term Renal Outcomes in Patients With Primary Aldosteronism. JAMA - Journal of the American Medical Association, 2006, 295, 2638-45.	3.8	328
2	Insulin Sensitivity in Patients with Primary Aldosteronism: A Follow-Up Study. Journal of Clinical Endocrinology and Metabolism, 2006, 91, 3457-3463.	1.8	232
3	Relationship of Plasma Renin With a Prothrombotic State in Hypertension: Relevance for Organ Damage. American Journal of Hypertension, 2008, 21, 1347-1353.	1.0	61
4	New risk factors for atherosclerosis in hypertension: focus on the prothrombotic state and lipoprotein(a). Journal of Hypertension, 2005, 23, 1617-1631.	0.3	50
5	Serum lipoprotein(a) concentrations and alcohol consumption in hypertension. Journal of Hypertension, 2003, 21, 281-288.	0.3	45
6	Dietary Salt Intake Is a Determinant of Cardiac Changes After Treatment of Primary Aldosteronism. Hypertension, 2016, 68, 204-212.	1.3	31
7	Renal cysts and hypokalemia in primary aldosteronism: results of long-term follow-up after treatment. Journal of Hypertension, 2007, 25, 1443-1450.	0.3	30
8	Moderate Alcohol Consumption Is Associated With Left Ventricular Diastolic Dysfunction in Nonalcoholic Hypertensive Patients. Hypertension, 2016, 68, 1208-1216.	1.3	25
9	Salt, Aldosterone, and Parathyroid Hormone: What Is the Relevance for Organ Damage?. International Journal of Endocrinology, 2017, 2017, 1-8.	0.6	10
10	Long-Term Renal and Cardiac Outcomes after Stenting in Patients with Resistant Hypertension and Atherosclerotic Renal Artery Stenosis. Kidney and Blood Pressure Research, 2017, 42, 774-783.	0.9	9
11	Intrarenal Vascular Resistance is Associated With a Prothrombotic State in Hypertensive Patients. Kidney and Blood Pressure Research, 2016, 41, 929-936.	0.9	8
12	Microalbuminuria and plasma aldosterone levels in nondiabetic treatment-naïve patients with hypertension. Journal of Hypertension, 2017, 35, 2510-2516.	0.3	8