
Laufey Steingrimsdottir

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/12175633/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Relationship Between Serum Parathyroid Hormone Levels, Vitamin D Sufficiency, and Calcium Intake. JAMA - Journal of the American Medical Association, 2005, 294, 2336.	7.4	406
2	Vitamin D $\hat{a} \in$ "a systematic literature review for the 5th edition of the Nordic Nutrition Recommendations. Food and Nutrition Research, 2013, 57, 22671.	2.6	118
3	Analysing the Large Decline in Coronary Heart Disease Mortality in the Icelandic Population Aged 25-74 between the Years 1981 and 2006. PLoS ONE, 2010, 5, e13957.	2.5	73
4	Comparison of Women's Diet Assessed by FFQs and 24-Hour Recalls with and without Underreporters: Associations with Biomarkers. Annals of Nutrition and Metabolism, 2006, 50, 450-460.	1.9	69
5	Diet, pregnancy, and lactation: Effects on adipose tissue, lipoprotein lipase, and fat cell size. Metabolism: Clinical and Experimental, 1980, 29, 837-841.	3.4	63
6	Milk Intake in Early Life and Risk of Advanced Prostate Cancer. American Journal of Epidemiology, 2012, 175, 144-153.	3.4	63
7	Effect of Pregnancy, Lactation and a High-Fat Diet on Adipose Tissue in Osborne-Mendel Rats. Journal of Nutrition, 1980, 110, 600-609.	2.9	57
8	Minerals and trace elements in Icelandic dairy products and meat. Journal of Food Composition and Analysis, 2011, 24, 980-986.	3.9	57
9	Assessing validity of a short food frequency questionnaire on present dietary intake of elderly Icelanders. Nutrition Journal, 2012, 11, 12.	3.4	47
10	Consumption of Fish Products across the Lifespan and Prostate Cancer Risk. PLoS ONE, 2013, 8, e59799.	2.5	37
11	Hip Fractures and Bone Mineral Density in the Elderly—Importance of Serum 25-Hydroxyvitamin D. PLoS ONE, 2014, 9, e91122.	2.5	34
12	Validity of retrospective diet history: Assessing recall of midlife diet using food frequency questionnaire in later life. Journal of Nutrition, Health and Aging, 2011, 15, 809-814.	3.3	33
13	Serum levels of marine-derived n-3 fatty acids in Icelanders, Japanese, Koreans, and Americans—A descriptive epidemiologic study. Prostaglandins Leukotrienes and Essential Fatty Acids, 2012, 87, 11-16.	2.2	31
14	Plasma phospholipid fatty acids and fish-oil consumption in relation to osteoporotic fracture risk in older adults: the Age, Gene/Environment Susceptibility Study. American Journal of Clinical Nutrition, 2015, 101, 947-955.	4.7	27
15	Rye bread consumption in early life and reduced risk of advanced prostate cancer. Cancer Causes and Control, 2012, 23, 941-950.	1.8	24
16	Docosahexaenoic acid in red blood cells of women of reproductive age is positively associated with oral contraceptive use and physical activity. Prostaglandins Leukotrienes and Essential Fatty Acids, 2009, 80, 27-32.	2.2	23
17	Depression and serum 25-hydroxyvitamin D in older adults living at northern latitudes – AGES-Reykjavik Study. Journal of Nutritional Science, 2015, 4, e37.	1.9	22
18	lodine status of pregnant women in a population changing from high to lower fish and milk consumption. Public Health Nutrition. 2013. 16. 325-329.	2.2	21

LAUFEY STEINGRIMSDOTTIR

#	Article	IF	CITATIONS
19	Early Life Residence, Fish Consumption, and Risk of Breast Cancer. Cancer Epidemiology Biomarkers and Prevention, 2017, 26, 346-354.	2.5	20
20	Dietary intake is associated with risk of multiple myeloma and its precursor disease. PLoS ONE, 2018, 13, e0206047.	2.5	19
21	Midlife metabolic factors and prostate cancer risk in later life. International Journal of Cancer, 2018, 142, 1166-1173.	5.1	18
22	Blood selenium levels and contribution of food groups to selenium intake in adolescent girls in Iceland. Food and Nutrition Research, 2012, 56, 18476.	2.6	15
23	Vitamin D Intake and Status in 6-Year-Old Icelandic Children Followed up from Infancy. Nutrients, 2016, 8, 75.	4.1	15
24	Vitamin D Intake and Status in 12-Month-Old Infants at 63–66° N. Nutrients, 2014, 6, 1182-1193.	4.1	14
25	Changes in total cholesterol levels in Western societies are not related to statin, but rather dietary factors: the example of the Icelandic population. European Heart Journal, 2013, 34, 1778-1782.	2.2	13
26	Dietary habits in adolescence and midlife and risk of breast cancer in older women. PLoS ONE, 2018, 13, e0198017.	2.5	10
27	Pre-diagnostic 25-hydroxyvitamin D levels and survival in cancer patients. Cancer Causes and Control, 2019, 30, 333-342.	1.8	8
28	Fish and fish-liver oil consumption in adolescence and midlife and risk of CHD in older women. Public Health Nutrition, 2016, 19, 318-325.	2.2	6
29	Cod liver oil consumption at different periods of life and bone mineral density in old age. British Journal of Nutrition, 2015, 114, 248-256.	2.3	5
30	Serum 25-Hydroxy-Vitamin D Status and Incident Hip Fractures in Elderly Adults: Looking Beyond Bone Mineral Density. Journal of Bone and Mineral Research, 2020, 36, 2351-2360.	2.8	3
31	Food, Nutrition, and Health in Iceland. , 2018, , 145-177.		2
32	Growth Rate in Childhood and Adolescence and Risk of Breast and Prostate Cancer: A Population-Based Study. American Journal of Epidemiology, 2021, , .	3.4	1
33	Rye bread consumption in early life and reduced risk of advanced prostate cancer Journal of Clinical Oncology, 2012, 30, 79-79.	1.6	0
34	Dietary Pattern and Risk of Monoclonal Gammopathy of Undetermined Significance: A Population-Based Study. Blood, 2016, 128, 3257-3257.	1.4	0
35	Dietary patterns in adolescence and risk of colorectal cancer: a population-based study. Cancer Causes and Control, 2021, 33, 205.	1.8	0